



Better Cable Management

# FB145 SERIES FLOOR OUTLET BOXES







# FBI45 SERIES FLOOR OUTLET BOXES



## Manage Cables Better

Cableaway's floor outlet boxes are an ideal way to supply power, data and A/V to open floors of a commercial office building or even within your home. The FB 145 Series floor outlet boxes come complete with a height adjustable lid, auto switched outlets or standard GPO and provision for data mechs (mechs by others).



Bevelled Edge

- Height adjustable lid
- Flush lid finish
- Easy to remove lid section
- Dual cable exit flaps
- Combination lifting tab / cable exit flat
- Up to 2 auto switched outlets
- Bevelled and flush lid finishes
- Provision for up to 3 data



Square Edge

### Specifications

- Floor box body manufactured from powder coated zinc annealed steel
- 20mm knockouts provided for easy conduit entry
- Frame and lid manufactured from stainless steel or brass
- Auto switched power outlet's supplied
- Provision for data
- Floor box carcass dimensions: W 145 x L 145 x D 105mm (D 111mm including lid)



# FBI45 SERIES FLOOR OUTLET BOXES

Manage Cables Better

FB145 Series Stainless Steel Flush Lid Assembly



PART NUMBER : FB145SSFLA

FB145 Series Stainless Steel Round Flush Lid Assembly



PART NUMBER : FB145CSSFLA

FB145 Series Stainless Steel Square Edge Flush Lid Assembly



PART NUMBER : FB145SSFLA-SE

FB145 Series Brass Flush Lid Assembly




PART NUMBER : FB145BRFLA





**Manage Cables Better**

Standard GPO



Auto switched outlets



**Suggested Specification**

Contractor shall supply Cableaway FB145 Series floor outlet box. The box will be complete with (eg: 2 x ) power and (eg: 3 x ) data with a (eg: Stainless Steel Flush) lid section. Part Number (eg: FB145SSF2P3D).

**Description**

**Part Number**

|   |                         |
|---|-------------------------|
| 2 x Auto switched outlets and provision for 3 x data, stainless steel flush lid             | <b>FB145SSF2P3D</b>     |
| 1 x Standard double GPO, stainless steel flush lid  | <b>FB145SSF1STDO</b>    |
| 2 x Auto switched outlets and provision for 3 x data, stainless steel round flush lid       | <b>FB145CSSF2P3D</b>    |
| 1 x Standard double GPO, stainless steel round flush lid                                    | <b>FB145CSSF1STDO</b>   |
| 2 x Auto switched outlets and provision for 3 x data, stainless steel flush square edge Lid | <b>FB145SSF2P3D-SE</b>  |
| 1 x Standard double GPO, stainless steel flush square edge lid                              | <b>FB145SSF1STDO-SE</b> |
| 2 x Auto switched outlets and provision for 3 x data, brass flush lid                       | <b>FB145BRF2P3D</b>     |
| 1 x Standard double GPO, brass flush lid  | <b>FB145BRF1STDO</b>    |