




Better Cable Management

# FBS50 SERIES FLOOR OUTLET BOXES







# FBS50 SHALLOW SERIES FLOOR OUTLET BOX

**Manage Cables Better**

Cableaway's shallow floor outlet boxes are an ideal way to supply power, data and A/V to open floors of a commercial office building or even within your home. The FBS50 Series floor outlet boxes come complete with a height adjustable lid, auto switched outlets, provision for data mechs (mechs by others).




## Features

- Height adjustable lid
- Flush or recess lid options
- Easy to remove lid section
- Single cable exit flap
- Lifting tab (for easy opening)
- Up to 4 auto switched power outlets
- Modular configuration
- Bevelled and flush lid finishes
- Provision for up to 6 data

Manage Cables Better

FB Series Stainless Steel 14mm Recessed Lid Assembly




PART NUMBER : **FBSSR14LA**

FB Series Stainless Steel Flush Lid Assembly




PART NUMBER : **FBSSFLAS50**


4 x Power Plate:  
**FBPP4PS50**




2 x Power Plate:  
**FBPP2PS50**



4 x Data Plate:  
**FBDP4DS50**




6 x Data Plate:  
**FBDP6DS50**





Manage Cables Better

# FBS50 SHALLOW SERIES FLOOR OUTLET BOX



- Floor box body manufactured from powder coated zinc annealed steel
- 20mm knockouts provided for easy conduit entry
- Frame and lid manufactured from stainless steel
- Auto switched power outlet's supplied
- Provision for data
- Floor box carcass dimensions: W 194 x L 227 x D 54mm
- Floor box lid dimension W 220 x L 250mm (on bevelled edge lid)
- Floor box lid dimension W 195x L 230mm (on 14mm recessed lid)
- Frame Lid Recess: 14mm

## Suggested Specification

Contractor shall supply Cableaway FBS50 shallow series floor outlet box. The box will be complete with (eg: 4 x ) power and (eg: 4 x ) data with a (eg: stainless steel flush) lid section. Part Number (eg: FBSSF4P4DS50).

## Description

## Part Number

2 x power and provision for 4 x data stainless steel flush Lid	<b>FBSSF2P4DS50</b>
4 x power and provision for 4 x data stainless steel flush Lid	<b>FBSSF4P4DS50</b>
2 x power and provision for 4 x data stainless steel 14mm recessed Lid	<b>FBSS14R2P4DS50</b>
4 x power and provision for 4 x data stainless steel 14mm recessed Lid	<b>FBSS14R4P4DS50</b>