


RICS 3133 – Raychem Insulated T-adapter  
up to 12kV for SF<sub>6</sub>-insulated Switchgear  
with Bushings

**Raychem**  
from TE Connectivity

# Raychem Insulated T-adapter up to 12kV for SF<sub>6</sub>-insulated Switchgear with Bushings According to EN 50181 Type C



**RICS 3133**

This insulated adapter provides perfect sealing, electrical insulation and an electrical connection between all Raychem terminations and SF<sub>6</sub>-insulated switchgear up to 12 kV. It is designed to fit bushing profiles according to EN 50181 type C.

**Design**

Raychem elastomeric RICS adapters are moulded parts which fit over the connection between the cable lug and the right-angled bushing of a gas insulated switchgear, where the air clearances are insufficient for normal operation.

The non-tracking elastomeric housing has excellent erosion resistance, dielectric properties and environmental resistance, giving superb performance in areas of high humidity and electrical stress.

RICS adapters are quick and easy to install and work in combination with all Raychem termination product lines. The adapter can easily be removed and reinstalled without the need for additional material or tooling, allowing access to the bushing connection for test purposes.

**Installation**

The elastomeric body is simply pulled over a termination, even with bulky mechanical lugs, and covers a wide cross section range of 70-300 mm<sup>2</sup>. A terminal stud with nut connects the cable lug of the termination with the bushing. The back end of the adapter is reliably sealed by a easy-to-remove, snap-in elastomeric cap.

**Performance Tests**

The RICS adapter is tested to CENELEC HD 629.1 S2:2006 and GOST requirements, including tests like AC, DC (60kV), BIL (95kV), long-term loadcycling at AC voltage 16kV phase/ground (2.5\*U<sub>0</sub>). All voltage tests were performed in confined metallic enclosures to generate highest electrical stresses.

To test for electrical and moisture sealing in worst possible condition, even load-cycling under water with a test voltage of 16 kV phase/ground (2.5\*U<sub>0</sub>) was successfully passed.

**RICS adapter selection table with most common Raychem terminations**

Cross section (mm <sup>2</sup> )	Ordering description T-Adapter	Termination for polymeric cables incl. Mechanical lugs
70 - 150	RICS-3133	IXSU-F3131-ML-2-17
95 - 240	RICS-3133	IXSU-F3131-ML-4-17
120 - 300	RICS-3133	IXSU-F3131-ML-5-17

**Packaging**

The insulating body, fixing bolts, terminal stud and cap are supplied in a 3-phase set complete with installation instruction. Cable terminations with lugs for M16 studs have to be ordered separately.

**Adapters for other types of bushing and for other cable are available on request.**

If required, a separate test rod is available to apply test voltage directly onto the cable stud inside the RICS adapter. Ordering descriptions are RICS-5002-50-24 for a 290 mm version and RICS-5002-50-25 for the long 390 mm version (2 normal, 1 long version needed for 3 phase testing).

While TE Connectivity (TE) has made every reasonable effort to ensure the accuracy of the information in this catalog, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications. Raychem, TE Connectivity and TE Connectivity (logo) are trademarks. Other logos, product and company names mentioned herein may be trademarks of their respective owners.

**TE Energy – innovative and economical solutions for the electrical power industry: cable accessories, connectors & fittings, insulators & insulation, surge arresters, switching equipment, street lighting, power measurement and control.**

Tyco Electronics Raychem GmbH  
 a TE Connectivity Ltd. Company  
 TE Energy  
 Finsinger Feld 1  
 85521 Ottobrunn/Munich, Germany

Phone: +49-89-6089-0  
 Fax: +49-89-6096345

energy.te.com

