

TransNet



Your Partners in Power




Dec 25 / Jan 26

LV JUICE

Safe Cuts. Every Time.



DUCTSAFE PRO Depth Limiting Cutting Saw—safer, faster, more precise duct work. Fixed cutting depths prevent cable damage, ensuring controlled cuts that protect workers, cables, and customers. 8 standard depths available (custom sizes available).



Saw depth clearly labeled for fast accurate selection



Fixed depth saw to avoid cable damage



LEARN MORE

www.transnet.co.nz

High-Performance Sun Protection



- ✓ SPF50+ UVA/UVB advanced broad spectrum protection
- ✓ Complies with AS/NZS standards 2602:2012
- ✓ Contains Manuka honey, aloe vera and vitamin E to moisturise and condition the skin
- ✓ Dermatologically tested for most skin types and is PABA free
- ✓ No-slip dry grip
- ✓ Sungard is a TGA registered product
- ✓ Manufactured and tested in Australia
- ✓ 4 hours of resistance
- ✓ Does not contain nanoparticles, titanium dioxide or zinc oxide—safe in contact with roofing and paint finishes
- ✓ Non-slip dry grip
- ✓ Available in 60ml carabiner, 125ml flip top squeeze tube, 500, 1000 and 2500ml pump bottles



DRY TOUCH



MANUKA HONEY



ALOE VERA



VITAMIN E



NO NANOPARTICLES



THORZT Hydrating Solo Shots

A tasty, practical hydration shot in five flavours – caffeine- and gluten-free, each single-serve pack makes 600ml.

- ✓ 5 delicious flavours - Blue Lemonade, Lemon Lime, Orange, Tropical, Wild Berry
- ✓ Blend of B & C vitamins, L-Glutamine and BCAAs
- ✓ Proprietary electrolyte formula including Sodium, Potassium and Magnesium
- ✓ 50 x 3g sachets per pack
- ✓ Caffeine and gluten free
- ✓ 99% sugar free




Navigator X Safety Glasses

- ✓ Next-level protective eyewear without compromise
- ✓ Iconic wayfarer design with premium materials
- ✓ 7 lens options for style and safety
- ✓ Ethically sourced bio-based materials
- ✓ Premium UV400 FLOW-TEC Anti-Fog, Anti-Scratch, polarised & mirrored lenses





Designed Better. From the Inside Out.




The faster, safer, easier to install **Mains Entry Box** available in 1, 2 & 3 phase options.

- ✓ UV-stable plastic housing — tough and shatterproof
- ✓ Shear bolt connectors ensure a perfect connection
- ✓ Safer design with no exposed live parts
- ✓ Main cable supported securely by gland plate
- ✓ Gland plate ensures precise conduit fit
- ✓ Strip length clearly marked on connector body
- ✓ Pre-make connectors outside enclosure to save time
- ✓ Built-in electrical test points with protective caps
- ✓ Captive stainless-steel cover screw
- ✓ Bimetallic connectors for Al/Cu cables (4–35 mm²)
- ✓ NZ-made with Michaud IPC connectors
- ✓ Tested to AS/NZS 3820:2009 + A1

Stronger together


COMPLETE CONNECTION SOLUTION

Combine TNMEB with **HOUSEHOOK** and **LV Strain Clamps** for a secure, versatile mounting solution — designed for neutral screen or PVC-covered cables.





Fast, Reliable Jointing




NO SPECIAL TOOLS!



Raygel Plus Joint Kits from TE Connectivity are a stand out solution because of their fast, tool-free installation, superior sealing with PowerGel, and versatility across cable types and environments.

- ✓ Tool-Free, Fast Installation - The enclosure snap-closes by hand, no heat or curing time
- ✓ PowerGel Sealing Technology - IP68 rated, Halogen-free, UV-resistant, and environmentally friendly
- ✓ Versatile & Robust - Ideal for underground, direct-buried, and overhead applications. Rated for continuous 90°C operation with an unlimited shelf life
- ✓ Universal Connector Block (Included in size 2 & 3 only) - The block snaps into place and supports both straight and branch connections
- ✓ Wide Cable Compatibility - Supports single and multi-core polymeric cables (0.6/1 kV) from 2×1.5 mm² to 5×16 mm²
- ✓ Compliance and Safety - Certified to CENELEC EN 50393

INSTALLATION VIDEOS



RAYGEL PLUS 0 & 1




RAYGEL PLUS 2 & 3



AUTHORISED DISTRIBUTOR


CAT NO.	CONNECTOR INCL.	CONDUCTOR SIZE (MM ²)		DIMENSIONS (MM) L × W × H	CONNECTOR SIZE (MAX MM) L × W × H
		MAIN	TAP		
RAYGEL-PLUS-0	NO	2-3 × 1.5-2.5 (1 × 10-50)	2-3 × 1.5 (1 × 10-16)	100 × 37 × 24	26 × 24 × 16
RAYGEL-PLUS-1	NO	3-5 × 1.5-2.5 (1 × 10-50)	3-5 × 1.5 (1 × 10-16)	139 × 51 × 24	26 × 38 × 16
RAYGEL-PLUS-2	YES	3-5 × 1.5-6	3-5 × 1.5-6	233 × 78 × 40	INCLUDED
RAYGEL-PLUS-3	YES	3-5 × 6-16	3-5 × 6-16	313 × 90 × 47	INCLUDED

Fixing, Fastening & Support Products




CADDY Rod Lock (Code CRL***)

- ✓ Push-to-Install - No threading, no turning, just push the rod into place
- ✓ Prefab and Retrofit - Build off-site or ground level then lift & lock in place
- ✓ Works with Imperfect Rods - Even rods with burrs or minor damage slide in smoothly
- ✓ Versatile Mounting Solutions - Includes beam clamps, anchor screws, channel nuts, and L-brackets for concrete, steel, and vertical structures. Supports conduit, cable trays, ductwork, lighting, and piping
- ✓ Time and Cost Efficiency - 22mm drive socket for fast drill-based anchor installation, Slotted channel washer and nut can be installed anywhere along the rod
- ✓ Safety and Compliance - Minimises overhead work, and streamlines installation steps. RoHS & REACH compliant Armour finish for corrosion resistance



Push-to-install design

ROD LOCK




"Push-to-install" Technology

INNOVATION THAT HOLDS STRONG




CADDY Flanged Nut (Code SNSW***)

- ✓ One-Piece Design – Combines a slotted channel washer and hex nut into a single component, eliminating the need for multiple parts and simplifying inventory
- ✓ Tool-Free Repositioning – Install, remove, reposition anywhere along a threaded rod without disassembling the support system, perfect for retrofits
- ✓ Versatile – Works with standard strut channel profiles, making it a go-to for electrical, HVAC, and data installations
- ✓ No prep needed – even works with rods that have burrs or minor damage.
- ✓ Durable and Compliant – Made of electrogalvanized steel with a 3:1 static load safety factor, and compliant with RoHS and REACH standards



CADDY Speed Link (Code SLK***)

- ✓ Tool-Free Installation – Up to 50% faster, just push the cable into the locking device. No crimping, no threading, no wrenches
- ✓ Pre-Assembled Kits – Comes ready to use with wire rope, locking device, and end fittings
- ✓ One-Handed Adjustment – allows easy repositioning of the wire rope without tools
- ✓ Multiple Mounting Options – Works with beam clamps, purlin clips, concrete anchors, and threaded rod adapters. Supports vertical and angled installations
- ✓ High Load Capacity – Rated up to 100kg depending on wire gauge and configuration
- ✓ Clean Aesthetic – Slim profile and minimal hardware make it ideal for exposed installations like retail lighting or architectural signage.
- ✓ Reduces Waste – No cutting or threading means fewer offcuts and less packaging



Pre-assembled and ready to use



TRUSTED FASTENING SOLUTIONS FOR EVERY JOB

Season's Greetings from TransNet

Thank you for being part of our 25-year journey

We'd like to take this opportunity to thank you for your continued support throughout 2025 – a milestone year as we proudly celebrated 25 years as “your partners in power.”

Wishing you and your families a safe, enjoyable festive season and a well-deserved summer break. We're looking forward to reconnecting and working together again in 2026.

Warm regards,
The Team at TransNet



Auckland

78 Cryers Road
East Tamaki
Auckland
NEW ZEALAND
Ph 0800 442 182
PO Box 39 383
Howick, Auckland

Wellington

10 Petone Ave
Petone
Wellington
NEW ZEALAND
Ph 04 576 2530
PO Box 39 383
Howick, Auckland
NEW ZEALAND
sales@transnet.co.nz

TransNet Tonga

Nuku'alofa

Lakalakaimonu Multi Utility
Complex
Taufa'ahau Road
Poutaha
Nuku'alofa
TONGA
Ph +67 627 939
PO Box 2932
Nuku'alofa
TONGA
transnet@kalianet.to



TransNet NZ Ltd has made every reasonable effort to ensure the accuracy of this information and it is to the best of our knowledge correct and reliable. Under no circumstances does this constitute an assurance of any particular quality or performance and users should independently evaluate the suitability of products for their desired application. All information in this publication including pricing, drawings, illustrations, images and graphic designs are reflections of our current understanding. TransNet NZ Ltd reserves the right to make any adjustment to this information at any time. Our liability for the products outlined in this publication is set forth in our standard terms and conditions of trade. In case of any potential ambiguities or questions, please contact us for clarification.

