



BETTER CABLE MANAGEMENT

SOB-2, 3 Series Pop Up Lid Floor Boxes

Rectangular watertight floor box for raised floors or concrete floors. With the option for safety lock or manual lock mechanism and module capacity options from 3 to 6. SOB-2, 3 series floor box bring a lot of convenience to large open area and keeps the electrical mechanisms completely free from water and humidity.



Distributed by



TransNet NZ Limited

78 Cryers Road, East Tamaki, Auckland

+64 9 274 3340 | sales@transnet.co.nz | www.transnet.co.nz

WATERTIGHT FLOOR BOXES

Floor boxes/Desktop sockets/Wiring devices

Two types of finishes



Maximum resistance




When connected, it can withstand the weight of pedestrians while protecting the cable from pressure and stress

Safety cover

The hinge, which opens to less than 90°, prevents the cover from being left open accidentally and causing people to trip over it.

OPENING <90°



SOB-2

Watertight connector and cable glands in box to prevent from the water entering into the box from bottom.

WATERTIGHT FLOOR BOXES

Floor boxes/Desktop sockets/Wiring devices

SOB-2/3 series watertight floor boxes





Stainless steel, pull-tab pop up type

Model	Color	Module capacity	Cutout mm
SOB-2SFA	Silver	3	120×135
SOB-3SFA	Silver	6	120×135

S Stainless Steel

Pull-tab pop up type, stainless steel top finish. Available optional adaptor for fixing the Type F, U, A, B, G and E series modules.

Application: Access floor




Brass alloy, pull-tab pop up type

Model	Module capacity	Cutout mm
SOB-2BFA	3	120×135
SOB-3BFA	6	120×135

B Brass

Pull-tab pop up type, brass alloy top finish. Available optional adaptor for fixing the Type F, U, A, B, G and E series modules.

Application: Access floor





Stainless steel, safety lock pop up type

Model	Color	Module capacity	Cutout mm
SOB-2SHA	Silver	3	120×135
SOB-3SHA	Silver	6	120×135

S Stainless Steel **H** Hex key open

Safety lock pop up type, stainless steel top finish, Available optional adaptor for fixing the Type F, U, A, B, G and E series modules.

Application: Access floor




Brass alloy, safety lock pop up type

Model	Color	Module capacity	Cutout mm
SOB-2BHA	Gold	3	120×135
SOB-3BHA	Gold	6	120×135

B Brass **H** Hex key open

Safety lock pop up type, brushed brass alloy top finish, Available optional adaptor for fixing the Type F, U, A, B, G and E series modules.

Application: Access floor



Access floor fixing bracket

Model
SOB-BK

Z Zinc alloy

Fixing part for access floor

WATERTIGHT FLOOR BOXES

Floor boxes/Desktop sockets/Wiring devices

SOB-2/3 series watertight floor boxes



Stainless steel, pull-tab pop up type

Model	Color	Module capacity	Cutout mm
SOB-2SFC	Silver	3	120×135
SOB-3SFC	Silver	6	120×135

■ Stainless Steel

Pull-tab pop up type, Stainless Steel top finish, Available optional adaptor for fixing the Type F, U, A, B, G and E series modules.

Application: Concrete floor



Brass alloy, pull-tab pop up type

Model	Module capacity	Cutout mm
SOB-2BFC	3	120×135
SOB-3BFC	6	120×135

■ Brass

Pull-tab pop up type, brushed brass alloy top finish, Available optional adaptor for fixing the Type F, U, A, B, G and E series modules.

Application: Concrete floor




Stainless steel, safety lock pop up type

Model	Color	Module capacity	Cutout mm
SOB-2SHC	Silver	3	120×135
SOB-3SHC	Silver	6	120×135

■ Stainless Steel H Hex key open

Safety lock pop up type, Stainless Steel top finish, Available optional adaptor for fixing the Type F, U, A, B, G and E series modules.

Application: Concrete floor




Brass alloy, safety lock pop up type

Model	Color	Module capacity	Cutout mm
SOB-2BHC	Gold	3	120×135
SOB-3BHC	Gold	6	120×135

■ Brass H Hex key open

Safety lock pop up type, brushed brass alloy top finish, Available optional adaptor for fixing the Type F, U, A, B, G and E series modules.

Application: Concrete floor



Extension ring

Model
SOB-R1

■ ABS

Extension ring (increase extra height)

WATERTIGHT FLOOR BOXES

Floor boxes/Desktop sockets/Wiring devices

Height-adjustable box with gangable feature



Box for concrete floor




Gangable concrete floor box

Outline dimension


SOB-2SFA, 2SHA, 2BFA, 2BHA

SOB-3SFA, 3SHA, 3BFA, 3BHA



SOB-2SFC, 2SHC, 2BFC, 2BHC

SOB-3SFC, 3SHC, 3BFC, 3BHC



SOB-R1

