

0800 442 182



# SAFETY PRODUCTS CATALOGUE

FIRST EDITION



**QUALITY  
COMMITMENT  
RELIABILITY**

[www.transnet.co.nz](http://www.transnet.co.nz)



## TRANSNET NEW ZEALAND LIMITED

At TransNet we offer a large range of products to the Electrical Distribution, Transmission, Rail, OEM and Wholesale Industry. We have the expertise and knowledge to assist with equipment specification as well as providing hands on service and support in the field.

With four stocking distribution facilities in Australasia and 24 hour contact, TransNet is able to offer local support and fast delivery. Your partners in power, we here at TransNet, pride ourselves on the ability to react quickly to any situation and have product to you whenever and wherever you need it.



### TRANSNET NEW ZEALAND LIMITED DISCLAIMER

TransNet NZ Limited has made every reasonable effort to ensure the accuracy of this information and it is, to the best of our knowledge, correct and reliable. Under no circumstances does this constitute an assurance of any particular quality or performance and users should independently evaluate the suitability of product for the desired application. All information in this publication including pricing,

drawings, illustrations, images and graphic designs are reflections of our current understanding. TransNet NZ Limited reserves the right to make any adjustment to this information at any time. Our liability for the products outlined in this catalogue is set forth in our standard terms and conditions of trade. In case of any potential ambiguities or questions, please contact us for clarification.

### TRANSNET NEW ZEALAND LTD

#### AUCKLAND

78 Cryers Road  
East Tamaki  
Auckland  
NEW ZEALAND

Ph 0800 442 182  
Fax 0800 442 183  
PO Box 39 383  
Howick, Auckland

sales@transnet.co.nz

NEW ZEALAND

#### WELLINGTON

10 Petone Ave  
Petone  
Wellington  
NEW ZEALAND

Ph 0800 442 182  
Fax 0800 442 183  
PO Box 39 383  
Howick, Auckland

sales@transnet.co.nz

NEW ZEALAND

### TRANSNET TONGA

#### TONGA

Small Industries  
Ma'ufanga

#### TONGA

Ph +67 627 939  
Fax +67 627 976  
PO Box 2932  
Nuku'alofa

transnet@kalianet.to

TONGA





<b>3</b>	<b>ARC RATED PROTECTIVE CLOTHING</b>
<b>9</b>	<b>PROTECTIVE FR WORKWEAR</b>
<b>13</b>	<b>FLAME RETARDANT/ANTI-STATIC RAINWEAR</b>
<b>17</b>	<b>ARC RATED FACE, HEAD, &amp; NECK PROTECTION</b>
<b>23</b>	<b>HEAD PROTECTION</b>
<b>31</b>	<b>HEARING PROTECTION</b>
<b>35</b>	<b>PROTECTIVE EYEWEAR</b>
<b>39</b>	<b>HAND PROTECTION</b>
<b>49</b>	<b>INSULATING MATS &amp; COVERS</b>
<b>53</b>	<b>SAFETY FOOTWEAR &amp; ACCESSORIES</b>
<b>57</b>	<b>HEIGHT SAFETY</b>
<b>61</b>	<b>FIRST AID</b>
<b>71</b>	<b>ENVIRONMENTAL PROTECTION</b>
<b>83</b>	<b>DANGEROUS GOODS STORAGE</b>
<b>87</b>	<b>GENERAL WORKPLACE SAFETY</b>
<b>99</b>	<b>CATALOGUE INDEX</b>

# TRANSNET OFFERS A COMPREHENSIVE RANGE OF PRODUCTS...

Cable Accessories



Tools



Test & Measurement



EVSE



Connectors



Heatshrink



Duct Seals & Glands



Cable Management



Cable Protection



Circuit Protection



Earthing



ECOLight LED Lights



Fireproofing



Hazardous Area Solutions



Switchgear



Asset Protection



Line Hardware



Insulators



Pillars & Pits



Personal Insulating & Safety Equipment



**WHENEVER, WHEREVER, WE'VE GOT IT.**



PAGE	CATEGORY
4	<b>HRC2/PPE2 CLOTHING</b>
4	Arc Armour TTMC-W17 Arc Rated Overall
4	Arc Armour TTMC-W17 Arc Rated Jacket
5	Arc Armour Arc Rated Cargo Pants
5	TTMC-W17 Arc Rated 10 Cal Polo Shirt
6	Arc Rated 10 Cal Belt Loop Cargo Pant
6	Arcmax Chainsaw Trousers
PAGE	<b>HRC4/PPE4 CLOTHING</b>
7	40 Cal Premium Jacket
7	40 Cal Premium Bib Overall
8	40 Cal Premium Jacket & Bib Overalls Kits

# HRC2/PPE2 CLOTHING

## ARC ARMOUR TTMC-W17 ARC RATED OVERALL

### FEATURES

- 215gsm Arc Armour fabric
- Arc Rating 8.7 Cal HRC2/PPE2
- Inherently Flame Retardant, Antistatic and Arc Flash Protection TTMC-W17 Compliant
- 2 Way Non-Conductive Zip
- 215gsm Woven Lenzing Blend 8.7 Cal
- Twin Stitch Reflective Tape Application
- 2 Large Chest Pockets with Velcro Closure
- 2 Large Leg Cargo Pockets with Velcro Closure
- Zip Gusset openings on Legs for ease of entry and exit of Safety Boots
- Adjustable Sleeve Cuffs
- Water and Oil Treatment for improved soil release
- All finishes Bartacked



Cat No.	Description	Size
AA215OVERALL	ARC ARMOUR TTMC-W17 ARC RATED OVERALL ORANGE/NAVY	4-15

Add suffix for size: -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14, -15

**NOTE:** 4 = XXS, 5 = XS, 6 = S, 7 = M, 8 = L, 9 = XL, 10 = 2XL, 11 = 3XL, 12 = 4XL, 13 = 5XL, 14 = 6XL, 15 = 7XL

## ARC ARMOUR TTMC-W17 ARC RATED JACKET

### FEATURES

- 215gsm Arc Armour fabric
- Arc Rating 8.7 Cal HRC2/PPE2
- Inherently Flame Retardant, Antistatic and Arc Flash Protection TTMC-W17 Compliant
- 2 Way Non-Conductive Zip
- 215gsm Woven Lenzing Blend, 8.7 Cal
- Twin Stitch Reflective FR Tape Application
- 2 Large Chest Pockets with Velcro Closures
- Adjustable Sleeve Cuffs
- Water and Oil Treatment for improved soil release
- All finishes Bartacked



Cat No.	Description	Size
AA215JACKET	ARC ARMOUR TTMC-W17 ARC RATED JACKET	4-15

Add suffix for size: -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14, -15

**NOTE:** 4 = XXS, 5 = XS, 6 = S, 7 = M, 8 = L, 9 = XL, 10 = 2XL, 11 = 3XL, 12 = 4XL, 13 = 5XL, 14 = 6XL, 15 = 7XL

## ARC ARMOUR ARC RATED CARGO PANTS

### FEATURES

- 215gsm Arc Armour fabric
- Arc Rating 15.0 Cal HRC2/PPE2
- Inherently Flame Retardant, Antistatic and Arc Flash Protection
- 215gsm Woven Lenzing Blend, 15.0 Cal
- Hard Wearing Double Layer Knee
- 2 Large Cargo Pockets with Velcro Closure
- Elasticated Waist with Cotton Drawstring for comfort
- Twin Stitch Reflective Tape Application
- Zip Gusset openings on Leg for ease of entry and exit of Safety Boots
- Water and Oil Treatment for improved soil release
- All finishes Bartacked



Cat No.	Description	Size
AA215PANT	ARC ARMOUR CARGO PANTS NAVY	4-15

Add suffix for size: -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14, -15

**NOTE:** 4 = XXS, 5 = XS, 6 = S, 7 = M, 8 = L, 9 = XL, 10 = 2XL, 11 = 3XL, 12 = 4XL, 13 = 5XL, 14 = 6XL, 15 = 7XL

## TTMC-W17 ARC RATED 10 CAL POLO SHIRT

### FEATURES

- HRC 2/10 Cal inherent protection at a light 255gsm weight
- Unmatched comfort and coolness thanks to the breathable and soft fabric
- Meets and exceeds all recent NENS, ISO and NFPA Design Guidelines
- All reflective tape, buttons, threads, mesh are FR rated
- Concealed FR centre placket for extra protection
- One chest pocket
- Label that clearly shows FR rating of garment so workers can be quickly identified as having the right level of protection



Cat No.	Description	Size
ZH660	ARC RATED POLO SHIRT	XXS-5XL + 7XL

Add suffix for size: -XXS, -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL, -7XL

## ARC RATED 10 CAL BELT LOOP CARGO PANT

### FEATURES

- Unmatched comfort and coolness thanks to the highly wickable, breathable and soft Modatech® fabric
- All trims are FR rated
- Two side cargo pockets with flaps and FR press stud closures
- Two back hip pockets with flaps and FR press stud closures
- FR rated mesh in the waist band to keep you cool
- Crotch gusset for increased freedom of movement
- FR rated label that clearly shows FR rating of garment
- Loxy FR Tape
- 48% Modacrylic 37% Lyocel 15% Meta-Aramid - 240gsm



Cat No.	Description	Size
ZP511	ARC RATED BELT LOOP CARGO PANT	72-132CM WAIST

Add suffix for size: -72, -77, -82, -87, -92, -97, -102, -107, -112, -117, -122, -127, -132

## ARCMAX CHAINSAW TROUSERS

Designed for Tree Workers with fire or Arc Flash Risk. Arcmax Trousers uniquely deliver on the promise of fire protection with all components fully FR Rated including the Chainsaw protection materials.

### FEATURES

- Chainsaw Protection from Waist to Ankle, exceeding the standard by 15%
- Fully FR, including Outer Fabric, Chainsaw Protective Fabrics and Linings
- Outer Fabric Rated to 8.2 Cal
- Ripstop Outer fabric for high tear strength and durability
- Certified by Bureau Veritas NZ to AS/NZS 4453.3:1997
- Outer Fabric Rated 8.2 Cal, HRC Category 2

### CERTIFICATIONS



Cat No.	Description	Size
T91F	ARCMAX CHAINSAW TROUSERS	XS-2XL

Add suffix for size: -XS, -S, -M, -L, -XL, -2XL



# HRC4/PPE4 CLOTHING

## 40 CAL PREMIUM JACKET

### FEATURES

- 40 cal/cm<sup>2</sup> ATPV Rating
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup>- Sewn with Nomex® thread
- 32" long
- Dual stage front closure with high temperature plastic zipper
- FR Hook & Pile storm flap
- Coats are intended to be used with Switching Hoods
- Meets current ASTM F1506 and NFPA 70E standards
- Sizes S, M, L, XL, 2XL, and 3XL available from stock other sizes available by special order



Cat No.	Description
AFW019-NFJ	40 CAL PREMIUM JACKET
Add suffix for size: -M, -L, -XL, -2XL, -3XL	

## 40 CAL PREMIUM BIB OVERALL

### FEATURES

- 40 cal/cm<sup>2</sup> ATPV Rating
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup> - Sewn with Nomex® thread
- Integrated heavy duty suspenders
- Relaxed cut for greater mobility
- 32" inseam
- Adjustable Hook and Pile waist straps
- Bib front for added protection
- Meets current ASTM F1506 and NFPA 70E standards
- Sizes S, M, L, XL, 2XL, and 3XL available from stock, other sizes available by special order



Cat No.	Description
AFW019-NFBO	40 CAL PREMIUM BIB OVERALL
Add suffix for size: -M, -L, -XL, -2XL, -3XL	

## 40 CAL PREMIUM JACKET & BIB OVERALLS KITS

### FEATURES

- 40 cal/cm<sup>2</sup> ATPV Rating
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup>- Sewn with Nomex® thread
- 32" long jacket, 32" inseam overalls
- Lightweight 40 Cal hood
- Standard or lift front clear hood options
- Meets current ASTM F1506 and NFPA 70E standards

**NOTE:** For further information about hoods see p. 21.



AFW40LF-NFJB

Cat No.	Description
AFW40-NFJB	40 CAL PREMIUM JACKET & BIB OVERALLS KIT WITH SWITCHGEAR HOOD
AFW40LF-NFJB	40 CAL PREMIUM JACKET & BIB OVERALLS KIT WITH LIFT FRONT HOOD, CLEAR

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL



PAGE	CATEGORY
10	<b>DISPOSABLE FR COVERALLS</b>
10	Flame Retardant Coverall
11	Alphatec® FR Coveralls
11	Alphatec® CFR Coveralls

# DISPOSABLE FR COVERALLS

## FLAME RETARDANT COVERALL

### FEATURES

- Flame resistant
- Comfortable
- Hooded with elastic cuffs and ankles
- Available in sizes L-3XL

### AREAS OF USE

- Periodic inspections of transformers
- Petroleum distribution
- For protection against light sprays

### PERFORMANCE LEVEL

- EN ISO 14116:2015: Limited flame spread properties index - 1
- Type 5: Protection against airborne solid particles (EN 13982-1)
- Type 6: Protection against limited splash & liquid spray (EN 13034)
- EN 1073-2:2006: Test method for measurement of surface reactivity
- EN 1073-2:2002: Particulate radioactive contamination

**NOTE:** This coverall should never be worn in isolation for flame retardant protection. Always wear over the top of garments which achieve EN ISO 14116 Index 2 or above.

Cat No.	Description	Size
296	FLAME RETARDANT COVERALL	L-3XL
296-CTN	FLAME RETARDANT COVERALL × 25	L-3XL

Use suffix for size: -L, -XL, -2XL, -3XL



## ALPHATEC® FR COVERALLS

Alphatec® FR is a flame retardant material designed to be worn over woven thermal protective garments such as NOMEX, offering protection from particulates and light liquid splash without compromising worker protection in the event of a flash fire.

### FEATURES:

- Flame retardant treated Sontara/wood pulp/ polyester fabric with good barrier to particulates and low level liquid spray
- Air and vapour permeable ('breathable') to help reduce the risk of heat stress
- Protection type: Dry particulate protection (Type 5), Reduce spray suits (Type 6)
- Seam technology: Stitched seams
- Hood type: 2 piece hood
- Colour: Blue
- Carton contains: 25 coveralls

**NOTE:** Alphatec® FR should never be worn in isolation for flame retardant protection. Always wear over the top of garments which achieve EN ISO 14116 Index 2 or above.

Cat No.	Description	Size
MFR-B	FR COVERALLS	ADD SUFFIX: M, L, XL, 2XL, 3XL
MFR-B-CTN	FR COVERALLS × 25	ADD SUFFIX: M, L, XL, 2XL, 3XL

Use suffix for size: -M, -L, -XL, -2XL, -3XL



## ALPHATEC® CFR COVERALLS

Alphatec® CFR is a flame retardant material designed to be worn over woven thermal protective garments such as NOMEX, offering protection from particulates and pressurised liquid splash without compromising worker protection in the event of a flash fire.

### FEATURES:


- Flame retardant treated fabric with PVC barrier film offering wearers protection from liquid chemicals to EN Type 3 and 4
- Suitable for use with chemical sprays without compromising wearer protection in the event of a flash over fire
- Highly visible bright red colour
- Protection type: Liquid tight (Type 3), spray tight (Type 4), dry particulate protection (Type 5), radioactive particulate protection, limited flame spread material, anti-static
- Seam technology: Stitched and taped seams
- Hood type: 2 piece hood
- Colour: Red
- Carton contains: 20 coveralls

**NOTE:** Alphatec® CFR should never be worn in isolation for flame retardant protection. Always wear over the top of garments which achieve EN ISO 14116 Index 2 or above.

Cat No.	Description	Size
MCFR-R	CFR COVERALLS	M-3XL
MCFR-R-CTN	CFR COVERALLS × 20	M-3XL

Use suffix for size: -M, -L, -XL, -2XL, -3XL





Have you got your copy of the  
TransNet Tool Catalogue?

<b>PAGE</b>	<b>CATEGORY</b>
14	Flame Retardant Antistatic TTMC-W17 Jacket with Fleece Lining
14	Flame Retardant Antistatic TTMC-W17 Jacket with Mesh Lining
15	Flame Retardant Antistatic Bib Overtrouser
15	Flame Retardant TTMC-W17 Vest with Fleece Lining



## FLAME RETARDANT ANTISTATIC TTMC-W17 JACKET WITH REMOVABLE FLEECE LINING

### FEATURES

- Warm FR fleece removable liner
- Arms stay dry with storm cuffs
- Anti-static carbon grid material
- Complete flame protection with fire retardant material and UltraFlect® reflective tape
- Water column: mm H2O:16,000mm
- Breathability: 4,000g/m2/24H



Cat No.	Description	Size
JTPPOFRL	FLAME RETARDANT/ANTISTATIC FLEECE LINED JACKET ORANGE	XS-4XL & 6XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL

## FLAME RETARDANT ANTISTATIC TTMC-W17 JACKET WITH MESH LINING

### FEATURES

- Provision for V47RVEST to zip inside
- Arms stay dry with storm cuffs
- Complete flame protection with FR material and UltraFlect® reflective tape
- Anti-static carbon grid material
- Water column: mm H2O:16,000mm
- Breathability: 4,000g/m2/24H



Cat No.	Description	Size
47RJKT	FLAME RETARDANT/ANTISTATIC TTMC-W17 JACKET ORANGE	XS-4XL & 6XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL



## FLAME RETARDANT ANTISTATIC BIB OVERTROUSER

### FEATURES

- External chest pocket, tough crutch strengthened
- Double band of fire retardant
- UltraFlect® reflective tape
- Antistatic carbon grid
- Water column: mm H2O:16,000mm
- Breathability: 4,000g/m2/24H



Cat No.	Description	Size
BIOPO	FLAME RETARDANT/ANTISTATIC BIB OVERTROUSER ORANGE	S-4XL & 6XL

Use suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL

## FLAME RETARDANT TTMC-W17 VEST WITH FLEECE LINING

### FEATURES


- Chest smartphone pocket, premium zips
- Fire retardant polyfleece liner
- Radio pocket with external access for handpiece
- Anti-static carbon grid material
- Water column: mm H2O:16,000mm
- Breathability: 4,000g/m2/24H



Cat No.	Description	Size
V47RVEST	FLAME RETARDANT/ANTISTATIC TTMC-W17 VEST ORANGE	XS-4XL & 6XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL

# TransNet Utility Products Catalogue Second Edition available now.



PAGE	CATEGORY
18	<b>ARC FLASH PROTECTION - FACE, HEAD &amp; NECK</b>
18	AS2000 & AS1200 Series
18	AS1200 Universal Fit Protective Face Shield - HRC2, 12 Cal/cm <sup>2</sup>
19	Protective Face Shield Optional Accessories
20	ErgoS Intec Power Helmet with Integrated Face Shield
20	12 Cal Clear Face Shield Kit
21	Arc Flash Balaclava
21	40 Cal Lightweight Switchgear Hood
21	40 Cal Lift Front Hood with Clear Lens



# ARC FLASH PROTECTION - FACE, HEAD & NECK

## AS2000 & AS1200 SERIES

### AS2000HAT SERIES

- 7.5" x 20" viewing area
- Extra light tint
- .06" thick
- Absorbs >99.9% of harmful UV radiation
- Resistant to fogging

- Meets current ANSI Z87.1 and is CSA standard compliant
- Tested to ASTM F2178 specifications
- 20 cal/cm<sup>2</sup> ATPV rating
- Ventilation ribs for natural convection air flow for less fogging & lower CO<sub>2</sub> levels



### AS1200HAT SERIES

- 7.5" x 20" viewing area
- Extra light tint
- .06" thick
- Absorbs >99.9% of harmful UV radiation
- Resistant to fogging

- Meets current ANSI Z87.1 and is CSA standard compliant
- Tested to ASTM F2178 specifications
- 12 cal/cm<sup>2</sup> ATPV rating
- Ventilation ribs for natural convection air flow for less fogging & lower CO<sub>2</sub> levels



Cat No.	Description
AS2000HAT	20 CAL/CM <sup>2</sup> , ARC FLASH PROTECTION FACESHIELD UNIT WITH SA79R03 HARD HAT
AS2000	20 CAL/CM <sup>2</sup> , ARC FLASH PROTECTION FACESHIELD UNIT
AS2000FS	REPLACEMENT FACESHIELD/WINDOW
AS1200HAT	12 CAL/CM <sup>2</sup> WEIGHT BALANCING ARC FLASH PROTECTION FACESHIELD UNIT WITH HARD HAT
AS1200HAT-CLR	AS1200HAT WITH TRANSPARENT CHIN GUARD
AS1200	12 CAL/CM <sup>2</sup> WEIGHT BALANCING ARC FLASH PROTECTION FACESHIELD UNIT

## AS1200 UNIVERSAL FIT PROTECTIVE FACE SHIELD - HRC2, 12 CAL/CM<sup>2</sup>

### UNIVERSAL FIT AS1200FB & AS1200U

Weight balancing arc flash protection faceshields that fit all popular full brim (AS1200FB) and front brim (AS1200U) hard hats. An elastomeric band secures the bracket to the brim of the hard hat. All parts are dielectric and specifically designed for arc flash protection.

- ATPV rating is 12 cal/cm<sup>2</sup>
- Upper bracket ventilation feature for natural air flow to reduce fogging & lower CO<sub>2</sub> levels
- Transparent Chin Guard is an optional accessory & increases peripheral view dramatically
- 7.5" x 20" viewing area
- Extra light tint
- .06" thick
- Absorbs >99.9% of harmful UV radiation

- Resistant to fogging
- Meets current ANSI Z87.1 and is CSA standard compliant & tested to ASTM F2178 specifications
- Unique weight balancing design
- Optional task light feature
- Replaceable window, no tools required
- Adjustable pivot tension
- One hand operation



## PROTECTIVE FACE SHIELD OPTIONAL ACCESSORIES

### AFLENS ANTI-FOG INNER LENS

- Includes an air spaced design and natural convection air flow helps minimise fogging
- Shield meets ASTM requirements for an Anti-Fog Lens

### ASFL FLAME RESISTANT ATTACHABLE TASK LIGHTS

Features a high intensity long lasting white LED lamp with an overall brightness of 35 lumens. From a 24" distance, the beam is approximately 6-7" in diameter. The high intensity illumination is very useful when working up close. 2AAA batteries provide 14-15 hours of high brightness.

**NOTE:** The AS1200HAT can hold two ASFL task lights. The FLKIT only contains one task light and one clip.

### AS12CLR TRANSPARENT CHIN GUARD

The AS12CLR Transparent Chin Guard dramatically increases the users peripheral view. The enhanced viewing area increases worker performance and productivity. Allows improved awareness and greater safety.



Cat No.	Description
AS1200	WEIGHT BALANCING ARC FLASH PROTECTION FACESHIELD UNIT
AS1200FB	12 CAL/CM <sup>2</sup> , UNIVERSAL FIT, AFP FACESHIELD UNIT FOR FULL BRIM HARD HATS
AS12ORG-FB	ORANGE CHIN GUARD FOR AS1200FB
AS12CLR-FB	TRANSPARENT CHIN GUARD FOR AS1200FB
AS1200FS-FB	REPLACEMENT FACESHIELD/WINDOW 12 CAL/CM <sup>2</sup> FOR AS1200FB FULL BRIM
AS1200U	12 CAL/CM <sup>2</sup> , UNIVERSAL FIT, AFP FACESHIELD UNIT FOR FRONT BRIM HARD HATS
AS12CLR	TRANSPARENT CHIN GUARD
AS1200FS	REPLACEMENT WINDOW FOR AS1200 SERIES FRONT BRIM
AS1200HAT	WEIGHT BALANCING ARC FLASH PROTECTION FACESHIELD UNIT WITH HARD HAT
AS1200HATCLR	AS1200HAT WITH TRANSPARENT CHIN GUARD
AFLENS	ANTI FOG INNER LENS
ASFL	ARC RATED ATTACHABLE TASK LIGHT (1)
AS12CLIP	REPLACEMENT CLIPS SET (2) FOR AS1200HAT SHIELD
FLCLIP	ATTACHABLE TASK LIGHT CLIP (1)
FLKIT	ATTACHABLE TASK LIGHT (1) & FLCLIP
AFLENSU	INNER ANTI FOG LENS FOR PRO-HOOD®

## ERGOS INTEC POWER HELMET WITH INTEGRATED FACE SHIELD

The ErgoS Intec Power is a helmet with integrated face shield to protect its wearer from getting burned in case of an arc flash incident. It is a very ergonomic solution for all day work.

### FEATURES

- Premium permanent anti-fog coating
- Helmet usable until 40°C
- Arc Protection Classification: ASTM F2178, ATMV - 28 cal/cm<sup>2</sup>
- Colour Reproduction Index/Optical Class >93%/Klasse 1
- Durability 4 years

### STANDARDS & CERTIFICATES

- ASTM F2178
- ANSI/ISEA Z89.1 Class E
- DIN EN 166: 2001
- DIN EN 170: 2002
- EN 397:2012+A1:2012
- EN 50365:2002

### CERTIFICATE OF CONFORMITY

- PPE Regulation (EU) 2016/425



**NOTE:** Available in both 14 Cal & 28 Cal options

Cat No.	Description
7406401	HELMET WITH INTEGRATED FACE SHIELD 14 CAL
7406501	HELMET WITH INTEGRATED FACE SHIELD 28 CAL

## 12 CAL CLEAR FACE SHIELD KIT

This kit features a Light Tint Visor with a protection level of 12 cal/cm<sup>2</sup>, with the additional protection of a hard Hat, a 12 Cal balaclava, and safety glasses.

### FEATURES

- 12 cal/cm<sup>2</sup> Light Tint Visor
- Light tint lens gives improved clarity of work environment
- Resistant to fogging
- Lightweight unit design

Cat No.	Description
AFW040-CLEAR	12 CAL CLEAR FACE SHIELD WITH HARD HAT, VISOR, BAG, SAFETY GLASSES & BALACLAVA



## ARC FLASH BALACLAVA

### FEATURES

- Offers 360 degree head and neck protection from arc flash dangers when used with a High Performance Shield
- Each Arc Flash Hood (Balacava) is made from two layers of rib knit material and has an elastic face opening that maintains its shape and size
- NFPA-70E compliant

Cat No.	Description
AFW021	ARC FLASH BALACLAVA 11 CAL/CM <sup>2</sup>
AFW023	ARC FLASH BALACLAVA 20 CAL/CM <sup>2</sup>



## 40 CAL LIGHTWEIGHT SWITCHGEAR HOOD

This 40 Cal Hood System design is lightweight and has the option of including the Dual Fan System (AFW019PROFAN) that creates greater air movement and improved wearer comfort.

### FEATURES

- Coated Anti Fog Lens
- Lightweight 40 Cal Hood
- One size fits all
- Optional Fan System Available
- 40 cal/cm<sup>2</sup> ATPV Rating
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup> - Sewn with Nomex® thread

Cat No.	Description
AFW019PROFAN-N	40 CAL PREMIUM HOOD WITH DUAL FAN SYSTEM
AFW019PRO-NF	40 CAL PREMIUM HOOD - NO FAN



## 40 CAL LIFT FRONT HOOD WITH CLEAR LENS

This 40 Cal Lift Front Switching Hood assembly provides excellent peripheral vision, the light tint lens gives clarity of work environment, and the unit design is lightweight and ergonomically correct for the wearer.



**Advanced Colour Differentiation Technology**

### FEATURES

- Extended Peripheral vision
- Permanent Anti Fog Visor
- Highly Transparent Visor
- Lift Front Design
- Lightweight 40 Cal Hood
- 40 cal/cm<sup>2</sup> ATPV Rating
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup> - Sewn with Nomex® thread

Cat No.	Description
AFW019LF-NF	40 CAL LIFT FRONT HOOD WITH CLEAR LENS, PREMIUM
AFW019REP	40 CAL REPLACEMENT SHIELD



Get the latest information from our  
website



Test Reports • Datasheets • Catalogues

[www.transnet.co.nz](http://www.transnet.co.nz)



PAGE	CATEGORY
	<b>HARD HATS &amp; ACCESSORIES</b>
24	Tuff-Nut Ratchet Hard Hat
24	Nexus Core Vented
25	Nexus HeightMaster Vented
25	Nexus SecurePlus Non-Vented
26	Nexus Helmet Reflective Sticker Kits
26	Nexus Integrated Helmet Eye Shield
26	Nexus Standard Chinstrap
26	Nexus HeightMaster Chinstrap
27	Nexus Liner
27	Tuff-Nut Ratchet Forestry Combo Kit
27	Tuff-Nut Hard Hat Chinstrap
27	Tuff-Nut Hard Hat Sweatband
28	Vertex Best Helmet
28	Clear VIZIR Eye Shield
28	Smoke VIZIR Eye Shield
28	Vertex Best Hard Hat Replacement Headband
	<b>LED LIGHTS</b>
29	Waterproof Headlamp
29	Inspection Light
30	Head Lights



# HARD HATS & ACCESSORIES

## TUFF-NUT RATCHET HARD HAT

### FEATURES

- Available in 9 shell colours: white, yellow, neon yellow, neon orange, orange, red, green, pink & blue
- Light, comfortable & well-ventilated, short peak design
- Hard shell made of UV-resistant ABS materials to absorb and resist high impact
- Ratchet 6-point suspension harness
- Easily detachable harness and fully adjustable to fit head sizes between 53cm to 66cm
- Ready with universal accessory slots to fit eye, face & hearing protection products



Cat No.	Colour	Description
TN1R-B	BLUE	6-POINT RATCHET HARD HAT
TN1R-R	RED	
TN1R-O	ORANGE	
TN1R-NO	NEON ORANGE	
TN1R-Y	YELLOW	
TN1R-NY	NEON YELLOW	
TN1R-G	GREEN	
TN1R-W	WHITE	
TN1R-P	PINK	

## NEXUS CORE VENTED

### FEATURES

- Modular AS/NZS 1801:1997 tested safety helmet system
- Modularity as standard
- High performance ABS shell
- Premium Twist2Fit ratchet headband for secure fit
- Premium Dry-Tech sweatband provides up to 40% faster drying and absorbs 4x more moisture
- Tested down to -40°C low temperature
- Reflective sticker kits available (p. 26)
- Micro peak for maximum upward visibility
- Fully removable and adjustable EN397 or EN12492 4-point chinstrap and liner and liner accessories available
- Available in white, fluoro yellow, fluoro orange, red, grey, yellow, blue, orange
- Approved to EN 397, EN50365, ANSI Z89.1 Type 1 Class C
- Tested to the performance requirements of AS/NZS 1801:1997



Cat No.	Colour	Description	Weight (g)
NCV-B	BLUE	NEXUS CORE VENTED	386
NCV-R	RED		
NCV-O	ORANGE		
NCV-HVO	HI-VIS ORANGE		
NCV-Y	YELLOW		
NCV-HVY	HI-VIS YELLOW		
NCV-G	GREEN		
NCV-W	WHITE		
NCV-GREY	GREY		

## NEXUS HEIGHTMASTER VENTED

### FEATURES

- Modular AS/NZS 1801:1997 tested height safety helmet system, EN12492 rated
- Modularity as standard
- High performance ABS shell
- Premium Twist2Fit ratchet headband for secure fit
- Premium Dry-Tech sweatband provides up to 40% faster drying and absorbs 4x more moisture
- Tested down to -40°C low temperature
- Micro peak for maximum upward visibility
- Reflective sticker kits available (p. 26)
- Complete with fully removable and adjustable EN12492 4-point chinstrap and liner
- Available in white, fluoro yellow, fluoro orange, red, grey, yellow, blue, orange, & green
- Approved to EN 12492, ANSI Z89.1 Type 1 Class C (vented)
- Conforms to EN397 shock absorption, penetration, -30°C, lateral deformation, EN50365
- Tested to the performance requirements of AS/NZS 1801:1997



Cat No.	Colour	Description	Weight (g)
NCHV-B	BLUE	NEXUS HEIGHTMASTER VENTED	480
NCHV-R	RED		
NCHV-O	ORANGE		
NCHV-HVO	FLUORO ORANGE		
NCHV-Y	YELLOW		
NCHV-HVY	FLUORO YELLOW		
NCHV-G	GREEN		
NCHV-W	WHITE		
NCHV-GREY	GREY		

## NEXUS SECUREPLUS NON-VENTED

### FEATURES

- Modular AS/NZS 1801:1997 tested height safety helmet system, tested to 1000V under EN 397
- Modularity as standard
- Non-vented to meet electrical safety standards
- High performance ABS shell
- Premium Twist2Fit ratchet headband for secure fit
- Premium Dry-Tech sweatband provides up to 40% faster drying and absorbs 4x more moisture
- Tested down to -40°C low temperature
- Reflective sticker kits available
- Micro peak for maximum upward visibility
- Complete with fully removable and adjustable EN397 4-point chinstrap
- Approved to EN397 1000V AC LD, MM, -40°C, EN30365, ANSI Z89.1 Type 1 Class C, CSA/CAN Z94.1-05 Type 1 Class E (20,000V AC)
- Tested to the performance requirements of AS/NZS 1801:1997



Cat No.	Colour	Description	Weight (g)
NCSNV-R	RED	NEXUS SECUREPLUS NON-VENTED	415
NCSNV-HVO	HI-VIS ORANGE		
NCSNV-HVY	HI-VIS YELLOW		
NCSNV-W	WHITE		
NCSNV-GREY	GREY		

## NEXUS HELMET REFLECTIVE STICKER KITS

Highly reflective accessory stickers shaped for Nexus safety helmets to ensure maximum visibility in low light environments. Coverage on front, side, rear and top of the helmet.

Cat No.	Colour	Description
S30YNHIRS	YELLOW	NEXUS HELMET REFLECTIVE STICKER KIT
S30SNHIRS	SILVER	NEXUS HELMET REFLECTIVE STICKER KIT
S30BNHIRS	BLUE	NEXUS HELMET REFLECTIVE STICKER KIT



## NEXUS INTEGRATED HELMET EYE SHIELD

### FEATURES

- Unique design integrated eyewear
- Easy to install or replace
- Conveniently flips up or down in service
- Available in clear or smoke lens for all light levels
- Approved to: Clear: EN166 1 F T, EN172 2C-1,2, ANSI /ISEA Z87.1, Smoke: EN 166 1 F T, EN172 5-3,1, ANSI /ISEA Z87.1

Cat No.	Description
S589	NEXUS HELMET EYESHIELD CLEAR
S589SE	NEXUS HELMET EYESHIELD SMOKY



## NEXUS STANDARD CHINSTRAP

### FEATURES

- 4-point chinstrap for Nexus helmet system
- Conforms to EN 397
- Branded with EN 397 identification

Cat No.	Description
S30Y	4-POINT CHINSTRAP



## NEXUS HEIGHTMASTER CHINSTRAP

### FEATURES

- 4-point chinstrap for Nexus helmet system
- Designed specifically for the HeightMaster helmet
- Clearly marked with EN 12492 identification

Cat No.	Description
S30NY	4-POINT CHINSTRAP



## NEXUS LINER

Nexus helmet replaceable liner made from EPS (expanded polystyrene) liner. Combines with S30NY chinstrap to provide approval to EN 12492.

Cat No.	Description
S30NL	NEXUS LINER



## TUFF-NUT RATCHET FORESTRY COMBO KIT

### FEATURES

- Available in 9 shell colours: white, yellow, neon yellow, neon orange, orange, red, green, pink & blue
- Light, comfortable & well-ventilated, short peak design
- Hard shell made of UV-resistant ABS materials to absorb and resist high impact
- Ratchet 6-point suspension harness
- Easily detachable harness and fully adjustable to fit head sizes between 53cm to 66cm
- Fitted with integrated Class 5, SLC8026dB earmuffs—protection for noise levels to 110dB(A)
- Earmuffs have minimum pressure while achieving a snug seal
- With browguard and stainless-steel wraparound visor for protection and unobstructed vision



Cat No.	Colour	Description
TN1R-FC-B	BLUE	6-POINT RATCHET HARD HAT
TN1R-FC-R	RED	
TN1R-FC-O	ORANGE	
TN1R-FC-NO	NEON ORANGE	
TN1R-FC-NY	YELLOW	
TN1R-FC-NY	NEON YELLOW	
TN1R-FC-G	GREEN	
TN1R-FC-W	WHITE	
TN1R-FC-P	PINK	

## TUFF-NUT HARD HAT CHINSTRAP

Chinstrap for Tuff-Nut helmet range, suitable for securing hard hats in windy or non-upright working positions.

Cat No.	Description
TN1-CS	CHIN STRAP FOR TUFF-NUT HARD HATS



## TUFF-NUT HARD HAT SWEATBAND

Sweatband for Tuff-Nut helmet range, suitable for hygiene replacement of original Tuff-Nut hard hat sweatbands.

Cat No.	Description
TN1-SB	SWEATBAND FOR TUFF-NUT HARD HATS



## VERTEX BEST HELMET

With its strong chinstrap, the VERTEX BEST helmet sets the standard in head protection for workers at height. Its unventilated shell protects against electrical hazards and molten metal splash. Its six-point textile suspension ensures maximum comfort, and its CenterFit adjustment system adjusts the headband and keeps the helmet centered on the head.

### FEATURES

- Helmet for work at height
- Chinstrap designed to reduce the risk of the helmet falling off
- Webbing suspension system for comfort
- Accessories can be easily added
- Approved to CE ANSI Z89.1-2003 Type 1 Class E



Cat No.	Description
A010AA00	VERTEX BEST HARD HAT

## CLEAR VIZIR EYE SHIELD

The VIZIR Clear eye shield protects the eyes against projectile hazards. It is easy to install on VERTEX helmets with the EASYCLIP attachment system. It also has scratch-resistant and anti-fog coatings.



Cat No.	Description
A015AA00	VIZIR EYE SHIELD – CLEAR

## SMOKE VIZIR EYE SHIELD

The VIZIR Smoke eye shield provides eye protection against projectile hazards. It is easy to install on VERTEX helmets with the EASYCLIP attachment system. It has a level 2.5 solar protection filter, and anti-scratch and anti-fog treatments.



Cat No.	Description
A015BA00	VIZIR EYE SHIELD – SMOKE

## VERTEX BEST HARD HAT REPLACEMENT HEADBAND

Absorbent foam for VERTEX helmets.

### FEATURES

- Comfort foam absorbs perspiration
- Needs regular maintenance
- Machine washable



Cat No.	Description
A010JA00	HARD HAT REPLACEMENT HEADBAND WITH FOAM × 5

## LED LIGHTS

### WATERPROOF HEADLAMP

The DUO Z2 headlamp provides a powerful 430 lumens in BOOST mode, and runs on regular AA batteries. Waterproof and durable, it is ideal for demanding sports such as caving, orienteering and cycling. Featuring the FACE2FACE anti-glare function, the DUO Z2 headlamp allows users to face each other without blinding one another, making group activities more comfortable.

#### FEATURES

- Waterproof to -1 metre for 30 minutes in fresh water
- Excellent resistance to falls, impacts, and crushing
- FACE2FACE anti-glare function automatically dims the light when two or more beams cross, enabling those using DUO headlamps to face each other without blinding one another
- Balanced, thanks to the remote battery pack worn on the back of the head
- Large, easy-to-use button, even with gloves
- Automatically locks to avoid accidentally turning it on during transit or storage
- Automatically switches to reserve mode when batteries are nearly spent
- Detachable, washable headband
- Four modes plus BOOST to adapt lighting to any situation:
  - Convenient Lighting: wide, low-intensity beam maximizes burn time
  - Proximity Lighting: mixed beam with brightness suited for comfortable proximity vision
  - Lighting For Movement: mixed beam offers a focused component for easily moving around
  - Distance Vision: highly focused beam for seeing at a distance
  - BOOST mode provides temporary access to maximum power of 430 lumens



Cat No.	Description	Lumens (lm)
E80AHB	DUO Z2 WATERPROOF HEADLAMP	UP TO 430 (BOOST MODE)

### INSPECTION LIGHT

LED mini inspection light.

#### FEATURES

- Impact resistant body
- Pocket clip/hanging hook & magnetic pad
- DC-USB rechargeable from 12/24V or USB power supply
- USB charge cord supplied



Cat No.	Lumens	Run Time	Powered By
TNPSIL3R	300LM FLOODLIGHT, 100LM TORCH HEAD	3-12 HOURS	2200MAH LI-ION RECHARGEABLE BATTERY

## HEAD LIGHTS



TNPSH3

LED head light with tilting adjustable beam.

### FEATURES

- High, medium, low modes
- IPX6 water resistant ABS housing
- 2Hz Safety SOS Flash Function
- Batteries included

Cat No.	Lumens	Run Time	Powered By
TNPSH3	155LM	4-50 HOURS	1 × AA



TNPSH4

LED head light with wide beam or floodlighting.

### FEATURES

- Red LED for night vision
- Tilting head & waterproof
- Multi-mode
- 2Hz Safety SOS Flash Function
- Supplied with 3M adhesive helmet mount
- Batteries included

Cat No.	Lumens	Run Time	Powered By
TNPSH4	200LM WITH DIFFUSER	7 1/2-60 HOURS	3 × AAA



PAGE	CATEGORY
32	<b>HEARING PROTECTION</b>
32	E-Max33 Class 5 Folding Earmuffs
32	Viper Hard Hat Class 5 Earmuffs
32	Max33 Earmuff Hygiene Kit
33	Vortex Earplugs
PAGE	COMMUNICATION EARMUFFS
33	Tufftalk-Lite Communication Earmuffs



## HEARING PROTECTION

### E-MAX33 CLASS 5 FOLDING EARMUFFS

#### FEATURES

- 33dB Class 5
- Class 5, SLC80:33dB for serious hearing protection
- Hearing protection for noise levels up to 120 dB
- AS/NZS 1270:2002 Certified
- Collapsible headband for easy storage and protection of foam cushions
- Low clamping force applies minimum pressure while maintaining a tight snug seal
- Height-adjustable headband folds down or easy storage and protection of foam cushions
- Very light to wear, premium comfort
- Sold individually
- Hygiene kit available (E-MAX33HK)



Cat No.	Description
E-MAX33	CLASS 5 FOLDING EARMUFF

### VIPER HARD HAT CLASS 5 EARMUFFS

#### FEATURES

- 26 Decibel, Class 5
- General purpose use
- Suit all Tuff-Nut hard hats



Cat No.	Description
HHEM	CLASS 5 HARD HAT EARMUFF

### MAX33 EARMUFF HYGIENE KIT

Replacement hygiene kit for Max33 earmuffs. Recommended replacement every 6 months in average use.

#### FEATURES

- One pair of replacement ear cushions and sound attenuating foam inserts for Max33 earmuff
- Extends performance and lifetime of earmuff



Cat No.	Description
E-MAX33HK	REPLACEMENT HYGIENE KIT FOR MAX33 EARMUFFS

## VORTEX EARPLUGS

### FEATURES

- Soft, easy to roll and positive insertion
- SLC80 26dB—protection for noise levels to 110 dB(A)
- PU foam Class 5 AS/NZS 1270 certified
- Pairs packaged in individual polybags
- Fluoro orange for high visibility

Cat No.	Description	Quantity
DE200-OU	VORTEX EARPLUGS ORANGE UNCORDED	200
DE100-OC	VORTEX EARPLUGS ORANGE CORDED	100



## COMMUNICATION EARMUFFS

### TUFFTALK-LITE COMMUNICATION EARMUFFS

Tufftalk-Lite features a minimal design and packs the Bluetooth 4.1 communication technology you need to get the job done safely and efficiently.

Use this protective earmuff to communicate with up to 4 other workers over 800m, and even connect to your smartphone to take and make calls. The seamless Bluetooth intercom communication allows users to talk freely and without interruption, its HD-quality speakers and Advanced Noise Control microphone technology delivering audio that is clear and precise in even the loudest of work environments.

Tufftalk-Lite provides an extra degree of job site protection by helping to dull loud, distracting noises for optimum comfort as well as providing the necessary protection from permanent damage to your hearing. Tufftalk-Lite has a Noise Reduction Rating of 21dB (Over-The-Head type) and 20dB (Hard Hat Mount type), while still providing vital awareness of threats on the job through instant communication with co-workers instead of shouting or using hand signals.

For hard hats suitable for use with TUFFTALK02 see p. 24.

### FEATURES

- Talk time: up to 13 hours
- Weight: Hard Hat Mount Earmuff: 354 g (12.5 oz)
- Weight: Over The Head Earmuff: 343 g (12.1 oz)
- Charging time: 3 hours
- Advanced Noise Control™

Cat No.	Description	Weight (g)
TUFFTALK01	OVER THE HEAD EARMUFFS	343
TUFFTALK02	HARD HAT MOUNT EARMUFFS	354



\*Hard hat not included

# We're doing our bit with TransNet Sustainability Initiatives

- ISO 14001 Accreditation
- ISO 14064 Accreditation
- Carbon Managed



PAGE	CATEGORY
36	<b>SAFETY SPECS</b>
36	Vispec Eye Protectors
36	Magspec Bi-Focal Magnifying Safety Spec
36	Velocity Safety Spec
37	X2 Safety Spec
37	XSPEX Safety Spec
37	Combat X4 Safety Spec
<b>PAGE</b>	<b>SAFETY GOGGLES &amp; ACCESSORIES</b>
38	G-Max Premium Silicone Seal Hi-Impact Goggle
38	G-Max+ Impact Eye Protection Vented Goggle
38	Lens Cleaning Wipes
38	Lens Accessories



# SAFETY SPECS

## VISPEC EYE PROTECTORS

### FEATURES

- Designed to fit over prescription glasses, available in clear or smoke lens
- AS/NZS1337.1:2010 standards certified
- Designed to be worn over prescription glasses
- Light-weight, comfortable economy eye protector
- Medium impact, anti-scratch lens
- 99.9% UV protection for outdoor wear
- Available in clear and smoke lens

Cat No.	Description	Lens
E3000	VISPEC FIT OVER EYE PROTECTORS	CLEAR
E3002		SMOKE



## MAGSPEC BI-FOCAL MAGNIFYING SAFETY SPEC

### FEATURES

- Available in up to five magnifying powers
- AS/NZS1337.1:2010 certified bi-focal eyewear
- Light-weight, comfortable economy eye protector
- Medium impact rated, anti-scratch lens, anti-fog coated
- 99.9% UV protection for outdoor wear

Cat No.	Magnification	Lens
E1600	+1.5, 150%	CLEAR
E1601	+1.0, 100%	CLEAR
E1602	+2.0, 200%	CLEAR
E1603	+2.5, 250%	CLEAR
E1604	+3.0, 300%	CLEAR
E1652	+1.5, 150%	SMOKE
E1653	+2.0, 200%	SMOKE
E1654	+2.5, 250%	SMOKE



## VELOCITY SAFETY SPEC

### FEATURES

- Standards certified to AS/NZS1337.1:2010 medium impact
- Anatomically shaped wrap-around lens offers a high degree of safety
- Multi-fit, brilliant coverage for a wide variety of face shapes
- Optically correct for greater visual accuracy and awareness
- Food-safe, dielectric rated—no metal parts
- Rubber nose pad and co-injected temple pads for superior comfort and non-slip fit
- 99.9% UV protection for outdoors
- Anti-fog / anti-scratch coated
- Available in clear, smoke or amber lens

Cat No.	Description	Lens
E8001	VELOCITY SAFETY SPEC	CLEAR
E8002		SMOKE
E8003		AMBER



## X2 SAFETY SPEC

### FEATURES

- Lightweight wraparound frame design
- Standards certified to AS/NZS1337.1:2010 medium impact protection
- Advanced lens venting system for added vision safety
- Semi-attached lenses allowing multi-flexi fit to different face profiles
- Ergonomically designed lens for ultimate eye protection
- Anti-fog/anti-scratch coating
- 99.9% UV protection for outdoors
- Adjustable silicone rubber nose pads for superior comfort
- Rubber temple pads for superior comfort and non-slip fit



Cat No.	Description	Lens
E6002	X2 SAFETY SPEC	SMOKE

## XSPEX SAFETY SPEC

### FEATURES

- AS/NZS 1337.1:2010 standards certified
- Stylish wrap-around design with TPR side arm grip-pads, soft tips for superior comfort and a non-slip fit
- Anti-fog / Anti-scratch coated on both sides
- Mirror lens - 99.9% UV Protection for outdoors
- Ergonomically designed to deliver optimum eye protection & comfort



Cat No.	Description	Lens
E4000		CLEAR
E4002	XSPEX SAFETY SPEC	SMOKE
E4004		BRONZE

## COMBAT X4 SAFETY SPEC

### FEATURES

- AS/NZS1337.1:2010 standards certified
- Panoramic vision with a soft moulded EVA positive seal to maximise protection in dusty environments
- Meets USA military ballistic eyewear standard—withstands steel bearing travelling at 400mph
- Anti-fog / anti-scratch coated on both sides; Safety lens—99.9% UV protection for outdoors
- Supplied with adjustable elastic strap and side arms—quick release system
- Rubber nose pads and temple tips for superior comfort and nonslip fit



Cat No.	Description	Lens
E8202	COMBAT X4 SAFETY SPEC	SMOKE WITH SILVER MIRROR

# SAFETY GOGGLES & ACCESSORIES

## G-MAX PREMIUM SILICONE SEAL HI-IMPACT GOGGLE

### FEATURES

- AS/NZS1337.1:2010 standards certified
- Panoramic 180° field of vision
- Suitable for use over prescription glasses
- Outstanding ventilation system
- Ergonomic design with co-injected frame
- Designed to give optimum fit to all facial contours
- 99.9% UV protection for outdoor wear
- Certified tested to medium impact rating
- Anti-scratch/anti-fog coated lens
- Rated able to withstand high temperatures
- Molten metal and hot solid resistant
- Splash approval rated



Cat No.	Description	Lens
GMAX	SILICONE SEAL HI-IMPACT GOGGLE	CLEAR

## G-MAX+ IMPACT EYE PROTECTION VENTED GOGGLE

### FEATURES

- AS/NZS1337.1:2010 standards certified
- Ergonomically designed to be worn comfortably over spectacles
- Indirect venting design maintains air flow and visual clarity whilst resisting ingress of dust and moisture inside the goggle
- Soft, comfortable PVC frame contours snugly to your face for a great seal & fit
- Brilliant peripheral 180° vision allowing the wearer to have better awareness of the environment
- Wide adjustable elastic strap allows you to set the optimum fit
- Faceshield can be conveniently flipped up with its 4-position pivot design
- Faceshield profiled so that respiratory protection can be worn underneath
- UV400 lenses block 100% of UVA, UVB, and UVC rays and harmful, high-energy visible light waves all the way to 400nm
- Water and dust repellent hydrophobic coating for superior vision



Cat No.	Description	Lens
GMAX-P01	G-MAX+ GOGGLE	CLEAR
GMAX-P02		SMOKE

## LENS CLEANING WIPES

### FEATURES

- Alcohol and ammonia free pre-moistened lens towelette
- Soft and absorbent
- Tissue designed specifically for lens cleaning
- Individually packed
- Anti-bacterial
- Anti-static
- Protects lens coatings

Cat No.	Description
LC100AF	LENS CLEANING WIPES × 100



## LENS ACCESSORIES

These accessories are designed to suit any style of safety eyewear.

Cat No.	Description	Material
SC	SPEC CORD, ADJUSTABLE FOR CONVENIENCE	POLYCOTTON
SP	SPEC POUCH, USE TO PROTECT EYEWEAR AND AS LENS CLEANER	MICROFIBRE





PAGE	CATEGORY
<b>40</b>	<b>WORKING &amp; RIGGER GLOVES</b>
40	Leather Working Gloves
40	The Rigger Premium Cowhide Gloves
40	Ansell ActivArmr® Fire & Cut Resistant Work Gloves
40	Eureka Arc Rated Work Gloves
41	Powergrab Kevlar Latex Dip Gloves
41	Powermaxx Ballistic Chainsaw Gloves
41	RAZOR X500 HPPE Sleeve - No Thumb Hole
41	Glove Clip
<b>PAGE</b>	<b>RUBBER LABELLING &amp; SIZING</b>
42	Protective Rubber Equipment Labelling Chart
42	Glove Sizing Guide
<b>PAGE</b>	<b>RUBBER INSULATING GLOVES</b>
43	Class 00 Rubber Insulating Gloves - Max Use Voltage 500V AC
43	Class 0 Rubber Insulating Gloves - Max Use Voltage 1000V AC
43	Class 1 Rubber Insulating Gloves - Max Use Voltage 7,500V AC
44	Class 2 Rubber Insulating Gloves - Max Use Voltage 17,000V AC
44	Class 3 Rubber Insulating Gloves - Max Use Voltage 26,500V AC
44	Class 4 Rubber Insulating Gloves - Max Use Voltage 36,000V AC
<b>PAGE</b>	<b>LEATHER OVERGLOVES &amp; COTTON LINERS</b>
45	Leather Overgloves
45	Class 00-0 Leather Overgloves
45	Class 1-4 Leather Overgloves
45	Class 00-0 & 1-4 The Power Gripz™ Leather Overgloves
46	Cotton Glove Liner
<b>PAGE</b>	<b>RUBBER INSULATING SLEEVES</b>
46	Class 2 Rubber Sleeves
46	Class 3 & 4 Rubber Sleeves
<b>PAGE</b>	<b>RUBBER GOODS ACCESSORIES</b>
47	B22 Plastic Buttons
47	Rubber Sleeve Harness & Straps
47	Liquid Rubber Cleaner
48	Portable Glove Inflator Kit
48	Plastic Blanket Peg
48	Glove Powder
48	Storage Bags



## WORKING & RIGGER GLOVES

### LEATHER WORKING GLOVES

#### FEATURES

- Comfortable, practical and great value for money
- Heavy duty Cow hide Leather
- Perfect for all activities involving lifting and sorting of line hardware



Cat No.	Description	Size
T/NETL/GLOVE-LGE	LEATHER WORKING GLOVES	LARGE
T/NETL/GLOVE-XL		EXTRA LARGE

### THE RIGGER PREMIUM COWHIDE GLOVES

#### FEATURES

- 'The Rigger' natural cowhide 'A' grade riggers glove, sizes S-4XL
- Premium full grain cowhide riggers glove
- Soft, durable and dexterous leather



Cat No.	Description
E280	COWHIDE RIGGER GLOVES

Use suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL

### ANSELL ACTIVARMR® FIRE & CUT RESISTANT WORK GLOVES

#### FEATURES

- Exclusive Dupont™ Kevlar® composite yarn provides exceptional cut resistance
- High protection and ergonomic design combined for better dexterity
- Materials used in the glove are inherently flame resistant, even after washing
- Arc Flash Hazard / Risk Category 2 - NFPA 70E
- Exclusive composite yarn provides exceptional cut resistance for safe handling of sharp objects & materials
- Soft foam coating for great flexibility and a secure grip in a variety of environments



Cat No.	Description
PFLEX	ANSELL ACTIVARMR® 80-813 WORKING GLOVES WITH OUTSTANDING FLAME AND CUT RESISTANCE

Use suffix for size: -7, -8, -9, -10, -11

### EUREKA ARC RATED WORK GLOVES

#### FEATURES

- Flame resistant
- Optimized for medium Arc Flash risks
- Improved Dexterity
- Perfect in tough working conditions
- with high spark, heat and flame risks
- High performance in cut resistance
- Cat II
- Arc Flash ASTM F2675, ATPV = 30 cal/cm<sup>2</sup> palm, 5.8 Cal/cm<sup>2</sup> back of hand



Cat No.	Description
13-4HFR	FLAME RESISTANT ARC FLASH GLOVES

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL

## POWERGRAB KEVLAR LATEX DIP GLOVES

### FEATURES

- Powergrab® Kevlar cut 4 uses high-tech Kevlar® fibre combined with Powergrab® MICROFINISH™ technology
- Outstanding cut resistance and excellent grip performance
- Tough Cut Level 4 protection
- Kevlar fibre stands up to extreme temperatures
- Patented MICROFINISH™ coating gives outstanding wet and dry handling
- Double dipped natural latex coating prevents liquid penetration
- Nylon knit liner



Cat No.	Description
PGK	KEVLAR LATEX DIP GLOVES

Use suffix for size: -M, -L, -XL, -2XL

## POWERMAXX BALLISTIC CHAINSAW GLOVES

### FEATURES

- In accidental contact, 15 layers of ballistic nylon create a solid lock and halt the running chain, limiting injury to the wearer's hand
- Certified to EN381-7 Class 1
- Protection to chain speed of 20m/s (4m/s higher than the industry standard)
- Same Level of protection for both left and right handers
- Premium grade supple cowgrain leather palm
- Snug-fitting knitted cuff keeps woodchips out
- Superior protection compared to leather chainsaw mitts
- Hi-Vis orange for excellent visibility



Cat No.	Description
E730	BALLISTIC CHAINSAW GLOVES

Use suffix for size: -S, -M, -L, -XL, -2XL

## RAZOR X500 HPPE SLEEVE - NO THUMB HOLE

### FEATURES

- Knitted from high-performance HPPE combined with stretchy spandex fibres
- Razor X500 combines cut protection with comfort, flexibility and dexterity
- Cut Level 5 protection
- 30cm length
- One size fits all



Cat No.	Description
E434	RAZOR X500 HPPE SLEEVE (EACH)

## GLOVE CLIP

### FEATURES

- Off hand—on hand
- Hi-vis durable plastic
- Clips to clothing, belts, tool belts, D rings and much more
- Keeps gloves and other items handy
- Safety breakaway feature
- Smart polybag packaging















Cat No.	Description
GCO	GLOVE GATOR GLOVE CLIP

## RUBBER LABELLING & SIZING

### PROTECTIVE RUBBER EQUIPMENT LABELLING CHART

Rubber insulating gloves are available in six ASTM defined voltage classes. Rubber insulating sleeves are available in

Class 00 through 4. The chart below identifies the class, proof test voltage and maximum allowable exposure voltage.

Protective Rubber Equipment Labelling Chart for Lineman's Natural Rubber and SALCOR® Rubber Protective Equipment			
Class Colour	Proof Test Voltage AC/DC	Max Use* Voltage AC/DC	Illustrative Labelling
00 BEIGE	2,500/10,000	500/750	 
0 RED	5,000/20,000	1,000/1,500	 
1 WHITE	10,000/40,000	7,500/11,250	 
2 YELLOW	20,000/50,000	17,000/25,500	 
3 GREEN	30,000/60,000	26,500/39,750	 
4 ORANGE	40,000/70,000	36,000/54,000	 

Insulating Gloves and Sleeves must have a colour coded label to meet appropriate ASTM Specifications.

\* Maximum Usage Voltage when worn with leather protectors.

### GLOVE SIZING GUIDE

Rubber insulating gloves are among the most important articles of personal protection equipment for electrical workers. Incorporating high dielectric and physical strength, flexibility and durability, these two brands of rubber insulating gloves have earned a reputation for superior performance – meeting and exceeding the requirements of current ASTM D120 specifications.

To determine a proper fit, measure (in inches) the circumference around the palm, allow for additional room if cotton glove liners are to be worn.

Before each use, gloves should be inspected for holes, rips, ozone cutting, UV checking and signs of chemical deterioration. Gloves should be regularly tested to ensure they are not damaged in any way.



Measure the circumference around the palm in inches to select the correct glove size

# RUBBER INSULATING GLOVES

## CLASS 00 RUBBER INSULATING GLOVES - MAX USE VOLTAGE 500V AC

- Available in solid colour (Red, and Blue) with other solid colours available upon request
- 11 inch length (other lengths available on request)

Cat No.		Description	Colour
Salisbury	Marigold		
-	RIG0011RS7**	1PR CL00 11 GLOVES SZ 7	RED
E0011R-8	RIG0011RS8	1PR CL00 11 GLOVES SZ 8	RED
E0011R-8.5	RIG0011RS8H	1PR CL00 11 GLOVES SZ 8.5	RED
E0011R-9	RIG0011RS9	1PR CL00 11 GLOVE SZ 9	RED
E0011R-9.5	RIG0011RS9H	1PR CL00 11 GLOVE SZ 9.5	RED
E0011R-10	RIG0011RS10	1PR CL00 11 GLOVE SZ 10	RED
E0011R-10.5	RIG0011RS10H	1PR CL00 11 GLOVE SZ 10.5	RED
E0011R-11	RIG0011RS11	1PR CL00 11 GLOVE SZ 11	RED
E0011R-11.5	-	1PR CL00 11 GLOVE SZ 11.5	RED

\*\*Special order only



## CLASS 0 RUBBER INSULATING GLOVES - MAX USE VOLTAGE 1000V AC

- Available in solid colour (Black or Yellow) with other solid colours available upon request
- 11 inch length (other lengths available on request)

Cat No.		Description	Colour
Salisbury	Marigold		
E011Y-8	RIG011YS8	1PR CL0 11 GLOVES SZ 8	YELLOW
E011Y-8.5	-	1PR CL0 11 GLOVES SZ 8.5	YELLOW
E011Y-9	RIG011YS9	1PR CL0 11 GLOVES SZ 9	YELLOW
E011Y-9.5	-	1PR CL0 11 GLOVES SZ 9.5	YELLOW
E011Y-10	RIG011YS10	1PR CL0 11 GLOVES SZ 10	YELLOW
E011Y-10.5	-	1PR CL0 11 GLOVES SZ 10.5	YELLOW
E011Y-11	RIG011YS11	1PR CL0 11 GLOVES SZ 11	YELLOW
E011Y-12	-	1PR CL0 11 GLOVES SZ 12	YELLOW



## CLASS 1 RUBBER INSULATING GLOVES - MAX USE VOLTAGE 7,500V AC

- Available in dual colour
- 14 inch length (other lengths available on request)

Cat No.		Description	Colour
Salisbury	Marigold		
E114YB-8	RIG114YBS8	1PR CL1 14 GLOVES SZ 8	YELLOW/BLACK
E114YB-8.5	RIG114YBS8H	1PR CL1 14 GLOVES SZ 8.5	YELLOW/BLACK
E114YB-9	RIG114YBS9	1PR CL1 14 GLOVES SZ 9	YELLOW/BLACK
E114YB-9.5	RIG114YBS9H	1PR CL1 14 GLOVES SZ 9.5	YELLOW/BLACK
E114YB-10	RIG114YBS10	1PR CL1 14 GLOVE SZ 10	YELLOW/BLACK
E114YB-10.5	RIG114YBS10H	1PR CL1 14 GLOVES SZ 10.5	YELLOW/BLACK
E114YB-11	RIG114YBS11	1PR CL1 14 GLOVE SZ 11	YELLOW/BLACK
E114YB-12	-	1PR CL1 14 GLOVE SZ 12	YELLOW/BLACK



## CLASS 2 RUBBER INSULATING GLOVES - MAX USE VOLTAGE 17,000V AC

- Available in dual colour
- 16 inch length (other lengths available on request)

Cat No.		Description	Colour
Salisbury	Marigold		
E216YB-8	RIG216YBS8	1PR CL2 16 GLOVES SZ 8	YELLOW/BLACK
E216YB-8.5	RIG216YBS8H	1PR CL2 16 GLOVES SZ 8.5	YELLOW/BLACK
E216YB-9	RIG216YBS9	1PR CL2 16 GLOVES SZ 9	YELLOW/BLACK
E216YB-9.5	RIG216YBS9H	1PR CL2 16 GLOVES SZ 9.5	YELLOW/BLACK
E216YB-10	RIG216YBS10	1PR CL2 16 GLOVES SZ 10	YELLOW/BLACK
E216YB-10.5	RIG216YBS10H	1PR CL2 16 GLOVES SZ 10.5	YELLOW/BLACK
E216YB-11	RIG216YBS11	1PR CL2 16 GLOVES SZ 11	YELLOW/BLACK
E216YB-12	-	1PR CL2 16 GLOVES SZ 12	YELLOW/BLACK



## CLASS 3 RUBBER INSULATING GLOVES - MAX USE VOLTAGE 26,500V AC

- Available in dual colour
- 16 inch length (other lengths available on request)

Cat No.		Description	Colour
Salisbury	Marigold		
E316BCYB-10.5	RIG316YBB10H	1PR CL3 16 BELL CUFF SZ 10.5	YELLOW/BLACK
E316BCYB-11	RIG316YBB11	1PR CL3 16 BELL CUFF SZ 11	YELLOW/BLACK
E316YB-8	-	1PR CL3 16 GLOVES SZ 8	YELLOW/BLACK
E316YB-8.5	-	1PR CL3 16 GLOVES SZ 8.5	YELLOW/BLACK
E316YB-9	RIG316YBS9	1PR CL3 16 GLOVES SZ 9	YELLOW/BLACK
E316YB-9.5	RIG316YBS9H	1PR CL3 16 GLOVES SZ 9.5	YELLOW/BLACK
E316YB-10	RIG316YBS10	1PR CL3 16 GLOVES SZ 10	YELLOW/BLACK
E316YB-10.5	RIG316YBS10H	1PR CL3 16 GLOVES SZ 10.5	YELLOW/BLACK
E316YB-11	RIG316YBS11	1PR CL3 16 GLOVES SZ 11	YELLOW/BLACK



## CLASS 4 RUBBER INSULATING GLOVES - MAX USE VOLTAGE 36,000V AC

- Available in dual colour
- 18 inch length (other lengths available on request)

Cat No.		Description	Colour
Salisbury	Marigold		
E418YB-9	RIG418YBS9	1PR CL4 18 GLOVES SZ 9	YELLOW/BLACK
E418YB-9.5	RIG418YBS9H	1PR CL4 18 GLOVES SZ 9.5	YELLOW/BLACK
E418YB-10	RIG418YBS10	1PR CL4 18 GLOVES SZ 10	YELLOW/BLACK
E418YB-10.5	RIG418YBS10H	1PR CL4 18 GLOVES SZ 10.5	YELLOW/BLACK
E418YB-11	RIG418YBS11	1PR CL4 18 GLOVES SZ 11	YELLOW/BLACK



# LEATHER OVERGLOVES & COTTON LINERS

## LEATHER OVERGLOVES

Used to mechanically protect the rubber insulating gloves from potential damage caused by abrasion, chemical deterioration and cuts, leather protectors are made from cowhide, they are available in sizes 8-12 (cover full and half size, e.g. 8/8.5).

Leather protectors are available for specific Classes of rubber gloves. We stock two styles, both styles feature an adjustable strap with non-metallic buckle to tighten them and ensure they remain in place to protect the rubber insulating glove beneath them.

### CLASS 00-0 LEATHER OVERGLOVES

Cat No.		Description
Salisbury	Ansell	
-	OUTLVGS7	1PR LEATHER GLOVES CLASS 00-0 SIZE 7-7.5
ILPG10A-8	OUTLVGS8	1PR LEATHER GLOVES CLASS 00-0 SIZE 8-8.5
ILPG10A-9	OUTLVGS9	1PR LEATHER GLOVES CLASS 00-0 SIZE 9-9.5
ILPG10A-10	OUTLVGS10	1PR LEATHER GLOVES CLASS 00-0 SIZE 10-10.5
ILPG10A-11	OUTLVGS11	1PR LEATHER GLOVES CLASS 00-0 SIZE 11-11.5
ILPG10A-12	-	1PR LEATHER GLOVES CLASS 00-0 SIZE 12-12.5



### CLASS 1-4 LEATHER OVERGLOVES

Cat No.		Description
Salisbury	Ansell	
ILPG3S-8	OUTHVGS8	1PR LEATHER GLOVES CLASS 1-4 SIZE 8-8.5
ILPG3S-9	OUTHVGS9	1PR LEATHER GLOVES CLASS 1-4 SIZE 9-9.5
ILPG3S-10	OUTHVGS10	1PR LEATHER GLOVES CLASS 1-4 SIZE 10-10.5
ILPG3S-11	OUTHVGS11	1PR LEATHER GLOVES CLASS 1-4 SIZE 11-11.5
ILPG3S-12	-	1PR LEATHER GLOVES CLASS 1-4 SIZE 12-12.5



### CLASS 00-0 & 1-4 THE POWER GRIPZ™ LEATHER OVERGLOVES

The Power Gripz™ gloves have been designed by Linemen, for Linemen. With features including Arc Flash protection of 40 cal/cm<sup>2</sup> and cut resistance as well as the patent pending grip pad for extra safety and functionality.

Cat No.		Description	Size
Class 00-0	Class 1-4		
TPG010-8-8.5	TPG012-8-8.5	1PR ARC RATED, CUT RESISTANT LEATHER GLOVES	8-8.5
TPG010-9-9.5	TPG012-9-9.5	1PR ARC RATED, CUT RESISTANT LEATHER GLOVES	9-9.5
TPG010-10-10.5	TPG012-10-10.5	1PR ARC RATED, CUT RESISTANT LEATHER GLOVES	10-10.5
TPG010-11-11.5	TPG012-11-11.5	1PR ARC RATED, CUT RESISTANT LEATHER GLOVES	11-11.5
TPG010-12-12.5	TPG012-12-12.5	1PR ARC RATED, CUT RESISTANT LEATHER GLOVES	12-12.5



## COTTON GLOVE LINER

Cotton Glove Liners reduce the discomfort of wearing rubber insulating gloves. They provide warmth in colder temperatures and absorb perspiration in the warmer months. The knit wrist

grips keep the liner in place. Cotton Glove Liners are made from cotton and therefore are non-drip.

We have knitted and interlock fabric types available.



Cat No.	Description
COT1	COTTON INTERLOCK 10" GLOVE LINER, ONE SIZE
CPT3	COTTON INTERLOCK 14" GLOVE LINER, ONE SIZE
35	COTTON GLOVE LINER, ONE SIZE

## RUBBER INSULATING SLEEVES

### CLASS 2 RUBBER SLEEVES

Cat No.	Description	Size	Class	Colour
D2SYB-EC	1PR SALISBURY SLEEVES EC	SMALL	2	YELLOW/BLACK
D2RYB	1PR SALISBURY SLEEVES	REGULAR	2	YELLOW/BLACK
D2RYB-EC	1PR SALISBURY SLEEVES EC	REGULAR	2	YELLOW/BLACK
D2LYB-EC	1PR SALISBURY SLEEVES EC	LARGE	2	YELLOW/BLACK



### CLASS 3 & 4 RUBBER SLEEVES

Cat No.	Description	Size	Class	Colour
D3LYB-EC	1PR SALISBURY SLEEVES EC	LARGE	3	YELLOW/BLACK
D3RYB-EC	1PR SALISBURY SLEEVES EC	REGULAR	3	YELLOW/BLACK
D4RYB-EC	1PR SALISBURY SLEEVES EC	REGULAR	4	YELLOW/BLACK
E4SYB-EC	1PR SALISBURY SLEEVES EC	SMALL	4	YELLOW/BLACK
D4XLYB-EC	1PR SALISBURY SLEEVES EC	X LARGE	4	YELLOW/BLACK
D4LYB	1PR SALISBURY SLEEVES	LARGE	4	YELLOW/BLACK
D4LYB-EC	1PR SALISBURY SLEEVES EC	LARGE	4	YELLOW/BLACK
D4RYBEC	1PR SALISBURY SLEEVES EC	REGULAR	4	YELLOW/BLACK





# RUBBER GOODS ACCESSORIES

## B22 PLASTIC BUTTONS

Sleeve buttons, are required to wear rubber insulating sleeves properly. Four buttons are required per pair of sleeves. B22 (orange), two piece sleeve button, and B2 (yellow), one piece sleeve button.

Cat No.	Description
B2	1PCE PLASTIC BUTTON 2-PART
B22	4PCE/PACK PLASTIC BUTTONS 2-PART




## RUBBER SLEEVE HARNESS & STRAPS

S1 Straps are required to wear rubber insulating sleeves properly. Two straps are required per pair of sleeves.

H1 Harnesses are required to wear rubber insulating sleeves properly. One harness is required per pair of sleeves.

Cat No.	Description
H1	SALISBURY RUBBER SLEEVE HARNESS
S1	SALISBURY RUBBER SLEEVE STRAP



## LIQUID RUBBER CLEANER

SUPER SALCO® Cleaner is a concentrated detergent with a special grease release formula that removes oils, grease and dirt from natural rubber and SALCOR rubber equipment. Suitable for washing linemen's rubber gloves, sleeves and other specialty equipment by hand. Also works well on fiberglass and other materials. Just dilute with water, apply with a rag or sponge and rinse thoroughly.

Cat No.	Description
S4	LIQUID RUBBER CLEANER 1GAL



## PORTABLE GLOVE INFLATOR KIT

The G99 is a simple, easy to use, portable glove inflator. The G99 provides a quality means of inspecting gloves in the field. The glove is secured to the inflator using a nylon strap and fastened with a hook and pile closure. Inflation is accomplished by pumping the bellows of the inflator against any surface.



Cat No.	Description
G99	PORTABLE GLOVE INFLATOR KIT

## PLASTIC BLANKET PEG

Plastic pegs designed for clamping insulating covers, blankets or drapes around live electrical components.

Cat No.	Description
21	BLANKET PEG 240MM LONG, 125MM OPENING
YS-211-3-5	BLANKET PEG 220 × 115 × 22MM



## GLOVE POWDER

Ten-Four Glove Dust is a cooling, frictionless powder that absorbs moisture and perspiration when wearing rubber gloves preventing gloves getting sticky.

Cat No.	Description
10-4(1X5OZ)	SALISBURY 5 OZ BOTTLE GLOVE POWDER



## STORAGE BAGS

Specialty bags designed and fit for purpose, these bags are made from the highest quality materials and double stitched for durability. Proper storage extends the service life of gloves, sleeves and Hot Sticks. Glove Bags feature a clip and tapered gussets with wide opening tops for ease of use.



HEAVY DUTY CLIP ON ALL GLOVE BAGS

Cat No.	Description
GLOVEBAG	HV/LV GLOVE BAG
DUALBAG	HV/LV GLOVE & LEATHER PROTECTOR BAG
COMBOBAG	HV/LV TRI BAG SLEEVE/GLOVE/LEATHER PROTECTOR




GLOVEBAG

DUALBAG


COMBOBAG

PAGE	CATEGORY
50	<b>INSULATING MATS/PIPES</b>
50	LV Mats
50	MV Mats
51	Ground Mats
51	Equipotential Mat
51	Tiger Tails
52	MV Line Hose



# INSULATING MATS/PIPES

## LV MATS




Cat No.	Dimensions	Material	Features	Colour
1836YLVNV	18" × 36" (457MM × 914MM)	TYPE II SALCOR RUBBER	PLAIN STYLE	YELLOW
3636YLV	36" × 36" (914MM × 914MM)		VELCRO FASTENING	
10008	450MM × 300MM	EPDM	EYELETS FOR FASTENING	YELLOW/GREY
10009	600MM × 450MM		EYELETS FOR FASTENING	
10010	900MM × 600MM		EYELETS FOR FASTENING	
2010	1000MM × 235MM DROP		VELCRO FASTENING	
2004	1200MM × 225MM DROP		VELCRO FASTENING	
7004	1200MM × 225MM DROP		CROSS ARM COVER, VELCRO FASTENING	
8001	600MM × 375MM DROP		FUSE LINK COVER, STUD FASTENING	
10005	600MM × 450MM	PVC	EYELETS / MAGNETS	YELLOW/GREY
9007	600MM × 450MM		PLAIN STYLE	
10020	900MM × 900MM		EYELETS	
2001	1200MM × 225MM DROP		LINE COVER	
2003	1200MM × 225MM DROP		MAGNET/PRESS STUDS	
3001	1200MM × 300MM DROP		STUD FASTENING	
4001	1200MM × 375MM DROP		STUD FASTENING	
9001	12M × 1200MM × 2MM		12M ROLL	

## MV MATS

Cat No.	Description	Colour
13	SALISBURY CL4 22 × 22" SOLID MAT	ORANGE
900E	SALISBURY CL4 36 × 36" SOLID MAT	ORANGE
15	SALISBURY CL4 22 × 22" SPLIT MAT	ORANGE
1300	SALISBURY CL4 36 × 36" SPLIT MAT	ORANGE



## GROUND MATS



Cat No.	Description	Voltage	Dimensions			Colour
			Length (m)	Width (m)	Thickness (mm)	
6EPDM1000LV	SUBSTATION MAT		1	1	6MM	BLACK
6EPDM12000LV	SUBSTATION MAT		10	1	6MM	BLACK
181A-1	EPDM GROUND MAT (HOLE CUT OUT ONE SIDE)	UP TO 650V	1	1	6MM	BLACK
181A-2	EPDM GROUND MAT		1.2	1	6MM	BLACK
181A-3	EPDM GROUND MAT, SLOTS		1.5	1	6MM	BLACK
181A-4	EPDM GROUND MAT		0.9	0.9	6MM	BLACK
181A-ROLL	EPDM GROUND MAT		PER METRE	1	6MM	BLACK
1810	EPDM GROUND MAT	UP TO 1000V	1	1	6MM	BLACK
1810-ROLL	EPDM GROUND MAT		PER METRE	1	6MM	BLACK
1814	MM, EPDM GROUND MAT	UP TO 36KV	1	1	6MM	BLACK

## EQUIPOTENTIAL MAT

Designed to assist in de-energised work by eliminating step and touch potential voltages, by establishing an equal voltage potential between personnel using the Mat and the clamped object.

- 770mm x 770mm Mat size (custom sizes available)
- 35mm<sup>2</sup> Weldflex cable with heavy duty insulation
- 400 Amp welding clamp – heavy duty spring with Copper contacts (lower or higher current clamps available)
- Stainless Steel mesh
- All Stainless Steel and Brass hardware to prevent corrosion
- Bound edges
- Cable affixed to Mat to prevent fatigue
- Comes as a kit with protective carry bag

Cat No.	Length (feet)
181EP-1	770 x 770MM EQUIPOTENTIAL MAT IN CARRY BAG



## TIGER TAILS

Balmoral Engineering Torapoli Pipe 'Tiger Tails' are the perfect LV line guard, they can couple together for extended distances.

- Rated to 650V, AS4202
- Yellow/Black stripes assist with visual warning of lines
- Easy to install and remove

Cat No.	Description	Colour
DB.35A	TIGER TAILS 35MM x 2.5M LONG	YELLOW/BLACK



## MV LINE HOSE

AB Chance Line Hose comes in two variants, plain both ends and plain one end with coupler on the other end.

- Rated for 11kV use
- Low weight, high performance, easy to handle and place
- Excellent colour retention
- Interchangeable with other flexible cover up brands
- Meets ASTM D 1050



COUPLER, ONE END

Cat No.	Inside Diameter (inch)	Length (feet)	Weight (kg)	Style
C406-0295	1.25	4.5	1.6	PLAIN, BOTH ENDS
C406-0305	1.25	4.5	1.9	COUPLER, ONE END

<b>PAGE</b>	<b>CATEGORY</b>
<b>54</b>	<b>HIGH LEG BOOTS</b>
54	Bison XT Zip Lace Up Safety Boot
54	Dobbyn High Leg Lace Up Safety Boots
55	Wiremu Zip Ankle Lace Up Safety Boots
<b>PAGE</b>	<b>ANKLE BOOTS</b>
55	Bison XT Ankle Lace Up Safety Boot
55	Hamilton Ankle Lace Up Safety Boots
<b>PAGE</b>	<b>FOOTWEAR ACCESSORIES</b>
56	Work Socks
56	Replacement Laces
56	Replacement Innersole
56	Huberd's Shoe Grease



## HIGH LEG BOOTS

The Leather Work Boots offered by TransNet can be tested as per ASTM F2412 "Electric Hazard Resistant Footwear" (EH).

### BISON XT ZIP LACE UP SAFETY BOOT

#### FEATURES

- Wide and Extra-wide fit options minimise excess toe space trip hazard and eliminate rub-zones
- Spacious toe cap for greater toe protection
- NZ Tasman Pro-Tec water resistant leather upper
- Foot-bed cushioning and ventilation
- Seamless heel inner and forefoot breadth
- Ergonomics - rocker bottom sole design aids forward motion and reduces wearer fatigue
- Athletic arch and molded heel support
- Superior compression and abrasion resistance
- Bison Grip nitrile rubber sole with multi-directional tread pattern reduces slips
- Nitrile rubber outsole offers extreme protection up to 300°C
- Tough laces - toughest 5mm Nylon DTY laces used so they'll last as long as your boots



Cat No.	Description	Size
XTZ-100	ZIP LACE UP SAFETY BOOTS BLACK	STANDARD 4-14 EXTRA WIDE 8-11

Add suffix for Standard Size: -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14  
Extra Wide: -8W, -9W, -10W, -11W

### DOBBYN HIGH LEG LACE UP SAFETY BOOTS

#### FEATURES

- Wide form steel toe cap for toe freedom
- Foot-Mate ergonomically designed innersole for comfort
- Premium Enduro leather upper
- Triple stitched at high stress points
- Low profile TPU scuff protection
- Extended tongue for comfort
- Samson wide fit sole for greater comfort & stability
- AS/NZS 2210.3:2009
- UK sizes 3-13



Ask for it by number

Cat No.	Description	Size
DOBBYN	HIGH LEG LACE UP SAFETY BOOTS	3-13

Use suffix for size: -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13



## WIREMU ZIP ANKLE LACE UP SAFETY BOOTS

### FEATURES

- Tough metal YKK zipper access
- Premium full grain water-resistant leather
- Extended tongue for comfort
- Quad stitched at high stress points
- Low profile TPU scuff protection
- Wide form steel toe cap for greater toe freedom
- Samson wide fit sole for greater comfort & stability
- Foot-Mate comfort innersole included
- AS/NZS 2210.3:2009
- UK sizes 3-13



Cat No.	Description	Size
WIREMU	ZIP ANKLE LACE UP SAFETY BOOTS	3-13

Use suffix for size: -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13

## ANKLE BOOTS

### BISON XT ANKLE LACE UP SAFETY BOOT

### FEATURES

- Wide and Extra-wide fit options minimise excess toe space trip hazard and eliminate rub-zones
- Tasman Pro-Tec water resistant leather upper
- Foot-bed cushioning and ventilation
- Ergonomics - rocker bottom sole design aids forward motion and reduces wearer fatigue
- Athletic arch and molded heel support
- Bison Grip nitrile rubber sole with multi-directional tread pattern helps reduce slips



Cat No.	Description	Size
XTZ-102	ANKLE LACE UP SAFETY BOOTS BLACK	STANDARD 4-14 EXTRA WIDE 8-11

Add suffix for Standard Size: -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14  
Extra Wide: -8W, -9W, -10W, -11W

### HAMILTON ANKLE LACE UP SAFETY BOOTS

### FEATURES

- Wide form steel toe cap for toe freedom
- Foot-Mate ergonomically designed innersole for comfort
- Premium Enduro leather upper
- Triple stitched at high stress points
- Low profile TPU scuff protection
- Samson wide fit sole for greater comfort & stability
- Padded top line
- AS/NZS 2210.3:2009
- UK sizes 3-13



Cat No.	Description	Size
HAMILTON-BRN	ANKLE LACE UP SAFETY BOOTS	3-13

Use suffix for size: -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13

# FOOTWEAR ACCESSORIES

## WORK SOCKS

### FEATURES

- Comfortable calf length work socks
- Designed to stay up in footwear
- Durable and tough
- Black/charcoal
- Two sizes: Small NZ 3-7 (Ladies 5-9)  
Large NZ 8-13

Cat No.	Description	Size
WORKSOCK-47	CALF LENGTH WORK SOCKS TWIN PACK	3-7 (5-9 WOMEN)
WORKSOCK-813	CALF LENGTH WORK SOCKS TWIN PACK	8-13



## REPLACEMENT LACES

Cat No.	Description	Length (mm)
LACE140	REPLACEMENT LACES FOR ANKLE BOOT	140
LACE180	REPLACEMENT LACES FOR HIGH LEG BOOT	180



## REPLACEMENT INNERSOLE

PU Dual density construction, ideal for relief from hard surfaces and impact.

Cat No.	Description
J6106	REPLACEMENT INNERSOLE




## HUBERD'S SHOE GREASE

### FEATURES

- Pine tar and beeswax waterproofer
- Softens, preserves and waterproofs all kinds of leather
- Doesn't deteriorate threads
- 213g can

Cat No.	Description	Weight (g)
HUBERDTIN213	HUBERD'S SHOE GREASE	213



PAGE	CATEGORY
58	<b>HARNESSES</b>
58	Millar Air Core Tower Workers Harness
58	Tower Worker Harness
58	Basic Fall Arrestor Harness
PAGE	<b>LANYARDS &amp; POLE STRAPS</b>
59	Adjustable Lanyard
59	Stretchable Lanyards
59	Polyester Webbing Lanyards
59	Sharp Edge Rope Pole Strap
60	Pole Straps
PAGE	<b>FALL ARRESTORS</b>
60	TurboLite Type 2 Fall Arrestors
PAGE	<b>KARABINERS</b>
60	Captive D Triple Acting Karabiner
60	Screw Gate Karabiner



## HARNESSES

### MILLAR AIR CORE TOWER WORKERS HARNESSES

#### FEATURES

- Lightweight components specifically chosen to reduce fatigue for all-day endurance and increased productivity
- Lighter than most harnesses in the market
- Corrosion-resistant and longer lasting aluminum hardware
- Quick operating cam buckles on the shoulder straps make vertical webbing adjustment easier than any other harness
- Quick-connect leg and chest buckles for easy donning
- Distinctive webbing design for easy identification and greater visibility
- Easily adjustable waist, shoulder and leg straps to suit a wider range of physiques
- Aluminum rear fall arrest d-ring with fall indicator
- Work positioning side d-rings for working with pole straps
- Equipped with confined space webbing loops for attachment to spreader frame
- Built-in buttock pad for increased comfort when work positioning
- Certified to Australian and New Zealand Standards AS/ NZS 1891.1 - 2007
- Weight 2.7kg

Cat No.	Frontal Fall Arrest Attachment Loops	Sizes
M1020225	NON-METALLIC	S-2XL
M1020228	SOFT LOOP	M-2XL

Use suffix for size: -S, -M, -L, -XL, -2XL



M1020225



M1020228

### TOWER WORKER HARNESSES

The Miller® Tower-worker Harness is for workers who are suspended for longer periods of time especially working positioning or pole work.

#### FEATURES

- Frontal fall arrest attachment loops
- Confined space loops and work positioning side D-rings
- Lumbar and buttock padding equipped with tool loops
- 300mm Extended dorsal D-ring
- Suitable for electrical, ladder and tower work, tree pruning, Elevated Work Platforms (EWP), confined space and rescue
- Certified to AS/NZS 1891.1:2007

Cat No.	Description	Size
TOWERWORKER	TOWER WORKER HARNESSES	MEDIUM



### BASIC FALL ARRESTOR HARNESSES

#### FEATURES

- Frontal fall arrest attachment point and dorsal D-ring
- Easy to don with fully adjustable chest, shoulder and leg straps
- Label pack stores all relevant harness documents
- Brightly coloured webbing to increase worker visibility
- Suitable for construction, maintenance, scaffolding, warehousing and roof work
- Elevated Work Platform (EWP)

Cat No.	Description
M1020063	MILLAR BASIC FALL ARRESTOR HARNESSES



## LANYARDS & POLE STRAPS

### ADJUSTABLE LANYARD

This 2.0m lanyard is adjustable down to the 800mm to suit different working situations and allows the user to work in restraint rather than fall-arrest.

#### FEATURES

- Certified to AS/NZS 1891.1:2007
- Snap Hooks

Cat No.	Description
M1010004	2.0M ADJUSTABLE LANYARD WITH 19MM SNAP HOOK EACH END



### STRETCHABLE LANYARDS

Stretchstop polyester webbing lanyard with elastic core.

#### FEATURES

- Single version includes two snap hooks
- Double version includes one snap hook and 64mm scaffold hook
- Certified to AS/NZS 1891.1:2007

Cat No.	Description
L11SEC1.5	1.5M STRETCHABLE LANYARD WITH ENERGY ABSORBER AND 19MM SNAP HOOK EACH END
L12SEC2.0	2.0M STRETCHABLE LANYARD WITH ENERGY ABSORBER AND 64MM SCAFF HOOK AND 19MM SNAP HOOK



L11SEC1.5

L12SEC2.0

### POLYESTER WEBBING LANYARDS

35mm Single Polyester Webbing Lanyard, compact energy absorber and 19mm hooks each end.

#### FEATURES

- Certified to AS/NZS 1891.1 2007

Cat No.	Description
L11WEC1.5	1.5M WEBBING LANYARD WITH ENERGY ABSORBER AND 19MM SNAP HOOK EACH END
L11WEC2.0	2.0M WEBBING LANYARD WITH ENERGY ABSORBER AND 19MM SNAP HOOK EACH END



### SHARP EDGE ROPE POLE STRAP

#### FEATURES

- 2.0m adjustable lanyard
- Robust 12mm sharp edge kernmantle rope
- Rope adjuster moves along the rope to adjust length
- Includes compact energy absorber and 19mm snap hooks on each end
- Certified to AS/NZS 1891.1:2007

Cat No.	Description
M1010088	2.5M SHARP EDGE ROPE POLE STRAP C/W TYPE 1 RUNNER



## POLE STRAPS

### FEATURES

- Fully adjustable and available in various lengths
- Two 19mm snap hooks with easy adjuster
- Includes wear-protection sleeve
- Certified to AS/NZS 1891.1:2007



Cat No.	Description
136.1S	1.8M WEBBING POLE STRAP WITH 19MM HOOKS
138.1S	2.4M WEBBING POLE STRAP WITH 19MM HOOKS

## FALL ARRESTORS

### TURBOLITE TYPE 2 FALL ARRESTORS

The TurboLite® is a small and lightweight 2.0m webbing self-retracting lifeline designed as a cost effective alternative to traditional lanyards.

### FEATURES

- Includes twistlock karabiner at top, and the choice of either Snap Hook or Scaff Hook Bottom Connection
- Applications: Warehousing, Construction and General work at height



Cat No.	Description
MFL-1/2M AUS	2.0M TURBOLITE TYPE 2 FALL ARRESTOR STEEL KARABINER AND 19MM SNAP HOOK
MFL-2/2M AUS	2.0M TURBOLITE TYPE 2 FALL ARRESTOR STEEL KARABINER AND 19MM SCAFF HOOK

## KARABINERS

### CAPTIVE D TRIPLE ACTING KARABINER

### FEATURES

- Forged steel, captive D, triple acting karabiner
- 30kN strength in straight pull
- 18mm gate opening
- Refer to AS/NZS 1891.4 for information on anchorage selection and strength



Cat No.	Description
91326	TRIPLE ACTION 18MM OPENING KARABINER 30KN

### SCREW GATE KARABINER

### FEATURES

- Forged Steel Screw Gate Karabiner
- 23kN Strength in straight pull
- 16mm Gate Opening
- Refer to AS/NZS 1891.4 for information on anchorage selection and strength



Cat No.	Description
501	ALLOY STEEL 16MM OPENING KARABINER 22KN

PAGE	CATEGORY
62	<b>WOUND CARE</b>
62	Disposable Instant Ice Pack
62	Saline Ampoules
62	Fabric Plasters
62	Splinter Probe
PAGE	EYEWASH
63	Pocket Eyewash Flask
63	Eyewash Stationary Stand
63	Sterile Saline Solution Replacement Bottles
PAGE	SKIN PROTECTION
64	SunGard SPF50 Sunscreen
64	SunGard SPF30+ Lip Balm
64	SunGard Wall Mounting Brackets
65	SunGard SPF40 Insect Repellent
PAGE	FIRST AID KITS
66	Industrial Burns First Aid Kit
66	Personal Burns Kit
67	Lone Worker 2 First Aid Kit
67	Vehicle First Aid Kit Basic - Soft Pack
68	1-5 Person First Aid Kit in Soft Carry Bag
68	6-25 Person First Aid Kit in Plastic Box
69	6-25 Person First Aid Kit in Metal Cabinet
69	26-50 Person First Aid Kit in Metal Cabinet





# WOUND CARE

## DISPOSABLE INSTANT ICE PACK

Single use disposable instant ice pack, just squeeze the internal bladder and shake. Use for relief of swelling and fever.



Cat No.	Description
FACP001	SINGLE USE INSTANT ICE PACK

## FABRIC PLASTERS

Box of 50 fabric plasters.



Cat No.	Description
FAPLAST50	FABRIC PLASTERS 50 PACK

## SALINE AMPOULES

Sterile single use ampoule for washing wounds and eye injuries. Use to clean and flush foreign matter from eyes and wounds.



Cat No.	Description	Size (ml)
FASALINE	SALINE AMPOULES 5 PACK	15
FASALINE30		30

## SPLINTER PROBE

Splinter probe encased in plastic handle. Use for quick and easy removal of splinters.



Cat No.	Description
FASPROBE	SPLINTER PROBE 5 PACK



# EYEWASH

## POCKET EYEWASH FLASK

If it is not practical to have a eyewash station within arms reach, it is possible to carry a personal Pocket Eyewash Flask in the breast pocket. The pocket flask is not sufficient in itself to wash chemicals from the eyes, but can be used on the way to a proper eyewash station. Suitable for laboratories, building sites, cleaning staff or anyone with mobile working conditions.



Cat No.	Description
T121	POCKET EYEWASH FLASK - 200ML

## STERILE SALINE SOLUTION REPLACEMENT BOTTLES

Includes 2 x 1 litre Sterile Saline Solution bottles.

- Dimensions 39cm (H) x 20cm (W) x 10cm (D)



Cat No.	Description
T126	REPLACEMENT BOTTLES 1L - 2 PACK

## EYEWASH STATIONARY STAND

2 x 1 Litre Sterile Saline Solution eyewash bottles in a wall-stand. Suitable when space is a problem. (Supplied complete with bottles, wall-stand and wall screws.) Dimensions: 39cm (H) x 20cm (W) x 10cm (D)



Cat No.	Description
T129	EYEWASH STATIONARY STAND

# SKIN PROTECTION

## SUNGARD SPF50 SUNSCREEN

### FEATURES

- SPF50 UVA/UVB advanced broad-spectrum protection
- Laboratory tested to meet AS/NZS Standard 2604:2012
- 4 hours water resistance
- Contains Manuka Honey, Aloe Vera & Vitamin E to moisturize and condition the skin
- Formula does not contain nanoparticles, titanium dioxide or zinc oxide—safe in contact with roofing and paint finishes
- Dermatologically tested for most skin types and free from Paraben and MIT
- Non-slip dry grip
- Fragrance-free
- SunGard is a TGA (Therapeutic Goods Administration) registered product, manufactured and tested in Australia
- Available in 75ml carabiner, 125ml flip top squeeze tube, 500, 1000 and 2500ml pump bottles

Cat No.	Type	Size (ml)
SG50-75	CARABINER TUBE	75
SG50-125	FLIP TOP SQUEEZE TUBE	125
SG50-500	PUMP BOTTLE	500
SG50-1000	PUMP BOTTLE	1000
SG50-2500	PUMP BOTTLE	2500



## SUNGARD SPF30+ LIP BALM

SunGard SPF30+ gives lips long-lasting protection from damaging UVA and UVB rays.

### FEATURES

- Formulated from high-quality natural plant-based oils, including Shea butter, sea buckthorn oil, beeswax and chamomile extract
- Contains nourishing Vitamin E and a touch of vanilla aroma
- Contains no artificial preservatives, silicone or parabens
- Highly effective light protection filters

Cat No.	Type	Size (g)
SG-LB	TWIST TUBE	4.8



## SUNGARD WALL MOUNTING BRACKETS

These wall mounting brackets are suitable for SunGard pump bottle dispensers (not included).

### FEATURES

- Mounts sunscreen pump bottle for convenient dispensing
- Designed for screw fixing to wall
- Sturdy white powdercoated steel
- Linkage hole enables securing the bottle with padlock (not included)

Cat No.	Description
BKT500	SUNGARD 500ML WALL BRACKET
BKT1LP	SUNGARD 1L WALL BRACKET
BKT2.5	SUNGARD 2.5L WALL BRACKET



## SUNGARD SPF40 INSECT REPELLENT

SunGard SPF 40 sunscreen with natural insect repellent.

### FEATURES

- SPF40 UVA/UVB advanced broad-spectrum protection
- Protects against mosquitoes, helps repel sandflies and other annoying disease-carrying insects
- Laboratory tested to meet AS/NZS Standard 2604:2012
- 2 hours water resistance
- Dermatologically tested for most skin types, free from Paraben and MIT
- Safe non-slip dry lotion, low irritant, sweat-resistant formulation
- Super-fast absorbing lotion, feels clean and weightless
- Available in 125ml flip top squeeze tube and 500ml pump bottle

Cat No.	Type	Size (ml)
SG40IR-125	FLIP TOP SQUEEZE TUBE	125
SG40IR-500	PUMP BOTTLE	500



# FIRST AID KITS

## INDUSTRIAL BURNS FIRST AID KIT

**KIT CONTENTS:**

- 3 x Burn Dressing 5cm x 15cm
- 6 x Burns Dressing 10cm x 10cm
- 1 x Face Burns Dressing
- 1 x Burns Dressing 20cm x 20cm
- 25 x Burn Gel Sachet
- 1 x Cohesive Bandage 5cm
- 1 x Zinc Oxide Fabric Tape 2.5cm
- 25 x Fabric Plasters
- 2 x Triangular Bandage (Disposable)
- 10 x Safety Pins
- 1 x Securing Bandage 7.5cm
- 1 x Securing Bandage 10cm
- 1 x Power Shears 14cm
- 2 x Plastic Forceps
- 5 x Paper Towel
- 2 x Clean Up Bag
- 2 x Resuscitation Face Shield (Disposable)
- 10 x Transparent Plastic Plasters
- 1 x First Aid Tips Guide
- 1 x HEP B / Aids Warning Label



**NOTE:** where a workplace identifies special or significant risks, additional first aid items may be required. This should be determined as risks are identified and assessed.

Cat No.	Description
BK002	INDUSTRIAL BURNS FIRST AID KIT IN SOFT CARRY BAG
BK002PB	INDUSTRIAL BURNS FIRST AID KIT IN WALL MOUNT PLASTIC CONTAINER OR GRAB & GO
BK002-REF	INDUSTRIAL BURNS FIRST AID KIT REFILL

## PERSONAL BURNS KIT

Suitable for situations with no special risk.

**KIT CONTENTS:**

- 1 x Burn Dressing 5cm x 15cm
- 1 x Burn Dressing 10cm x 10cm
- 6 x Burn Gel Sachet 3.5ml
- 4 x Sterile Non-Woven swabs 7.5cm
- 2 x Crepe Bandage 5cm
- 1 x Blue Cohesive Bandage 5cm
- 1 x Zinc Oxide Fabric Tape 2.5cm
- 2 x Triangular Bandage
- 1 x Resuscitation Face Shield
- 10 x Fabric Plasters
- 10 x Transparent Plastic Plaster Strips
- 1 x Utility Power Shears 14cm
- 1 x Plastic Dressing Forceps
- 1 x First Aid Tips sheet
- 1 x HEP B / Aids Warning label
- 10 x Safety Pins
- 1 x Examination Gloves (Pair)
- 1 x Clean up Bag
- 1 x Soft Carry Bag with Waist Belt



Cat No.	Description
BK003	PERSONAL BURNS FIRST AID KIT IN SOFT CARRY BAG
BK003-REF	PERSONAL BURNS FIRST AID KIT REFILL

## LONE WORKER 2 FIRST AID KIT

Suitable for workplaces with no special risk.

### KIT CONTENTS:

- 2 x Combine Dressing 20cm x 20cm
- 1 x Combine Dressing 10cm x 10cm
- 2 x Triangular Bandage
- 1 x Sterile Non-Woven Swabs
- 1 x Sterile Eye Pad
- 1 x Economy scissors
- 1 x Forceps
- 3 x Antiseptic Wipes
- 3 x Sodium Chloride Solution (Saline) 30ml Ampules
- 1 x Resuscitation Face Shield
- 20 x Fabric Plasters
- 1 x Gauze Elastic Bandage 5cm
- 1 x Microporous Paper Tape 1.25cm
- 1 x First Aid Tips Sheet
- 3 x Burn Gel Sachets 3.5ml
- 1 x Emergency Silver Foil Thermal Blanket
- 1 x HEP B / AIDS Warning Label
- 1 x Pencil
- 1 x Minor Accident Recording Form
- 2 x Non-Adherent Pad 7.5cm x 10cm
- 1 x Examination Gloves (Pair)
- 1 x Clean Up Bag
- 1 x Soft Carry Bag With Handle



Cat No.	Description
FAK010	LONE WORKER 2 FIRST AID KIT IN SOFT CARRY BAG
FAK010RF	LONE WORKER2 FIRST AID KIT REFILL

## VEHICLE FIRST AID KIT BASIC - SOFT PACK

Suitable for workplaces with no special risk.

### KIT CONTENTS:

- 1 x First Aid Dressing Medium
- 1 x First Aid Dressing Large
- 1 x Sterile Non-Woven Swabs
- 2 x Safety Pins
- 2 x Sterile Eye Pad
- 1 x Economy Scissors
- 1 x Forceps
- 4 x Antiseptic Wipes
- 3 x Sodium Chloride Solution (Saline) 30ml Ampules
- 1 x Resuscitation Face Shield
- 1 x Clean-up Bag
- 1 x First Aid Tips Sheet
- 2 x Triangular Bandage
- 1 x HEP B / AIDS Warning Label
- 1 x Gauze Elastic Bandage 5cm
- 10 x Fabric Plasters
- 1 x Microporous Paper Tape 1.25cm
- 1 x Pencil
- 1 x Minor Accident Recording Form
- 2 x Non-Adherent Pad 7.5cm x 10cm
- 2 x Examination Gloves (Pair)
- 1 x Soft Carry Bag with Handle



Cat No.	Description
FAK010N1S	VEHICLE FIRST AID KIT - BASIC IN SOFT CARRY BAG

## 1-5 PERSON FIRST AID KIT IN SOFT CARRY BAG

Suitable for workplaces with no special risk.

### KIT CONTENTS:

- 1 x First Aid Dressing Medium
- 1 x First Aid Dressing Large
- 2 x Sterile Non-woven Swabs
- 1 x Wound Dressing No 15
- 10 x Safety Pins
- 2 x Sterile Eye Pad
- 1 x Utility Power Shears
- 1 x Forceps
- 4 x Antiseptic Wipes
- 3 x Sodium Chloride Solution (Saline) 30ml Ampules
- 1 x Resuscitation Face Shield
- 1 x Clean-Up Bag
- 1 x First Aid Tips Sheet
- 2 x Triangular Bandage
- 1 x HEP B / AIDS Warning Label
- 2 x Crepe Bandage 5cm
- 3 x Combine Dressing 10cm x 10cm
- 1 x Pencil
- 1 x Minor Accident Recording Form
- 3 x Non-Adherent Pad 7.5cm x 10cm
- 1 x Combine Dressing 20cm x 20cm
- 1 x Plastic Tape 2.5cm Roll
- 50 x Fabric Plasters (Wide)
- 4 x Examination Gloves (Pair)
- 1 x Wall Mount / Grab & Go Plastic Box



Cat No.	Description
FAK015	FIRST AID KIT FOR 1-5 PERSONS IN SOFT CARRY BAG
FAK015PB	FIRST AID KIT FOR 1-5 PERSONS IN PLASTIC WALL MOUNT OR GRAB & GO
FAK018-R	FIRST AID KIT FOR 1-5 PERSONS REFILL

## 6-25 PERSON FIRST AID KIT IN PLASTIC BOX

Suitable for workplaces with no special risk.

### KIT CONTENTS:

- 1 x First Aid Dressing Medium
- 2 x First Aid Dressing Large
- 5 x Sterile Non-Woven Swabs
- 2 x Wound Dressing No 15
- 10 x Safety Pins
- 3 x Sterile Eye Pad
- 1 x Utility Power Shears 14cm
- 1 x Forceps
- 6 x Antiseptic Wipes
- 6 x Sodium Chloride Solution (saline) 30ml Ampules
- 1 x Resuscitation Face Shield
- 1 x Microporous Tape 1.25cm
- 1 x Clean-up Bag
- 1 x First Aid Tips Sheet
- 2 x Triangular Bandage
- 1 x HEP B / AIDS Warning Label
- 1 x Crepe Bandage 5cm
- 1 x Crepe Bandage 7.5cm
- 1 x Pencil
- 1 x Minor Accident Recording Form
- 2 x Combine Dressing 10cm x 10cm
- 1 x Combine Dressing 20cm x 10cm
- 5 x Non-Adherent Pad 7.5cm x 10cm
- 1 x Combine Dressing 20cm x 20cm
- 1 x Zinc Oxide Tape 2.5cm
- 4 x Fabric Plasters (Wide)
- 1 x Wall mount / Grab & Go Plastic Box



Cat No.	Description
FAK016PB	FIRST AID KIT FOR 6-25 PERSONS IN PLASTIC BOX
FAK019-R	FIRST AID KIT FOR 6-25 PERSONS REFILL

## 6-25 PERSON FIRST AID KIT IN METAL CABINET

Suitable for workplaces with no special risk.

### KIT CONTENTS:

- 1 x First Aid Dressing Medium
- 2 x First Aid Dressing Large
- 5 x Sterile Non-Woven Swabs
- 2 x Wound Dressing No 15
- 10 x Safety Pins
- 3 x Sterile Eye Pad
- 1 x Utility Power Shears 14cm
- 1 x Forceps
- 6 x Antiseptic Wipes
- 6 x Sodium Chloride Solution (saline) 30ml Ampules
- 1 x Resuscitation Face Shield
- 1 x Microporous Tape 1.25cm
- 1 x Clean-up Bag
- 1 x First Aid Tips Sheet
- 2 x Triangular Bandage
- 1 x HEP B / AIDS Warning Label
- 1 x Crepe Bandage 5cm
- 1 x Crepe Bandage 7.5cm
- 1 x Pencil
- 1 x Minor Accident Recording Form
- 2 x Combine Dressing 10cm x 10cm
- 1 x Combine Dressing 20cm x 10cm
- 1 x Combine Dressing 20cm x 20cm
- 5 x Non-Adherent Pad 7.5cm x 10cm
- 100 x Fabric Plasters (Wide)
- 4 x Examination Gloves (Pair)
- 1 x Small White Steel Cabinet with Handle – Wall Mount or Grab & Go



Cat No.	Description
FAKM25	FIRST AID KIT FOR 6-25 PERSONS IN WHITE METAL CABINET - WALL MOUNT OR GRAB & GO
FAK019-R	FIRST AID KIT FOR 6-25 PERSONS REFILL

## 26-50 PERSON FIRST AID KIT IN METAL CABINET

Suitable for workplaces with no special risk.

### KIT CONTENTS:

- 2 x First Aid Dressing Medium
- 2 x First Aid Dressing Large
- 5 x Sterile Non-Woven Swabs
- 3 x Wound Dressing No 15
- 10 x Safety Pins
- 3 x Sterile Eye Pad
- 1 x Utility Power Shears 14cm
- 1 x Forceps
- 9 x Antiseptic Wipes
- 10 x Sodium Chloride Solution (saline) 30ml Ampules
- 2 x Resuscitation Face Shield
- 1 x Microporous Tape 1.25cm
- 2 x Clean-up Bags
- 1 x First Aid Tips Sheet
- 2 x Triangular Bandage
- 1 x HEP B / AIDS Warning Label
- 2 x Crepe Bandage 5cm
- 1 x Crepe Bandage 7.5cm
- 1 x Pencil
- 1 x Minor Accident Recording Form
- 2 x Combine Dressing 10cm x 10cm
- 1 x Combine Dressing 20cm x 10cm
- 1 x Combine Dressing 20cm x 20cm
- 7 x Non-Adherent Pad 7.5cm x 10cm
- 1 x Zinc Oxide Fabric Tape 2.5cm
- 100 x Fabric Plasters (Wide)
- 8 x Examination Gloves (Pair)
- 1 x Fabric Dressing Strip 7.5cm x 1m
- 1 x First Aid Booklet
- 1 x Large White Steel Cabinet with Handle – Wall Mount or Grab & Go



Cat No.	Description
FAKM50	FIRST AID KIT FOR 26-50 PERSONS IN WHITE METAL CABINET - WALL MOUNT OR GRAB & GO
FAK020-R	FIRST AID KIT FOR 26-50 PERSONS REFILL

Need your products supplied with test certificates? We can help.





PAGE	CATEGORY
<b>72</b>	<b>SPILL CONTAINMENT</b>
72	Ultra Outdoor Hardtop Containment
73	Ultra Utility Trays
73	SpillTech Economy Bunding
74	Ultra Spill Deck
74	Ultra Spill Deck Flow Through Bulkhead Fitting
74	Ultra 4 Drum Spill Pallet
<b>PAGE</b>	<b>STORMWATER MANAGEMENT</b>
75	Ultra DrainGuard
75	Ultra Gravel Bags
<b>PAGE</b>	<b>SPILL RESPONSE</b>
76	Ultra Drain Seal
76	25L & 50L General Purpose Spill Kits
77	120 & 240L General Purpose Spill Kits
78	SpillTech® Chemical Absorbent Pads & Roll
78	SpillTech® Chemical Absorbent Sock
79	SpillTech® Universal Absorbent Pads
79	SpillTech® Universal Absorbent Sock
80	SpillTech® Oil Only Absorbent Pads & Roll
80	SpillTech® Oil Only Absorbent Sock
81	Mineral Sponge



# SPILL CONTAINMENT

## ULTRA OUTDOOR HARDTOP CONTAINMENT

Store IBC tanks and drums outside with the IBC Hardtops or Drum Hardtops. Polyethylene construction is resistant to rust, corrosion and a wide range of chemicals. Hardtops have a combination of roll top and swing out doors allowing easy access for forklifts.



U9460



U9612



U9636



U1162



U1148



U0676

Cat No.	Description	Containment Capacity (L)	Weight (kg)
U9460	ULTRA 1 DRUM HARDTOP PLUS	265	34
U9612	ULTRA 2 DRUM HARDTOP PLUS	250	118
U9636	ULTRA 4 DRUM HARDTOP PLUS	284	200
U9658	ULTRA 4 DRUM HARDTOP EXTENDER KIT	284	171
U1162	ULTRA IBC HARDTOP PLUS	1382	239
U1148	ULTRA TWIN IBC HARDTOP PLUS	2025	484
U0676	ULTRA POLYETHYLENE LOADING RAMP (FOR U1162 OR U9636)	N/A	19.5

**ULTRA UTILITY TRAYS**

These heavy duty polyethylene utility trays will not rust or corrode and are suitable for the containment of cans, bottles, and other small containers. A ribbed bottom keeps items elevated above spills and leaks. Nestable for easy storage when not in use.



U1031



U1032




U1033

Cat No.	Description	Containment Capacity (L)	Dimensions (mm)
U1031	ULTRA UTILITY TRAY	45	1219 L x 305 W x 121 H
U1032	ULTRA UTILITY TRAY	91	1219 L x 610 W x 121 H
U1033	ULTRA UTILITY TRAY	113	1219 L x 762 W x 121 H

**SPILLTECH ECONOMY BUNDING**

Create your own banded area with drive over EVA bunding to stop spills leaving your warehouse or factory.

- Profile 40mm H x 140mm base/75mm top



Cat No.	Description	Dimensions (mm)
STEVA40	FOAM BUNDING	40 H x 2000 L
STEVA40C	FOAM BUNDING CORNER UNIT	40 H x 400 L x 400 W

## ULTRA SPILL DECK

Ultra Spill Decks are available in 1, 2 and 4-drum modules. Modules are easily connected together with flow through bulkhead fittings allowing you to create your own customised configurations. Bulkhead fittings not only "lock" spill decks together, they also allow spilled liquid to flow from one deck to the next.

### FEATURES

- All polyethylene construction offers a wide range of chemical compatibility
- Low profile design (146mm height) offers safe and convenient loading/unloading of drums without the need for a hoist



Cat No.	Description	Dimensions (mm)	Drum Capacity	Containment Capacity (L)	Uniformly Distributed Load (kg)	Weight (kg)
U1321	ULTRA SPILL DECK	657 × 657 × 146	1	42	681	10
U1086	ULTRA SPILL DECK	1321 × 657 × 146	2	83	1361	18
U1072	ULTRA SPILL DECK	1321 × 1321 × 146	4	167	2722	32

## ULTRA SPILL DECK FLOW THROUGH BULKHEAD FITTING

UltraTech's patented flow through bulkhead fittings not only join Ultra Spill Decks securely, they also allow liquid spills to flow from one deck to the next in order to increase the overall containment capacity of your Ultra Spill Deck containment system.

Use 1 bulkhead fitting when joining a 1 drum Spill Deck and 2 when joining 2 and 4 drum Spill Decks.



Cat No.	Description
U1073	ULTRA SPILL DECK FLOW THROUGH BULKHEAD FITTING

## ULTRA 4 DRUM SPILL PALLET

Store up to 4 x 200L drums on the Ultra 4 Drum Spill Pallet. 100% polyethylene construction offers excellent chemical resistance and removable non-slip grates make cleaning a breeze.

The Ultra 4 Drum Spill Pallet offer a range of benefits not found in other standard spill pallets including - nestable design reduces the space required to store the pallets when not in use, lower profile at just 25cm tall so drum tops are at a user friendly height, two way forklift access.



Cat No.	Uniformly Distributed Load (kg)	Dimensions (mm)	Containment Capacity (L)	Weight (kg)
U1230	2722	1295 × 1295 × 254	250	41

# STORMWATER MANAGEMENT

## ULTRA DRAINGUARD

Keep sediment, hydrocarbons and other pollutants out of the stormwater system. This large sediment accumulation pocket holds up to 18kg of silt, sediment and rubbish as well as 3.5L of oil and grease. Built-in overflow ports avoid flooding in heavy rain events. Sewn-in, lift-out straps make removal easy and prevent the Drain Guard from falling into the inlet. Simply lift grate, insert Drain Guard and replace grate to hold Drain Guard in place. Trim excess fabric if desired.

### FEATURES

- One size fits most drains
- Made from a polypropylene geotextile
- Removes up to 3.5L of oil and 18kg of sediment
- Exceeds 75% TSS removal



Cat No.	Description	Capacity (kg)	Dimensions (mm)
U9217	ULTRA DRAINGUARD	18	1220 × 910 × 460

## ULTRA GRAVEL BAGS

These bags can be filled with gravel or other aggregate for erosion control, basic stormwater protection and more. Made from tough UV resistant polymer material so they last and can even be driven over. Simply close using cable ties (not included).



Cat No.	Description	Dimensions (mm)
U9782	ULTRA GRAVEL BAG 1200MM	1200 × 280
U9783	ULTRA GRAVEL BAG 2400MM	2400 × 280

# SPILL RESPONSE

## ULTRA DRAIN SEAL

The Clear Ultra Drain Seal is made of urethane construction and allows the pad to deform and seal off most drains.

### FEATURES

- Fits the majority of New Zealand stormwater drains
- Clear drain seal makes it easy to determine that an effective seal has been achieved
- Reinforced mesh is "sandwiched" between layers of polyurethane - increases durability and resistance to tearing
- Unique, urethane construction allows the pad to deform and seal off most drains - temporarily "seals" to any smooth surface
- A valuable addition to any emergency response plan, spill kit or stormwater management program
- Unlike some alternative products, BOTH sides will quickly



- seal drains - there is no specified "top" or "bottom"
- Flexible, non-absorbing material with reinforced, tear-resistant mesh
- Resists oil, water and most aggressive chemicals, cleans with soap and water

Cat No.	Description	Dimensions (mm)	Weight (kg)
U2202	ULTRA DRAIN SEAL	915 x 915 x 10	9

## 25L & 50L GENERAL PURPOSE SPILL KITS

These general purpose spill kits can be used with any liquid spills including, oil, petrol, diesel, liquid chemicals, paint etc. Kits contains a mixture of loose absorbent fibre, absorbent socks and pads as well as the necessary PPE including gloves, safety specs, coveralls and a respirator plus instruction card and disposal bag. They come in a waterproof carry bag that can easily be carried to the spill and are ideal for vehicles.

Note: General purpose kits are not suitable for some strong acids including Nitric and Hydrofluoric Acid.

### SK25 CONTENTS:

- 5 x SpillTech® Universal Pads 400gsm
- 1 x SpillTech® UltraZorb Sock 2.4m
- 1 x SpillTech® UltraZorb 20L Bag
- 1 x P2/N95 Disposable Mask
- 1 x Pair Chemical Gloves - XL
- 1 x Comet Safety Specs - Clear
- 1 x Breathable Laminate Coverall
- 2 x SpillTech® Waste Disposal Bags
- 2 x Cable Ties
- 1 x Dust Pan and Brush Set
- 1 x SpillTech® Instruction Card

Spill Kit Refill Code: SK25-R



SK25

### SK50 CONTENTS:

- 20 x SpillTech® Universal Pads 400gsm
- 1 x SpillTech® UltraZorb Sock 2.4m
- 1 x SpillTech® UltraZorb Pillow
- 1 x SpillTech® UltraZorb 20L Bag
- 1 x P2/N95 Disposable Mask
- 1 x Pair Chemical Gloves - XL
- 1 x Comet Safety Specs - Clear
- 1 x Breathable Laminate Coverall
- 2 x SpillTech® Waste Disposal Bags
- 2 x Cable Ties
- 1 x Dust Pan and Brush Set
- 1 x SpillTech® Instruction Card

Spill Kit Refill Code: SK50-R

Cat No.	Description
SK25	25L GENERAL PURPOSE SPILL KIT
SK50	50L GENERAL PURPOSE SPILL KIT

## 120 & 240L GENERAL PURPOSE SPILL KITS

These general purpose spill kits can be used with any liquid spills including, oil, petrol, diesel, liquid chemicals, paint etc. Kits contains a mixture of loose absorbent fibre, absorbent socks, pillows, and pads as well as the necessary PPE including gloves, safety specs, coveralls and a respirator plus instruction card and disposal bag. The wheelie bin is easily identified as a spill kit and should be placed in a prominent position near where liquids are stored or used.

Note: General purpose kits are not suitable for some strong acids including Nitric and Hydrofluoric Acid.

### SK120 CONTENTS:

- 30 x SpillTech® Universal Pads 400gsm
- 2 x SpillTech® UltraZorb Socks 2.4m
- 1 x SpillTech® UltraZorb Pillow
- 1 x SpillTech® UltraZorb 40L Bag
- 1 x SpillTech® UltraZorb 20L Bag
- 1 x P2/N95 Disposable Mask
- 1 x Pair Chemical Gloves - XL
- 1 x Comet Safety Specs - Clear
- 1 x Breathable Laminate Coverall
- 2 x SpillTech® Waste Disposal Bags
- 2 x Cable Ties
- 1 x Dust Pan and Brush Set
- 1 x SpillTech® Instruction Card

Spill Kit Refill Code: SK120-R

### SK240E CONTENTS:

- 45 x SpillTech® Universal Pads 400gsm
- 2 x SpillTech® UltraZorb Socks 2.4m
- 1 x SpillTech® UltraZorb Sock 1.2m
- 2 x SpillTech® UltraZorb Pillows
- 2 x SpillTech® UltraZorb 50L Compressed Bale
- 1 x P2/N95 Disposable Mask
- 1 x Pair Chemical Gloves - XL
- 1 x Comet Safety Specs - Clear
- 1 x Breathable Laminate Coverall
- 2 x SpillTech® Waste Disposal Bags
- 2 x Cable Ties
- 1 x Dust Pan and Brush Set
- 1 x SpillTech® Instruction Card

Spill Kit Refill Code: SK240E-R



SK240P

This premium model includes a collapsible non-sparking shovel.

### SK240P CONTENTS:

- 45 x SpillTech® Universal Pads 400gsm
- 2 x SpillTech® UltraZorb Socks 2.4m
- 1 x SpillTech® UltraZorb Sock 1.2m
- 2 x SpillTech® UltraZorb Pillows
- 2 x SpillTech® UltraZorb 50L Compressed Bale
- 1 x P2/N95 Disposable Mask
- 1 x Pair Chemical Gloves - XL
- 1 x Comet Safety Specs - Clear
- 1 x Breathable Laminate Coverall
- 2 x SpillTech® Waste Disposal Bags
- 2 x Cable Ties
- 1 x Collapsible PE Shovel
- 1 x SpillTech® Instruction Card

Spill Kit Refill Code: SK240P-R


Cat No.	Description
SK120	120L GENERAL PURPOSE SPILL KIT
SK240E	240L GENERAL PURPOSE SPILL KIT - ECONOMY
SK240P	240L GENERAL PURPOSE SPILL KIT - PREMIUM

## SPILLTECH® CHEMICAL ABSORBENT PADS & ROLL

SpillTech chemical absorbent pads are specially treated for use with aggressive chemicals or unknown substances. Thermally bonded polypropylene with dimpled surface results in a fast wicking action making clean-up of spills quick and easy.

### FEATURES

- Designed for use with acids, bases, oils, coolants, solvents and water
- Extra heavy weight (400gsm)
- Large surface area ideal for large clean up jobs
- Will not fall apart even when saturated with high concentrations of corrosive liquids, such as 98% sulphuric acid and 30% sodium hydroxide
- ASCPAD carton has a perforated opening that allows it to be quickly turned into a deck top dispenser
- ASCROLL is perforated at 30cm and 60cm on the width and every 25cm on the length



Cat No.	Description	Dimensions	Absorbency
ASCPAD	CHEMICAL ABSORBENT PADS × 100 IN CARTON	40CM × 50CM	UP TO 1.2L PER PAD
ASCROLL	CHEMICAL ABSORBENT ROLL 40M	90CM × 40M	UP TO 210L PER ROLL

## SPILLTECH® CHEMICAL ABSORBENT SOCK

Specially treated polypropylene absorbent socks are designed for use with aggressive chemicals and will not degrade or fall apart even when saturated.

Socks can be used to ring a spill to stop it spreading or placed around drains to stop spills reaching water, and will absorb up to 5.2L of acids, bases, oils, coolants, solvents and water.



Cat No.	Description	Dimensions	Absorbency
ASCS1.2	CHEMICAL ABSORBENT SOCK 1.2M	1.2M × 7CM DIA.	UP TO 5.2L




## SPILLTECH® UNIVERSAL ABSORBENT PADS

Heavy weight universal absorbent pads can be used with all liquid spills including oils, fuels, solvents, liquid chemicals and bodily fluids.

### FEATURES

- Constructed from polypropylene, thermally bonded with dimpled surface to allow fast wicking and easy clean up
- Extra heavy weight (400gsm)
- Large surface area ideal for large clean up jobs
- Carton has a perforated opening that allows it to be quickly turned into a deck top dispenser



Cat No.	Description	Dimensions	Absorbency
ASGPAD	UNIVERSAL ABSORBENT PADS × 100 IN CARTON	40CM × 50CM	UP TO 1.2L PER PAD

## SPILLTECH® UNIVERSAL ABSORBENT SOCK

Universal polypropylene absorbent socks are designed for use with all liquid spills or leaks.

Socks can be used to ring a spill to stop it spreading or placed around drains to stop spills reaching water.




Cat No.	Description	Dimensions	Absorbency
ASGS1.2	UNIVERSAL ABSORBENT SOCK 1.2M	1.2M × 7CM DIA.	UP TO 5.2L

## SPILLTECH® OIL ONLY ABSORBENT PADS & ROLL

Polypropylene pads specifically treated to absorb hydrocarbons such as oil, petrol, and diesel while repelling water.

### FEATURES

- Thermally bonded with dimpled surface to allow fast wicking and easy clean up
- Extra heavy weight (400gsm)
- Large surface area ideal for large clean up jobs
- ASOPAD carton has a perforated opening that allows it to be quickly turned into a deck top dispenser
- ASOROLL is perforated at 30cm and 60cm on the width and every 25cm on the length



Cat No.	Description	Dimensions	Absorbency
ASOPAD	OIL ONLY ABSORBENT PADS × 100 IN CARTON	40CM × 50CM	UP TO 1.4L PER PAD
ASOROLL	OIL ONLY ABSORBENT ROLL 40M	90CM × 40M	UP TO 250L PER ROLL

## SPILLTECH® OIL ONLY ABSORBENT SOCK

Specially treated polypropylene absorbent socks are designed for use with hydrocarbon spills such as oil, petrol and diesel.

Socks can be used to ring a spill to stop it spreading or placed around drains to stop spills reaching water.



Cat No.	Description	Dimensions	Absorbency
ASOS1.2	OIL ONLY ABSORBENT SOCK 1.2M	1.2M × 7CM DIA.	UP TO 6L

**MINERAL SPONGE**

Mineral Sponge is made from Zeolite a naturally occurring volcanic mineral that has a 3D-lattice structure giving it a large internal surface area. It is a tried and tested industrial absorbent that can be used for oils, fuels, paints and a wide range of chemicals.

**FEATURES**

- Non-toxic
- Non-hazardous
- Natural product
- Mineral Sponge will absorb up to 75% of its own weight of liquid
- Fumes and odours are also suppressed
- 22L bag weighs approximately 15kg and will absorb up to 16L of spilled material



Cat No.	Description	Absorbency
SKMS22	MINERAL SPONGE 22L	UP TO 16L

## TransNet's fully functioning microgrid.

- 544 solar panels
- 150kW of renewable energy
- 30kW/130kWh smart storage system



PAGE	CATEGORY
84	<b>STORAGE CABINETS</b>
84	Flammable Liquid Storage Cabinet 30L
84	Flammable Liquid Storage Cabinet 60L
85	Flammable Liquid Storage Cabinet 100L
85	Flammable Liquid Storage Cabinet 160L
86	Flammable Liquid Storage Cabinet 250L
86	Oily Rag Waste Cans



# STORAGE CABINETS

Flammable Liquid Storage Cabinets are designed for the safe storage of flammable and combustible liquids such as solvents, petrol, diesel, kerosene, turpentine, oil, ethanol, alcohols, and oil based paints. Our cabinets are all designed and manufactured to comply with AS/NZS 1940 "The Storage and Handling of Flammable and Combustible Liquids".

**DID YOU KNOW:** You MUST have at least ONE powder type fire extinguisher with every Flammable Storage Cabinet located between 3m & 10m from the cabinet.

## FLAMMABLE LIQUID STORAGE CABINET 30L

This under bench flammable liquid storage cabinet with 30L capacity is suitable for storage of class 3 flammable or combustible liquids such as paint, solvents, petrol, thinners, kerosene, turpentine, white spirits, alcohol, ethanol, diesel, linseed oil and more. Manufactured to meet AS1940 standards for the storage and handling of flammable and combustible liquids.

### FEATURES

- Double steel walls
- Self-closing and 3 point latching door
- 150mm deep liquid tight sump
- Recessed door handle with key lock
- 50mm vent bungs with flash arresters
- Static earthing connection
- Adjustable shelves
- Adjustable feet
- Classification label
- Continuous piano hinge



Cat No.	Max. Capacity	Doors	Shelves	Dimensions (mm)	
				External	Internal*
DIL5516AS	30L	1	2 (INCL. BASE)	770 H × 515 W × 465 D	525 H × 420 W × 370 D

5517-29 EXTRA SHELF

\*For single door cabinets, the internal height is taken from the top of the sump sill/bottom shelf to the ceiling. For total external width measurement, add 6mm vent bung for tight clearance locations.

## FLAMMABLE LIQUID STORAGE CABINET 60L

This flammable liquid storage cabinet with 60L capacity is suitable for storage of class 3 flammable or combustible liquids such as paint, solvents, petrol, thinners, kerosene, turpentine, white spirits, alcohol, ethanol, diesel, linseed oil and more. Manufactured to meet AS1940 standards for the storage and handling of flammable and combustible liquids.

### FEATURES

- Double steel walls
- Self-closing and latching door
- 150mm deep liquid tight sump
- Recessed door handle with key lock
- 50mm vent bungs with flash arresters
- Static earthing connection
- Adjustable shelves
- Adjustable feet
- Classification labels
- Continuous piano hinge



Cat No.	Max. Capacity	Doors	Shelves	Dimensions (mm)	
				External	Internal*
DIL5517AS	60L	1	2 (INCL. BASE)	1065 H × 515 W × 465 D	820 H × 420 W × 370 D

5517-29 EXTRA SHELF

\*For single door cabinets, the internal height is taken from the top of the sump sill/bottom shelf to the ceiling. For total external width measurement, add 6mm vent bung for tight clearance locations.

## FLAMMABLE LIQUID STORAGE CABINET 100L

This double door under bench flammable liquid storage cabinet with 100L capacity is suitable for storage of class 3 flammable or combustible liquids such as paint, solvents, petrol, thinners, kerosene, turpentine, white spirits, alcohol, ethanol, diesel, linseed oil and more. Manufactured to meet AS1940 standards for the storage and handling of flammable and combustible liquids.

### FEATURES

- Double steel walls
- Self-closing and latching door
- 150mm deep liquid tight sump
- Recessed door handle with key lock
- 50mm vent bungs with flash arresters
- Static earthing connection
- Adjustable shelves
- Adjustable feet
- Classification label
- Continuous piano hinge



Cat No.	Max. Capacity	Doors	Shelves	Dimensions (mm)	
				External	Internal
DIL5535AS	100L	2	1 (INCL. BASE)	770 H × 935 W × 620 D	495 H × 840 W × 530 D
5535-29			EXTRA SHELF		

## FLAMMABLE LIQUID STORAGE CABINET 160L

This double door flammable liquid storage cabinet with 160L capacity is suitable for storage of class 3 flammable or combustible liquids such as paint, solvents, petrol, thinners, kerosene, turpentine, white spirits, alcohol, ethanol, diesel, linseed oil and more. Manufactured to meet AS1940 standards for the storage and handling of flammable and combustible liquids.

### FEATURES

- Double steel walls
- Self-closing and latching door
- 150mm deep liquid tight sump
- Recessed door handle with key lock
- 50mm vent bungs with flash arresters
- Static earthing connection
- Adjustable shelves
- Classification labels
- Continuous piano hinge



Cat No.	Max. Capacity	Doors	Shelves	Dimensions (mm)	
				External	Internal
DIL5530AS	160L	2	2 (INCL. BASE)	1295 H × 1115 W × 500 D	1015 H × 1020 W × 415 D
5545-29			EXTRA SHELF		

## FLAMMABLE LIQUID STORAGE CABINET 250L

This double door flammable liquid storage cabinet with 250L capacity is suitable for storage of class 3 flammable or combustible liquids such as paint, solvents, petrol, thinners, kerosene, turpentine, white spirits, alcohol, ethanol, diesel, linseed oil and more. Manufactured to meet AS1940 standards for the storage and handling of flammable and combustible liquids.

### FEATURES

- 1.2mm steel construction
- Solvent resistant powder coating
- Double wall with 40mm thermal barrier
- Dual vents with flash arresters
- Close fitting sequential closing doors
- Three point self latching doors
- Recessed door handle with key lock
- 150mm deep liquid tight sump
- Adjustable galvanised shelves
- Static earthing connection
- Classification labels
- Continuous piano hinge



Cat No.	Max. Capacity	Doors	Shelves	Dimensions (mm)	
				External	Internal
DIL5545AS	250L	2	3 (INCL. BASE)	1825 H × 1115 W × 500 D	1545 H × 1020 W × 415 D
5545-29				EXTRA SHELF	

## OILY RAG WASTE CANS

Solvent soaked rags should be thrown in an oily waste can to reduce the risk of fire.

Cat No.	Description	Max. Capacity
1401R	OILY RAG WASTE CAN	23L
1404R	OILY RAG WASTE CAN	56L







PAGE	CATEGORY
88	<b>TRAFFIC MANAGEMENT</b>
88	Classic Cone
88	Pop-Up Cone with Light
88	Extendable Cone Arms
89	Cone Toppers
89	Wheel Stop
89	Speed Hump
90	5 Channel Cable Protector
90	Wheel Chock
90	Measuring Wheel
91	Marking Chalk
91	Semi-Permanent Construction Marking Paint
PAGE	<b>VEHICLE FLASHING LIGHT</b>
92	Altiflash High Performance LED Beacon, Magnetic mount
92	<b>FIRE EXTINGUISHERS</b>
92	ABE Powder Type Portable Fire Extinguishers
PAGE	<b>RESCUE KIT</b>
93	Low Voltage Rescue Kit
PAGE	<b>WARNING SIGNAGE</b>
93	Day Bunting
94	Do Not Climb Tags
94	Danger Live Wire Warning Signs
94	Warning Markers
95	Warning Strip
PAGE	<b>POP'N'WORK POP UP WORK SHELTERS</b>
95	Pop'N'Work Umbrellas
96	Pop'N'Work Ground Tents
97	Pop'N'Work Aerial Bucket Tents
97	Pop'N'Work Versa Tents
98	Pop'N'Work Compact Tent
98	Pop'N'Work Suction Cup Anchors
PAGE	<b>KNEE PAD</b>
98	Ultra Flex III Knee Pad

# TRAFFIC MANAGEMENT

## CLASSIC CONE

The Classic 4.5kg cone is one of the most common cones you will see on the roads of New Zealand. It is NZTA compliant, UV stabilized, made of high quality PVC and is 900mm in height.

**FEATURES**

- 4.5kg
- 900mm (H)
- UV stabilised
- High quality PVC
- Cone collars
- NZTA compliant
- Wide fit

Cat No.	Description	Height (mm)	Weight (kg)
4001-RC	CLASSIC CONE	900	4.5



## POP-UP CONE WITH LIGHT

The PopUp Cone is also known as a retractable traffic cone or collapsible road cone. Collapsible for compact storage. With a weighted base and a built in flashing light, which slots in under the base, they are great to have in an emergency.

These are perfect for people or crews that don't need to use cones all the time and space in the vehicle is at a premium. Also available in 700mm & 450mm heights on request.

**NOTE:** These cones are not NZTA compliant.

Cat No.	Description	Dimensions (mm)	Weight (kg)
4025	POP-UP CONE	900 × 420	2.2



## EXTENDABLE CONE ARMS

These extendable cone arms are a very cost effective, lightweight and portable barrier system that can provide an instant separation between pedestrians and hazards. Both their low weight and volume make them extremely easy to transport and can be set up as a temporary barrier very quickly. Alternative solutions are more expensive, more time consuming, require more space, are heavier and not as easy to install.

Best used in combination with road cones, the circular loops at the end of each arm simply hooks over the top of the cone and can extend from 1.3m – 2.2m to create an instant traffic barricade, short term barrier around hazardous or controlled areas, an effective pedestrian barrier and are ideal for event management. Made from a high grade durable ABS plastic with yellow reflective tape for high visibility at night.

**FEATURES**

- 0.5kg
- Extends from 1.3m – 2.2m
- Retractable
- Reflective yellow sheeting
- Heavy Duty PVC
- Super strong loops

Cat No.	Description	Length (m)	Weight (kg)
4062	EXTENDABLE CONE ARMS	1.3-2.2	0.5



## CONE TOPPERS

These cone toppers are perfect for creating a long and cost effective delineation or barrier. With a high quality red/white or black/yellow band it is very visible and easy to use. Use the cone topper to cordon off areas and create a safety barrier.

### FEATURES

- Extendable
- Diagonal striped belt
- Fits all standard road cones
- 4 way connectivity
- Easy attachment to wall available
- Colours: red/white or yellow/black



Cat No.	Description	Length
5120	CONE TOPPER RED/WHITE	UP TO 2.9M
5121	CONE TOPPER YELLOW/BLACK	UP TO 2.9M
5123	CONE TOPPER - RED/WHITE	UP TO 9M

## WHEEL STOP

Also called a car stop or parking block, this 1.8m wheel stop is made from long-lasting high density virgin rubber, meaning it is both hardwearing and resistant to UV light. It is covered in a texturised yellow reflective that promotes visibility during the day and night.

It is ideal for indoor and outdoor carparks and is light enough to be easily installed by one person. Each wheel stop requires either 4 dynabolts or 4 road spikes (not included).

### FEATURES

- High quality rubber material
- 1.8m x 150mm x 100mm
- Protects vehicles, walls, glass frontage etc. from damage
- Easy one person installation
- Black with yellow reflective
- Extremely durable



Cat No.	Description	Dimensions (mm)	Weight (kg)
5051	WHEEL STOP	1800 x 150 x 100	16

## SPEED HUMP

This 50mm high heavy duty judder bar system is the most commonly installed traffic calming control system in NZ, used in a wide variety of locations including shopping centres, warehouses, carparks, commercial premises and private roads.

### FEATURES

- High quality injection-moulded highly resistant rubber compound
- Protects vehicles, walls, glass frontage etc. from damage
- Easy one person installation
- Black with yellow reflective
- Extremely durable and crash-resistant
- Provides single channel to run cables underneath hump
- Can be used in conjunction with a sealant to channel water or as a bund for oil or other solvent spills



Cat No.	Description	Dimensions (mm)	Weight (kg)
5000	SPEED HUMP MID SECTION	500 x 300 x 50	8
5001	SPEED HUMP END CAP x 1	170 x 300 x 50	2.5

## 5 CHANNEL CABLE PROTECTOR


Running cables across driveways and warehouses where there are cars, forklifts, light commercial vehicles and pedestrian traffic can be unavoidable. Digging trenches is an expensive and time consuming exercise. Rubber cable protectors allow you to safely protect your cables and are the ideal cable management solution for the short and medium term.

The cable protectors are easy to use and install with the interlocking dog bone connectors. The bright yellow PVC lids provide excellent visibility for added safety and the recessed handles in the base means moving and installing are very easy.

### FEATURES

- PVC lid with compressed virgin rubber base for extra carrying capacity
- 5 x 35mm Cable Channel
- Corners available
- Cost effective
- In and out door use
- Suitable for light vehicles and pedestrians
- 18 Tonne bearing weight

Cat No.	Description	Dimensions (mm)	Weight (kg)
5076	5 CHANNEL CABLE PROTECTOR	900 L x 430 W x 50 H	16



## WHEEL CHOCK

Wheel chocks (also known as wheel stoppers) save lives and money. They are a must-have for loading dock environments, truck & trailer yards, mechanic workshops and the like where you want to protect life, limb and vehicle. This wheel chock features tough rubber construction and will last for years, both indoors and out. It has a sturdy rubber handle for convenient carrying and is large enough to suit all vehicles large and small. The base has been serrated for extra grip with yellow reflective grit covering the surface of the wheel chock for easy night time vision.

### FEATURES

- Heavy Duty
- Moulded rubber construction
- Suitable for trucks and cars
- Long lasting
- Grip handle

**NOTE:** Sold Individually.

Cat No.	Description	Dimensions (mm)	Weight (kg)
5241	WHEEL CHOCK	270 L x 180 H x 120 W	3.1



## MEASURING WHEEL

This distance measuring wheel features a sturdy, steel frame, robust quality handle and fittings, with a quick release button for easy fold down that can be packed away in a high quality canvas bag for easy storage and transport.

High quality and durable – perfect for contractors.

Measuring 9999.9 metres with 1 metre for every rotation so measuring is quick and easy. The manual reset and self-standing features give the measuring wheel everything you need to get the job done quickly and get it done right the first time.

Cat No.	Description	Dimensions (mm)	Weight (kg)
6130	MEASURING WHEEL	37 x 62 x 17	2.1




## MARKING CHALK

Marking Chalk is designed to temporarily mark most paved surfaces, soil, and grass. Used for utility marking, construction sites, surveying, landscaping, and athletic field marking. This chalk is made from a special blend of raw materials that is safe on all surfaces and designed specifically for temporary marking.

### FEATURES

- 100% biodegradable
- True water-based formula
- Can be washed off with a pressure washer
- Fast drying
- Mark disappears in 10-20 days when exposed to water, traffic, and other abrasions

Cat No.	Colour	Description	Weight (g)
6100-B	BLUE	MARKING CHALK AEROSOL	425
6100-R	RED		
6100-O	ORANGE		
6100-Y	YELLOW		
6100-G	GREEN		
6100-W	WHITE		



## SEMI-PERMANENT CONSTRUCTION MARKING PAINT

This quality marking paint is formulated to meet a variety of marking applications while still providing good initial colour visibility, good colour retention, and adhesion. Designed to adhere to most surfaces, including pavement, gravel, and soil. It can be used for marking at construction sites, locator and utility identification, landscaping, or other general marking requirements.

### FEATURES

- Great colour durability for up to 3 months depending on traffic and exposure
- Meets OSHA and APWA/ONE Call Systems standards
- Not affected by moisture or water
- Will not wash away once dry
- Spray through cap eliminates accidental discharged
- Non-clogging can

Cat No.	Colour	Description	Weight (g)
6101-B	BLUE	CONSTRUCTION MARKING PAINT	482
6101-R	RED		
6101-O	ORANGE		
6101-Y	YELLOW		
6101-G	GREEN		
6101-W	WHITE		
6101-PUR	PURPLE		
6101-P	PINK		



# VEHICLE FLASHING LIGHT

## ALTIFLASH HIGH PERFORMANCE LED BEACON, MAGNETIC MOUNT

This high performance LED beacon is suitable for agricultural vehicles, refuse collection, road and infrastructure maintenance, mowing and weed spraying, surveying, airports and transport hubs, logistics, construction, and more.

### FEATURES

- High quality European design
- Excellent light output from 12 x 3W high power LEDs coupled with high intensity reflector
- Clear visibility even in daylight
- ECE R65 Class 1 approved
- Voltage: 12-24V
- Waterproof rated IP67
- Shatterproof polycarbonate dome
- 3 selectable flash patterns—rotating (default), flash, double flash
- Flash pattern selection by switch-on-plug
- Includes mounting gasket and bolts
- H 132mm, Lens Dia 128mm, Max Dia 144mm
- 2-year warranty



Cat No.	Description	Dimensions (mm)
LBA-M	MAGNETIC MOUNT LED BEACON	132 H x 144 MAX. DIA (128 LENS DIA)

# FIRE EXTINGUISHERS

## ABE POWDER TYPE PORTABLE FIRE EXTINGUISHERS

### FEATURES

- High quality thick powder coating with increased UV resistance
- Supplied with bracket
- AS/NZS 1841.5 Approved
- Special hose hook to secure the hose to the side of the extinguisher body
- G4.5ABE & G9ABE feature a thick skirt at the bottom and fit into all standard sized vehicle brackets



Vehicle Bracket



Cat No.	Size	Bracket Supplied
G1HABE	1.0KG	VEHICLE
G1.5ABESVB	1.5KG	VEHICLE
G2.0ABEVB	2.0KG	VEHICLE
G2.5ABEVB	2.5KG	VEHICLE & WALL
G4.5ABE	4.5KG	WALL
G9ABE	9.0KG	WALL

# RESCUE KIT

## LOW VOLTAGE RESCUE KIT

In order to maintain a safe work environment we must take all necessary precautions to deal with an emergency should one occur. One of the easiest precautions to make for people working in the electricity industry is to have an LV rescue kit on site in situations where electric shock could occur.

For ease of identification this LV Rescue Kit is supplied in a heavy duty yellow bag, it is clearly labelled and there is a contents list printed on the inside flap of the bag. This list helps ensure the kit is complete and if it's found to be incomplete it is easy to determine what is missing so it can be restocked.

Designed for use in emergencies around LV electrical systems. It is perfect for all staff tasked with working on live LV electrical systems whatever the location.

### FEATURES

- High quality rescue kit, complies with all relevant standards
- Essential for anyone working on live electricity and live poles
- Suitable for anyone at risk of electric shock including emergency services

### KIT CONTAINS

- Electrosoft 1000V Electrical Gloves Size 10
- First Aid Booklet
- Multi Trauma Dressing
- 'Isolate Here' Sign
- LV Rescue Hook
- Eveready 2D Brilliant Beam Torch VAL2D
- Fire Blanket 1.2m x 1.8m AS/NZS 3504 Approved
- Heavy duty yellow storage bag



Cat No.	Description
LVRESCUEKIT	RESCUE KIT FOR WORK ON LOW VOLTAGE SWITCHBOARDS ETC.

# WARNING SIGNAGE

## DAY BUNTING

### FEATURES

- Provides excellent visibility for hazardous areas
- Hi-Vis fluoro PVC triangle flags
- 32 metre length
- Reusable high strength nylon rope
- 45 flags



Cat No.	Description
6030	32M DAY BUNTING ORANGE

## DO NOT CLIMB TAGS

Caution tags for identifying poles or structures that are unsafe to climb. With three colours available, different degrees of danger can be easily identified.

- 3 colours available
- Clear text printed on one side of tag
- Fixing hole in every tag

Cat No.	Description
06B-CAUTION	CAUTION TAG BLUE
06R-CAUTION	CAUTION TAG RED
06Y-CAUTION	CAUTION TAG YELLOW
DANGERCLIMB	DANGER TAG YELLOW



## DANGER LIVE WIRE WARNING SIGNS

Danger sign for identifying live underground or overhead wires. The white background with red text is a familiar design feature for such signs. Made from sturdy plastic with affixing slots large enough to accommodate band strap these signs can be installed in a number of ways.

Cat No.	Description
DANGERTAG	DOUBLE SIDED SIGN WITH DIFFERING ORIENTATIONS (SOLD IN PACKS OF 100, 25 SHEETS OF 4 SIGNS)



## WARNING MARKERS

The Balmoral Warning Marker is a purpose designed Hi Visibility Line Warning Marker ideal for low hanging wires, construction zones, low flying agricultural aircraft and many other applications. The 3D Design with reflectors enables vision from all angles as the marker flag rotates with a breeze.

- Latest technology articulated 3D design
- Premium High-Vis Reflectors
- Bayonet or Eye Ring fitting available
- Customised flags or marker options available
- Universal clamp fits all lines from 2-50mm dia
- Aerodynamic design, rotates for high impact visibility - tested in wind tunnel up to 30m/s with no whistling noise or vibration detected
- UV stabilised and tough non-conductive Nylon 6 plastic
- Anti-creep Clamp design - lined with rubber to protect conductor from damage
- Installed with standard Live Line Tools

Cat No.	Style of Warning Device	Hot Stick Attachment	Colour
WM-CS-B-1A-RW	3D VANE	BAYONET	RED/WHITE
WM-CS-E-1A-RW		EYE RING	
WM-CS-B-1B-O	VINYL FLAG	BAYONET	ORANGE
WM-CS-E-1B-O		EYE RING	



BAYONET



EYE RING



## WARNING STRIP

Warning strip is laid in the ground above the cable after the trench has been partially backfilled. This secondary protection for underground utility cables and pipes is the main use for warning strip. Another common use is for

cordoning off hazardous areas to keep the public safe. Durable yet light weight means this warning strip can stand up to the elements.

### KEY FEATURES

- Orange with black text signifies "**ELECTRICAL CABLE BELOW**"
- White with red text signifies a warning of hazardous area "**DANGER KEEP OUT**"
- Made from recycled Polyethylene
- Operating temperature -20°C to 120°C
- Manufactured to the AS/NZ4275.5: 1995 standard



Cat No.	Type	Colours	Roll Length (m)	Width (mm)
BTOE100MT			100	
BTOE300MT	ELECTRICAL WARNING STRIP	ORANGE / BLACK TEXT	300	100
BTOE500MT			500	
BTDT100M			DANGER KEEP OUT WARNING STRIP	

## POP'N'WORK POP UP WORK SHELTERS

### POP'N'WORK UMBRELLAS

Pop'N'Work Umbrellas have heavy duty frames that can withstand strong winds.

### FEATURES

- Eight panel umbrella with a two piece pointed pole
- 25 degree tilt pole versions available
- Standard colour is yellow, other colours available on special order
- 10 oz Yellow vinyl laminate fabric
- Flame retardant to meet CPAI-84 requirements
- UV treated, waterproof and rot resistant
- Two piece Aluminium pole with Steel spreaders and ribs



Cat No.	Size	Type
5484MS	54" x 54"	SQUARE FOUR PANEL UMBRELLA, WITH SEALED SEAMS. COMPLETE WITH TWO PIECE TILTING POLE AND STORAGE BAG
8492M	84" DIA	OCTAGONAL EIGHT PANEL UMBRELLA, WITH SEALED SEAMS. COMPLETE WITH TWO PIECE TILTING POLE AND STORAGE BAG
UCCS	84" DIA	UMBRELLA AND KOOL KLAMP SYSTEM, 8492M UMBRELLA, TWO PIECE TILTING POLE WITH FOUR HEAVY DUTY SUCTION CLAMPS AND STORAGE BAG
STN2-SD	40" x 40"	LIGHTWEIGHT UMBRELLA STAND, FOLD-UP LEGS. 1M x 1M OPEN BASE
STN1-HD	24" x 43" (44" x 81" EXTENDED)	HEAVY DUTY UMBRELLA STAND WITH EXPANDABLE BASE TO 44" x 81"

## POP'N'WORK GROUND TENTS

Pop'N'Work tents provide a safe and comfortable work environment to increase productivity and reduce weather related delays. Made from a lightweight, UV protective polyester that is water repellent and flame resistant to CPAI-84 standards. Pitched roof provides extra headroom and structural strength to hang tools & lights.

### Type - FX TENTS

Include X frame on back wall for added stability. Frames made from cold rolled steel and fibreglass, virtually unbreakable frames. Hi-vis covers, flame retardant, UV treated and water repellent. The "X" frame also allows the tent to be set over a continuous pipe or cable.

### Type - GS TENTS

Include two full side wall tension frames for added stability. Frames made from cold rolled steel and fibreglass, virtually unbreakable frames. Hi-vis covers, flame retardant, UV treated and water repellent. SIP models feature split rear ground strut.

### FEATURES

- Sizes from 4' x 4' up to 12' x 10'
- Two year guarantee on the frame
- Set up in seconds
- No loose parts
- Lightweight and durable
- Convenient - POP'N'WORK Quick-
- Pack, tent rolls up into carrying case, no separate bag
- Exclusive POP'N'WORK unified frame made with cold rolled steel and fibreglass is virtually unbreakable
- Tie downs for windy weather
- One or two door options
- Screen windows with flap
- Vent ports
- Floor available
- Beyond just adding a logo we can engineer a tent to your specific application

**NOTE:** Customise your Pop'n'Work tent by adding your logo, for more information and costs associated with this option please contact our customer service team.



Cat No.	Imperial Size D x W (ft)	Metric Size D x W (m)	Height (m)	Details
GS-4411A	4 x 4	1.2 x 1.2	2.0-1.8	'A' SHAPE FRONT DOOR
GS4412	4 x 4	1.2 x 1.2	2.0-1.8	ROLL UP FRONT DOOR
GS4423	4 x 4	1.2 x 1.2	2.0-1.8	ROLL UP FRONT DOOR & 'A' SHAPE REAR DOOR
GS-4423SIP	4 x 4	1.2 x 1.2	2.0-1.8	ROLL UP FRONT & 'A' SHAPE REAR DOORS, SPLIT REAR GROUND STRUT
GS-6411A	6 x 4	1.8 x 1.2	2.0-1.8	'A' SHAPE FRONT DOOR
GS-6423SIP	6 x 4	1.8 x 1.2	2.0-1.8	ROLL UP FRONT & 'A' SHAPE REAR DOORS, SPLIT REAR GROUND STRUT
GS-6611A	6 x 6	1.8 x 1.8	2.0-1.8	'A' SHAPE FRONT DOOR
GS-6623SIP	6 x 6	1.8 x 1.8	2.0-1.8	ROLL UP FRONT & 'A' SHAPE REAR DOORS, SPLIT REAR GROUND STRUT
GS-8623	8 x 6	2.4 x 1.8	2.3-1.8	ROLL UP FRONT & 'A' SHAPE REAR DOORS
GS-8811A	8 x 8	2.4 x 2.4	2.3-1.8	ROLL UP FRONT DOOR
GS-8823SIP	8 x 8	2.4 x 2.4	2.3-1.8	ROLL UP FRONT & 'A' SHAPE REAR DOORS, SPLIT REAR GROUND STRUT
GS10823	10 x 8	3.0 x 2.4	2.6-2.0	ROLL UP FRONT & 'A' SHAPE REAR DOORS
FX101011	10 x 10	3.0 x 3.0	2.6-2.3	'A' SHAPE FRONT DOOR
FX121023	12 x 10	3.6 x 3.0	2.6-2.3	ROLL UP FRONT & 'A' SHAPE REAR DOORS
GS-16822HDD	16 x 8	4.8 x 2.4	2.6-2.1	2 x ROLL UP ZIPPER DOORS & SIDE VELCRO OPENING FLAP
GS6623CV	6 x 6	1.8 x 1.8		GROUND COVER ONLY - FULL WIDTH ROLL UP DOOR & SLIT DOOR

## POP'N'WORK AERIAL BUCKET TENTS

Pop'N'Work aerial bucket tents provide sun protection or a complete weathertight enclosure for a safe and comfortable work environment with increased productivity and reduced weather related delays. Made from a lightweight, UV protective polyester that is water repellent and flame resistant to CPAI-84 standards.

### FEATURES

- Four piece detachable curtains allow for a flexible work space
- Slated roof angle to control shade, rain runoff or work clearance
- Attached to just one side of the bucket for maximum work clearance
- Weight: 15lb
- Folded dimensions: 62" x 8" x 8"
- Two year guarantee on the frame
- Set up in seconds
- No loose parts
- Lightweight and durable
- Fibreglass non-conductive dielectric frames
- Beyond just adding a logo we can engineer a tent to your specific application

**NOTE:** Customise your Pop'n'Work tent by adding your logo, for more information and costs associated with this option please contact our customer service team.



Cat No.	Imperial Size D x W (ft)	Metric Size D x W (m)	Details
4800D	4 x 4	1.2 x 1.2	CANOPY WITH WINDOW, DETACHABLE CURTAIN WALLS C/W FRAME AND MOUNTING BRACKETS
4800DC	4 x 4	1.2 x 1.2	CANOPY WITH WINDOW, C/W FRAME AND MOUNTING BRACKETS
4800DP	4 x 4	1.2 x 1.2	CANOPY WITH WINDOW, FIXED CURTAIN WALLS C/W FRAME AND MOUNTING BRACKETS
4800DS	4 x 4	1.2 x 1.2	CANOPY C/W FRAME AND MOUNTING BRACKETS

## POP'N'WORK VERSA TENTS

Designed for work adjacent to walls or in tight spaces, the Pop'N'Work Versa Tent is the perfect option for cabinets when overhead room is limited.

### FEATURES

- Versatile for work adjacent to walls, cabinets and field sites
- Quick and easy setup, pop out the two tension frames
- All parts bolted, no loose parts
- Tight and rigid structure
- Windy weather tie downs
- Roof is slanted to direct water away from work area
- Lightweight
- Very roomy work space
- Coated polyester cover
- High visibility safety green side walls
- One full width rollup door and one slit door. Zipper closures
- Ground flaps
- Ready to go in less than a minute
- Additional suction anchoring straps also available
- Beyond just adding a logo we can engineer a tent to your specific application

**NOTE:** Customise your Pop'n'Work tent by adding your logo, for more information and costs associated with this option please contact our customer service team.



Cat No.	Imperial Size D x W (ft)	Metric Size D x W (m)	Height (m)	Details
GS4423VT	4 x 4	1.2 x 1.2	1.8-1.5	SLOPED ROOF, ROLL UP FRONT & 'A' SHAPE REAR DOORS
GS-6523VT-F	6 x 5	1.8 x 1.6	2.0-1.8	
GS-8723VT-F	8 x 7	2.4 x 2.1	2.3-2.0	

## POP'N'WORK COMPACT TENT

The Ped-Pal is designed to provide simple, low-cost weather protection. It's ideal for pedestal work and similar bad weather tasks.

### FEATURES

- Simple sun protection or a complete weathertight enclosure
- About half the cost of the average work tent
- Attaches to the pedestal with a hook and take-up strap
- High visibility safety green
- Lightweight – Only 15lb
- Coated polyester cover with a fiberglass non-conductive frame
- Additional suction anchoring straps also available
- Easy installation - ready to go in less than a minute
- Two year guarantee on the frame
- No loose parts
- Lightweight and durable
- Convenient - POP'N'WORK Quick-Pack, tent rolls up into carrying case, no separate bag
- Exclusive POP'N'WORK unified frame made with cold rolled steel and



fibreglass is virtually unbreakable

- Tie downs for windy weather
- Beyond just adding a logo we can engineer a tent to your specific application

**NOTE:** Customise your Pop'n'Work tent by adding your logo, for more information and costs associated with this option please contact our customer service team.

Cat No.	Imperial Size D x W (ft)	Metric Size D x W (m)	Height (m)	Details
PEDPAL2	4 x 5	1.2 x 1.6	1.6	SINGLE 'A' SHAPE FRONT DOOR

## POP'N'WORK SUCTION CUP ANCHORS

These anchors provide another way to secure a tent. The strong 3.25" suction cup attaches to most smooth surfaces and an adjustable 33" strap can be clipped to the inside of the tent.



Cat No.	Details
SA48	2PC SET SUCTION CUPS W/WEBBING TENSIONING STRAPS

## KNEE PAD

### ULTRA FLEX III KNEE PAD

#### FEATURES

- Incredibly tough flexible outer shell is chemical resistant—withstands extreme cold and heat
- Non-marking grip strip grips on most surfaces
- Extended face greatly increases comfort especially for prolonged kneeling
- Hinged with metal rivet so it moves like your knee and stays in place
- 16mm thick closed-cell inner foam pad will not absorb moisture
- Soft elastic woven strap coupled with our Speed Clip allows for easy on-off and adjustment while pad is attached
- Placement of straps will not bind behind knee!



Cat No.	Description
EUF	ULTRA FLEX III KNEE PAD

## A

ARC FLASH PROTECTION	
40 CAL HOODS	21
BALACLAVA	21
FACE SHIELDS	18, 20
ACCESSORIES	19
HELMET WITH INTEGRATED FACE SHIELD	20
ARC RATED CLOTHING	4-8

## B

B22 PLASTIC BUTTONS	47
BALACLAVA	21
BANDAGES	62
BOOTS	54-55
BUNDING	73
BUNTING	93
BURNS KIT	66

## C

CABINETS	84
CABLE PROTECTOR	90
CARABINERS	60
CHAINSAW TROUSERS	6
CHALK — SEE MARKING CHALK	
CHINSTRAPS	26, 27
CLOTHING	4-8
JACKET & BIB OVERALLS KITS	8
JACKETS	4, 7, 14
OVERALLS	4, 7
OVERTROUSERS	15
PANTS	5, 6
SHIRTS	5
VESTS	15
COMMUNICATION EARMUFFS	33
CONES — SEE TRAFFIC CONES	
COTTON LINERS	45-46
COVERALLS	10-11

## D

DANGEROUS GOODS STORAGE	84
DANGER SIGNS	94
DISPOSABLE COVERALLS	10-11
DRAINGUARD	75
DRAIN SEAL	76

## E

EARMUFFS	32, 33
HYGIENE KIT	32

EARPLUGS	33
ENVIRONMENTAL PROTECTION	72
ABSORBENT PADS	78, 79, 80
ABSORBENT ROLL	78, 80
ABSORBENT SOCKS	78, 79, 80
GRAVEL BAGS	75
EQUIPOTENTIAL MAT	51
EYE PROTECTORS	36 — SEE ALSO GOGGLES; SEE ALSO SAFETY SPECS
EYE SHIELDS	26, 28
EYEWASH	63

## F

FABRIC PLASTERS	62
FALL ARRESTORS	60
FIRE EXTINGUISHERS	92
FIRE RETARDANT COVERALLS	10-11
FIRST AID KITS	66-69
FOOTWEAR ACCESSORIES	56

## G

GLOVES & ACCESSORIES	
ACCESSORIES	41, 47, 48
COTTON GLOVE LINER	46
HPPE SLEEVE	41
KEVLAR GLOVES	40, 41
LEATHER OVERGLOVES	45
PORTABLE GLOVE INFLATOR KIT	48
RUBBER INSULATING GLOVES	43-44
RUBBER INSULATING SLEEVES	43
WORKING & RIGGER GLOVES	40, 40-41
GOGGLES	38 — SEE ALSO EYE PROTECTORS; SEE ALSO SAFETY SPECS
GROUND MATS	51

## H

HARD HATS	24, 25, 27, 28
ACCESSORIES	26, 27, 28
HARDTOP CONTAINMENT	72
HARNESSES	58
HEADLIGHTS & HAND LAMPS	29, 30

## I

ICE PACK	62
INNERSOLE	56
INSECT REPELLENT	65
INSULATING MATS — SEE MATS	

## K

KARABINERS	60
------------	----



KNEE PAD	98
<b>L</b>	
LACES	56
LANYARDS	59
LENS ACCESSORIES	38
LINE COVER — SEE TIGER TAILS	
LINE HOSE	52
LOW VOLTAGE RESCUE KIT	93
LV MATS	50
<b>M</b>	
MARKING CHALK	91
MARKING PAINT	91
MATS	50-51
MEASURING WHEEL	90
MINERAL SPONGE	81
MV MATS	50
<b>O</b>	
OVERGLOVES	45
<b>P</b>	
PAINT	91
PLASTERS	62
PLASTIC BLANKET PEG	48
POLE STRAPS	59, 60
POP'N'WORK	
TENTS	96, 97, 98
UMBRELLAS	95
<b>R</b>	
RESCUE KIT	93
RUBBER GOODS ACCESSORIES — SEE GLOVES & ACCESSORIES	
RUBBER INSULATING GLOVES & SLEEVES — SEE GLOVES & ACCESSORIES	
RUBBER SLEEVE HARNESS & STRAPS	47
<b>S</b>	
SAFETY BOOTS — SEE BOOTS	
SAFETY HARNESSES	58
SAFETY SPECS <b>36, 37</b> — SEE ALSO EYE PROTECTORS; SEE ALSO GOGGLES	
ACCESSORIES	38
SALINE	62
SEMI-PERMANENT PAINT	91
SHOE GREASE	56
SHOELACES	56
SHOES — SEE BOOTS	
SIGNAGE	

DANGER LIVE WIRE WARNING SIGNS	94
DO NOT CLIMB TAGS	94
WARNING STRIP	95
SLEEVES	
PROTECTIVE	41
RUBBER	46
SOCKS	
ABSORBENT ENVIRONMENTAL	78, 79, 80
WORK	56
SPEED HUMP	89
SPILL CONTAINMENT	72-74
SPILL DECK	74
SPILL KITS	76, 77
SPILL PALLET	74
SPLINTER PROBE	62
SPONGE	81
STORAGE BAGS - RUBBER GOODS	48
STORAGE CABINETS	84
SUCTION CUP ANCHORS	98
SUNSCREEN	64 — SEE ALSO INSECT REPELLENT

<b>T</b>	
TENTS	96, 97, 98
TIGER TAILS	51
TRAFFIC CONES	88
CONE TOPPERS	89
EXTENDABLE CONE ARMS	88
TRAYS	73
TTMC-W17 CLOTHING	4, 5, 14, 15

<b>U</b>	
UMBRELLAS	95
UTILITY TRAYS	73

<b>W</b>	
WARNING MARKERS	94
WARNING SIGNAGE	93-95
WARNING STRIP — SEE SIGNAGE	
WASTE CANS	86
WHEEL CHOCK	90
WHEEL STOP	89
WORKING & RIGGER GLOVES	40
WORK SOCKS	56
WOUND CARE	62



0800 442 182

+64 9 274 3340

sales@transnet.co.nz



**TRANSNET NEW ZEALAND LTD**

**AUCKLAND**

78 Cryers Road  
East Tamaki  
Auckland  
NEW ZEALAND

Ph 0800 442 182  
Fax 0800 442 183  
PO Box 39 383  
Howick, Auckland  
sales@transnet.co.nz

**NEW ZEALAND**

**WELLINGTON**

10 Petone Ave  
Petone  
Wellington  
NEW ZEALAND

Ph 0800 442 182  
Fax 0800 442 183  
PO Box 39 383  
Howick, Auckland  
sales@transnet.co.nz

**NEW ZEALAND**

**TRANSNET TONGA**

**TONGA**

Small Industries  
Ma'ufanga

**TONGA**

Ph +67 627 939  
Fax +67 627 976  
PO Box 2932  
Nukualofa  
transnet@kalianet.to

**TONGA**

