

LV JUICE

UNRIVALED EFFICACY

HIGH MAST LIGHTING

The MAHA Range offers outstanding asymmetric reflector optics, full cut-off, glare-free, minimum light pollution, maximum energy saving, and excellent cooling technology & durability, with options available from 200W up to 1600W.



FIND OUT MORE




ASB TENNIS ARENA



This Month

FREE ANZAC COOKIES
WHILE STOCKS LAST



When you spend over \$500 (+GST) on one invoice this month



www.transnet.co.nz

NEW 30% THINNER RUBBER INSULATING GLOVES

PAGE 3

TOP QUALITY POWER QUALITY ANALYSERS

PAGE 4

UPGRADED ARC ARMOUR

PAGE 6



PUTTY CORD

Ryanfire Putty Cord is a non-setting, malleable putty designed to easily fit around service penetrations. It will reinstate the fire rating in the separating element and create an ablative barrier preventing the passage of smoke, hot gases, and flame.

The putty cord is an excellent option to seal cables and cable bundles where there are small annular gaps and tight access.



FEATURES


- Simple, quick installation
- No tools required
- No solvents or VOCs
- Moisture resistant
- Up to 120 minutes FRR
- Made in New Zealand

CERTIFICATION

Tested and assessed in accordance with AS1530.4:2014 and AS4072.1:2005 at IANZ accredited laboratories.

APPLICATIONS

Designed to protect cables and cable bundles where they pass through concrete, masonry and fire rated plasterboard walls.



**GREAT OPTION
AROUND
CABLES AND
SMALL CABLE
BUNDLES**



TRANSNET MONTHLY GIVEAWAY SUPPORTING KIWI BUSINESSES

This month is ANZAC Day, and at TransNet we wanted to do something a bit special to commemorate the occasion. Luckily for us, our friends at Mummy's Yummies were able to help out with some proper ANZAC biscuits for our locally made giveaway.

It's important that the recipe stays true to its roots, and so these traditional Kiwi biscuits have been made with rolled oats and golden syrup just the way they always have been. We hope you enjoy a true

classic handmade in true New Zealand fashion.

mummysyummies.co.nz





GAME CHANGING ELECTRICAL PROTECTION

ACTIVARMR® ULTRA-LIGHTWEIGHT ELECTRICAL INSULATED GLOVES CLASS 00

ActivArm® Ultra-Lightweight Electrical Insulated Glove Class 00 delivers a 30% thinner design*, providing a second-skin-like fit and feel. These ultra-thin gloves help reduce fatigue for enhanced productivity, while offering high dexterity and advanced tactile sensitivity when handling small parts.

FEATURES

- **30% thinner** *when compared to the standard Class 00 rubber insulated glove while still providing the same level of protection
- **Enhanced comfort:** Ultra-lightweight design delivers a second skin-like fit and feel
- **Ergonomic design:** New form-fitting design helps reduce fatigue for enhanced productivity
- **Improved dexterity:** offers advanced tactile sensitivity for handling small parts
- **Assured protection:** Meets requirements for Class 00 (500V AC/750V DC) protection, certified for resistance to acid (Category A), Ozone (Category Z) and very low temperatures (Category C)
- **Silicone free:** prevents contaminant transfer to final product



RIG0011BUL



ACTIVARMR®
PERSONAL PROTECTIVE GEAR

Certified to: **ISO 14001:2015**
ISO 14064-1:2018

TransNet recommends using a leather overglove with all rubber insulated gloves

© Ansell Limited



MI2885 MASTER Q4 POWER QUALITY ANALYSER



Designed for power quality assessment and troubleshooting in low and middle voltage electrical systems and checking power correction equipment performance and verification of electrical system capacity before adding new loads.

FEATURES

- Intermediate PQA instrument
- General recorder
- Waveform recorder
- Transient recorder (49 kSamples/sec)



EUROSET INCLUDES 4x 1-phase flexible current clamps 3000/300/30A (A1227)

MI2883 ENERGY MASTER POWER QUALITY ANALYSER



For users interested in long term monitoring and analysis of electrical systems for the purpose of energy quality and consumption management and formulation of cost saving measures.

FEATURES


- Basic PQA instrument
- General recorder



EUROSET INCLUDES 3x 1-phase flexible current clamps 3000/300/30A (A1227)



CONTACT US FOR MORE INFO



ARC ARMOUR


UPGRADED FOR GREATER VISIBILITY

Made with LENZING™ FR - a sustainably produced, inherently flame-resistant cellulosic fibre – our Arc Armour PPE clothing range is not only comfortable, functional, and US NFPA 70E compliant, but also a durable and truly eco-friendly option for a variety of industrial applications.

FEATURES

- **Very lightweight – cool to wear**
 - Rugged & durable
 - Premium Grade HRC2/PPE2
 - Proprietary 215gsm Arc Armour fabric
 - Rating clearly visible
 - **215gsm Woven Lenzing Blend Arc Armour fabric**
 - Inherently Flame Retardant, Antistatic and Arc Flash Protection
 - Adjustable cuffs & zip gusset
 - High tensile strength fabric
 - Non-conductive zips
 - Range includes overall, jacket, and cargo pants
 - Company branding available*
- *Conditions apply

FIND OUT MORE:



**NZ'S LEADING
LIGHTWEIGHT
ARC RATED
WORK GEAR**



TE CONNECTIVITY GAS TORCH SETS

TE's Raychem gas torch sets allow you to install Heatshrink products correctly using specialised tools approved by TE. These sets are available in both a standard and Piezo (self igniting) style handle.

STANDARD

Featuring a Sievert plastic composite single valve handle with high quality brass metal parts, this set is suitable for rapid installation of heat-shrinkable materials. It offers maximum burning efficiency and the best available balance of surface pre-heat.

Contents:

- FH-1630-S-HNZ handle
 - Spindle and valve give very exact & quick flame setting
 - Springloaded metal knob gives precise and stable setting for finest of flames
 - All metal parts made of high quality brass
- 5m long high pressure hose
 - Screw connections for regulator & handles
 - Connection threads: R 3/8", left
 - Internal diameter 4mm
- BN38 38mm nozzle
 - Flame diameter 38mm
 - Gas consumption 0.90kg/h



PROMATIC

Featuring the patented Piezo electric ignition, universal handle, advanced design, and ergonomic appearance, the Promatic is a world-beating system for all possible heating tasks where efficiency and professional workmanship are the most important requirements.

Contents:

- Piezo handle
 - Operates with propane and butane gases
 - Gas flow when trigger pressed only
 - Nozzle connection: bayonet socket
- 5m long high pressure hose
 - Screw connections for regulator & handles
 - Connection threads: R 3/8", left
 - Internal diameter 4mm
- BN38 PIE 38mm nozzle
 - Flame diameter 38mm
 - Gas consumption 0.90kg/h



CONSTANT PRESSURE REGULATOR

Compatible with all FH-1630 hoses, this regulator is suitable for propane gas bottles from 5kg to 11kg and creates a constant 2 bar pressure between your torch and gas bottle.



Cat No.	Description
GASSETPIEZO	GAS SET PROMATIC 5M HOSE 38MM NOZZLE
GASSETSTD	GAS SET STANDARD 5M HOSE 38MM NOZZLE
REGULATOR	GAS SET REGULATOR

SEE THINGS MORE CLEARLY

Earth Rod Inspection Box



Auckland

78 Cryers Road
East Tamaki
Auckland
NEW ZEALAND
Ph 0800 442 182
PO Box 39 383
Howick, Auckland

Wellington

10 Petone Ave
Petone
Wellington
NEW ZEALAND
Ph 04 576 2530
PO Box 39 383
Howick, Auckland
NEW ZEALAND
sales@transnet.co.nz

TransNet Tonga

Nuku'alofa

Lakalakaimonu Multi Utility
Complex
Taufa'ahau Road
Poutaha
Nuku'alofa
TONGA
Ph +67 627 939
PO Box 2932
Nuku'alofa
TONGA
transnet@kalianet.to

TNERIB

TRANSNET EARTH ROD INSPECTION BOX



TransNet's TNERIB is a custom-designed inspection box featuring a hinged latching lid for easy access. Strengthened for longevity, the TNERIB protects the integrity of the connection and is easily installed in footpaths.

FEATURES

- Heavy duty strengthened, hinged & latched lid
- Made from fully recyclable UV stabilised material
- Square to easily fit into paving work
- Easy to identify with embossed lid detail
- Extensive rain water access
- Custom designed and manufactured in NZ



TransNet NZ Ltd has made every reasonable effort to ensure the accuracy of this information and it is to the best of our knowledge correct and reliable. Under no circumstances does this constitute an assurance of any particular quality or performance and users should independently evaluate the suitability of products for their desired application. All information in this publication including pricing, drawings, illustrations, images and graphic designs are reflections of our current understanding. TransNet NZ Ltd reserves the right to make any adjustment to this information at any time. Our liability for the products outlined in this publication is set forth in our standard terms and conditions of trade. In case of any potential ambiguities or questions, please contact us for clarification.

