

LV JUICE

RAYGEL PLUS JOINT KITS

Raychem RayGel Plus Joint Kits offer quick, easy reliable sealed joints for low voltage applications. Enclosures offer a state-of-the-art sealed joint for underground, direct-buried and overhead applications.

RAYGEL PLUS SYSTEM

- Housing is made of Halogen free UV resistant Polypropylene
- RayGel PowerGel Sealant
- Some kits include connector blocks or connectors*
- Quick, easy, & clean installation

WIDE APPLICATION AREA

- Street, garden and pool lighting
- Connection of outdoor equipment
- Frost protection systems
- Cable trays and cable ducts
- For single-core cables from 10-50mm² & multi-core cables from 2x1.5 up to 5x16mm²

POWERGEL SEALANT FILLED

- Covers and seals every connection quickly and easily, saving time and effort
- Rated to 90°C continuous temperature
- Environmentally friendly

SOPHISTICATED ENCLOSURE DESIGN


- Optimised joint design with integrated strain relief and more space for the connection
- Flexible wave-like gel barriers (no tools required)
- Suitable for direct buried applications (IP68)

*UNIVERSAL CONNECTOR BLOCK

- Full range of branching capabilities without cutting of main cables
- Supplementary tool for insertion of sliding nuts



- Unique latchable connector block for even more effective and easy installation



This Month

FREE MAN RUB SEASONING MIX
WHILE STOCKS LAST

When you spend over \$300 (+GST) on one invoice this month



www.transnet.co.nz

ARE YOU READY FOR EV CHARGING? PAGE 5

LED COMMERCIAL & INDUSTRIAL FLOODLIGHTS PAGE 6

METREL INSTALLATION TESTER COMBO PAGE 7



DESTINATION SPECS

POLARISED & NON-POLARISED LENSES

- Certified to AS/NZS1337.1:2010
- Premium optics: 100% UVA/UVB protection,
- Non-slip TPR nose pads
- Ergo-designed temples conform to wearer's head—snug & secure
- Designer-8 base curved lens
- Tough anti-fog / anti-scratch coatings
- Neck cord attachment
- Includes microfibre pouch
- Available in four in-trend styles

COMFORT — PROTECTION — STYLE

From the moment you wear a pair of specs from Esko's Destination designer eyewear range, you will experience their exceptional comfort, precision optics, protective fit and their stunning look! These are your perfect work and weekend eye protectors.

EYE PROTECTION

Destination eyewear is tested & certified to AS/NZS1337.1:2010 Medium Impact Protection. Filters 100% of UVA/UVB.

HIGH PERFORMANCE LENS COATING

Maintain visual clarity with Visi-gard. This hydrophilic lens coating attracts moisture, so that instead of beading up on the surface it spreads and dissipates across the lens. Unlike hydrophobic coatings, the Destination's hydrophilic coating is washable, for much longer life.

PRODUCT CARE

Microfibre protection pouch / cleaning cloth included to protect and care for your Destination specs.

POLARISED LENS OPTION

Maintain perfect optical quality with Visi-Polar multi-layered polarised lens technology. Visi-Polar offers an unbeatable wearer experience by filtering out annoying glare and strong light, reducing eyestrain and allowing the eyes to enjoy pure vivid colour. Ideal in a marine environment.

Cat No.	Description
E7110	Cuba Safety Sunglasses Non-Polarised
E7110P	Cuba Safety Sunglasses Polarised
E7120	Hawaii Safety Sunglasses Non-Polarised
E7120P	Hawaii Safety Sunglasses Polarised
E7130	Sahara Safety Sunglasses Non-Polarised
E7130P	Sahara Safety Sunglasses Polarised
E7140	Tokyo Safety Sunglasses Non-Polarised
E7140P	Tokyo Safety Sunglasses Polarised

TRANSNET MONTHLY GIVEAWAY SUPPORTING KIWI BUSINESSES

With NZ heading into summer we were keen to entice the bbqs out and families to eat together with the help of a local supplier, and this one definitely gave us a great gut feeling! Pepper & Me are a BOP-based business who started off creating

salt blends and spice pastes to sell at the markets. Now with over 35 products stocked nationwide they are an internet cult sensation that just keeps on giving. This month's special TransNet giveaway is

www.pepperandme.co.nz

Pepper & Me's Man Rub, a smokey bbq seasoning that can be used for meat, veges, or anything that could do with a good kick. Bon appétit!




CABLEAWAY POP UP FLOOR OUTLET BOXES



Cableaway's floor outlet boxes are an ideal way to supply power to open floors of a commercial office building or residential area. With auto-switched outlets and data options they offer flexibility and convenience now and in the future. For other size and finishing options please contact us.



**cable.
away**



PUSF1P

FLOOR BOX BODY MANUFACTURED FROM POWDER COATED ZINC ANNEALED STEEL
20MM AND 25MM KNOCKOUTS PROVIDED FOR EASY CONDUIT ENTRY

FRAME AND LID MANUFACTURED FROM STAINLESS STEEL

IP44 RATED

1 X AUTO SWITCHED POWER OUTLET SUPPLIED

FLOOR BOX CARCASS DIMENSIONS: W 99 X L 99 X D 54MM (D 72MM INCLUDING LID)

FLOOR BOX LID DIMENSIONS W 124 X L 124MM

The PUSF1P floor outlet box comes complete with a Stainless Steel flush lid and 1 x auto switched socket. Data outlets are available as an optional extra.

\$125.00
+GST



PUALF2P

FLOOR BOX BODY MANUFACTURED FROM POWDER COATED ZINC ANNEALED STEEL
20MM AND 25MM KNOCKOUTS PROVIDED FOR EASY CONDUIT ENTRY

FRAME AND LID MANUFACTURED FROM BRUSHED ALUMINIUM

IP44 RATED

2 X AUTO SWITCHED POWER OUTLETS SUPPLIED

FLOOR BOX CARCASS DIMENSIONS: W 132 X L 132 X D 64MM (D 72MM INCLUDING LID)

FLOOR BOX LID DIMENSIONS W 145 X L 145MM

The PUALF2P floor outlet box comes complete with a brushed aluminium flush lid and 2 x auto switched sockets (also available in a data-only configuration).

\$165.00
+GST



**HAVE YOU GOT THE
RIGHT
TOOL
FOR THE
RIGHT
JOB?**

200000 CABLE STRIPPING KNIFE

FEATURES

- 1000V VDE rated
- Comfort grip handle
- 50mm rigid straight blade
- Protective blade cover included



\$25.00
+GST

Description	Length (mm)
1000V VDE CABLE STRIPPING KNIFE	150

101999/Z1 1000V VDE SCREWDRIVER SET

FEATURES

- Injected blade profile on top of handle for fast access in tool pouch and tool box
- Magnetic blades made from molybdenum-vanadium steel

\$49.00
+GST



Description	Type
6PC 1000V VDE SET WITH SQ 1, 2, POZI 1, 2, AND 3.5MM, 6.5MM SLOTTED	<input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>

RC32 RATCHET CABLE CUTTER

Handy single handed cutter with powerful ratchet action. Heavy duty comfort grip handle.

FEATURES

- 32mm diameter capacity
- 325mm² Al/Cu only
- AWG 600MCM



\$159.00
+GST

Description	Range (mm ²)	Length (mm)
RATCHET CABLE CUTTER 32MM DIA.	UP TO 325	240

200183 RATCHET CABLE CUTTER

One or two handed tool, large capacity cutter with robust drive technology. Capacity - 52mm dia. 400mm² Al/Cu only.



\$349.00
+GST

Description	Range (mm ²)	Length (mm)
RATCHET CABLE CUTTER 52MM DIA.	UP TO 400	280



ARE YOU READY FOR EV?

EV READY KIT FOR WALLBOX PULSAR & PULSAR PLUS

Installing an EV ready kit in any new house build or renovation is the easiest way to ensure that when the time comes to install a Wallbox Pulsar EV charging station it is simple, easy and neat.

These cost effective kits will futureproof any home while giving you the convenience of immediate access to a domestic double socket. During the wiring phase a dedicated circuit is created from the distribution board to the EV Ready Kit, which is then terminated as a domestic socket outlet. When you require an EV charging station it is quick and easy for an electrician to swap out the adaptor plate and socket outlet for a Wallbox Pulsar or Pulsar Plus unit.

FROM THIS TO THIS AND BACK!

- It's easy for an electrician to swap the power outlets for a Wallbox Pulsar or Pulsar Plus charging station (sold separately)
- If you move house you can easily take your Wallbox EV charger with you leaving the property "EV ready" and electrically safe for the next residents (Electrician required)
- Great for businesses - remove and relocate your asset from a staff member's home without expensive remedial costs of repairing walls (Electrician required)
- Available in black & white



Faceplate compatible with all standard domestic power points (power point not included)


Cat No.	Description
EVC-EVREADY-WH	EV Ready Base & Faceplate, White
EVC-EVREADY-BK	EV Ready Base & Faceplate, Black

\$39.50

+GST

evc.co.nz | +64 9 274 3340 | ev@transnet.co.nz





COST EFFECTIVE



SLIMLINE DESIGN



10KV SURGE PROTECTION

LEDFL21

LED INDUSTRIAL & COMMERCIAL FLOODLIGHTS


The LEDFL21 range of floodlights are a robust, slimline unit boasting 130lm/W with inbuilt 10kV surge protection.

With two models (50W & 200W) each including two options of beam angles (wide beam or asymmetric), these floodlights will cover most requirements.

With a rated lifespan of 100,000 hours on LED, surge protection and corrosion resistant body ensures maximum longevity.

TECHNICAL SPECIFICATIONS

CAT NO.	LEDFL21-50AC	LEDFL21-200AC
POWER CONSUMPTION	50W	200W
LED LIGHTING EFFICIENCY	130lm/W	
COLOUR TEMPERATURE	CW: 5000K	
COLOUR RENDERING (RA)	>70	
BEAM ANGLES	Wide Beam, 120° Type III Asymmetric (100°x150°)	
LED	Luxeon 30/30	
IP RATING	IP66	
CALCULATED L70/B10	>100,000 hours	
DRIVER	Sosen	
SURGE PROTECTION	10kV	
DIMMABLE	No	
IMPACT RESISTANCE	IK07	
AMBIENT TEMPERATURE	-40°C to +50°C	
POWER FACTOR	0.95	0.98
BODY WEIGHT	2.1kg	4.7kg
SIZE (MM)	346(H) x 184(W) x 54(D)	487(H) x 328(W) x 60(D)
INPUT VOLTAGE	100-277V AC	
MATERIAL	Robust Die-cast Aluminium & Tempered Glass Front	
COATING	Anti-corrosion TGIC Powder-coat	
CABLES	2m Length / 3 Core Flex	
WARRANTY	5 Years	
CORROSION TESTING	240hr Saline Mist Test Pass (IEC 60068-2-11:1981)	



CAT NO.	LUMENS	OPTIC TYPE
LEDFL21-50AC-120	6,500LM	120° TYPE
LEDFL21-50AC-100X150	6,138LM	TYPE III
LEDFL21-200AC-120	26,000LM	120° TYPE
LEDFL21-200AC-100X150	24,550LM	TYPE III





BEST MATES AT THE BEST RATES

MI3102BT PROMO
MI3102BT + MD9226
\$2675.00
+GST



MI3102BT
EUROTESTXE
INSTALLATION TESTER



The MI3102BT performs a complete set of installation safety tests according to IEC/EN 61557. Its give the user the ability to perform AUTO SEQUENCE® testing, ISFL measurements, IMD tests, on-line voltage monitoring, and phase sequence testing, as well as earth resistance, illuminance, and TRMS current measurements. MI3102BT is equipped with fuse tables for PASS/FAIL evaluation of test results. These can be quickly saved and referenced on the instrument and then downloaded via the included EuroLink PRO software for evaluation and report generation after testing.

KEY FEATURES

- Predefined mini AUTOSEQUENCES: Auto TT (U, ZIn, Zs, Uc); Auto TN/RCD (U, ZIn, Zs, Rpe); Auto TN (U, ZIn, Zlpe, Rpe); Auto IT (U, ZIn, Isc, Isfl, IMD)
- Power measurements and harmonics analysis
- Built-in help screens for referencing on site
- Built-in fuse tables for automatic evaluation of the line / loop impedance result
- Monitoring of all 3 voltages in real-time
- Automatic polarity reversal on continuity test
- Loop impedance test without tripping the RCD
- Built-in charger and rechargeable batteries
- Automated RCD testing procedure
- Built-in Bluetooth
- PC SW EuroLink PRO to download test results and create reports
- EuroLink Android APP (option)

MEASURING FUNCTIONS

- Insulation resistance with DC voltage from 50 V to 1000 V
- Continuity of PE conductors with 200 mA DC test current with polarity change
- Continuity of PE conductors with 7 mA test current without RCD tripping
- Line/Loop impedance, loop with Trip Lock RCD function
- TRMS voltage and frequency
- Phase sequence
- Power and harmonics
- RCD testing (general and selective, type AC, A, F, B, B+)
- Earth resistance (3-wire and 2-clamps method)
- First fault leakage current (ISFL)
- Testing of Insulation Monitoring Devices (IMDs)
- Phase sequence



MD9226
AC/DC 600A TRMS
CURRENT CLAMP

The MD9226 has a wide range of extra features, including peak value, data and MAX hold functions, auto power off, auto-ranging and a relative zero function.

KEY FEATURES

- Auto-ranging
- Automatic, non-contact detection of electromagnetic fields to locate and trace live conductors
- Data hold function
- MIN/MAX/AVG function
- Peak value
- Relative zero
- 35mm jaw opening
- CAT IV / 300 V, CAT III / 600 V overvoltage categories
- LCD display with backlight, 3-5/6 digit, 6000 count

MEASURING FUNCTIONS

- DC and TRMS AC voltage up to 600 V, current measurement up to 600 A
- Resistance, frequency & capacitance measurements
- Acoustic continuity test
- Diode test



KEEPING SAFE WITH TRANSNET

Sungard SPF40 Insect Repellent



Auckland

78 Cryers Road
East Tamaki
Auckland
NEW ZEALAND
Ph 0800 442 182
Fax 0800 442 183
PO Box 39 383
Howick, Auckland

Wellington

10 Petone Ave
Petone
Wellington
NEW ZEALAND
Ph 04 576 2530
Fax 04 576 0040
PO Box 39 383
Howick, Auckland
NEW ZEALAND
sales@transnet.co.nz

TransNet Tonga

Nuku'alofa

Lakalakaimonu Multi Utility
Complex
Taufa'ahau Road
Poutaha
Nuku'alofa
TONGA
Ph +67 627 939
Fax +67 627 976
PO Box 2932
Nuku'alofa
TONGA
transnet@kalianet.to

SunGard SPF 40 is a sunscreen with natural insect repellent.

FEATURES

- SPF40 UVA/UVB advanced broad-spectrum protection
- Protects against mosquitoes, helps repel sandflies and other annoying disease-carrying insects
- 2 hours water resistance
- Dermatologically tested for most skin types, free from Paraben and MIT
- Laboratory tested to meet AS/NZS Standard 2604:2012
- Safe non-slip dry lotion, low irritant, sweat-resistant formulation
- Super-fast absorbing lotion, feels clean and weightless
- Available in 125ml flip top squeeze tube and 500ml pump bottle

Cat No.	Type	Size (ml)
SG40IR-125	FLIP TOP SQUEEZE TUBE	125
SG40IR-500	PUMP BOTTLE	500



TransNet NZ Ltd has made every reasonable effort to ensure the accuracy of this information and it is to the best of our knowledge correct and reliable. Under no circumstances does this constitute an assurance of any particular quality or performance and users should independently evaluate the suitability of products for their desired application. All information in this publication including pricing, drawings, illustrations, images and graphic designs are reflections of our current understanding. TransNet NZ Ltd reserves the right to make any adjustment to this information at any time. Our liability for the products outlined in this publication is set forth in our standard terms and conditions of trade. In case of any potential ambiguities or questions, please contact us for clarification.