

ACTIVARMR® GLOVE RANGE

- RUBBER INSULATING GLOVES & ACCESSORIES

The ActivArmr® range of gloves by Balmoral provides some of the most dexterous and supple feeling gloves in the market while still adhering to robust safety standards.

The ActivArmr® range of low and high voltage gloves by Balmoral are a Utility grade product. They come in a variety of sizes including half sizes, and are available to order in a range of cuff styles and shapes.

From Class 00 through to Class 4, these gloves include innovative safety features such as dual layer construction and a proprietary “Aqueous Dipping” technique to ensure the most pure Latex Rubber finish. ActivArmr® gloves are chlorinated for easy donning and duffing which also contributes to a native level of flame resistance.



FEATURES & BENEFITS

- Pure latex gloves manufactured under ISO 9001 & ISO 14001
- Certified to EN 60903
- Also available in ASTM D120
- Ergonomically shaped
- Excellent strength & durability
- Supreme feel & flexibility
- Outer protector gloves custom designed to perfectly complement the ActivArmr® rubber insulating glove
- Manufactured without the use of solvents & hazardous chemicals utilising a proprietary aqueous dipping process
- Acid resistant
- Ozone resistant
- Low temperature resistant
- Comprehensive range of classes, colours, lengths & sizes, including half sizes
- Various cuff styles available including straight, contour & bell
- Arc Flash certified

ACTIVARMR®



balmoral™
engineering

CORRECT SIZE SELECTION

- ACTIVARMR® GLOVE SIZE SELECTION GUIDE

Linesman and others in the industry that may be used to the sizing and feel of existing American Rubber Insulating Gloves should note:

- The improved soft and dexterous feel of the ActivArmr® Glove
- Balmoral's comprehensive stock holding including a large range of sizes and styles
- The increased speed of supply with Balmoral's in house test lab



Rubber Insulating Glove Item Number Legend



Example = RIG-4-18-YB-C-10H

A B C D E F

- A - Glove Type: RIG (Rubber Insulating Glove)
- B - Class: 00/0/1/2/3/4
- C - Length: 11/14/16/18 (inches)
- D - Colour: R/Y/YB/BY (Red, Yellow, Yellow under Black, Black under Yellow)
- E - Cuff: S/C/B (Straight, Contour, Bell)
- F - Size: 7/8/8H/9/9H/10/10H/11 (H= ½ sizes)



How to Measure

Measure around your hand, above the V of the thumb. This gives you the circumference

Glove Length

280 mm (11 inch)
360 mm (14 inch)
400 mm (16 inch)
460 mm (18 inch)

Glove Size

Nominal Hand Circumference

7	7 inches	178 mm
8	8 inches	203 mm
8½	8½ inches	216 mm
9	9 inches	229 mm
9½	9½ inches	241 mm
10	10 inches	254 mm
10½	10½ inches	267 mm
11	11 inches	279 mm

Tolerance = +/- 13 mm

*Allow an extra half inch if using cotton inners

PRODUCT COMPARISON

- ACTIVARMR® TO SALISBURY CROSS-REFERENCE

CLASS 00 - MAX USE 500V AC

Cat No.		Size
Salisbury	ActivArm®	
-	RIG0011RS7**	7
E0011R-8	RIG0011RS8	8
E0011R-8.5	RIG0011RS8H	8.5
E0011R-9	RIG0011RS9	9
E0011R-9.5	RIG0011RS9H	9.5
E0011R-10	RIG0011RS10	10
E0011R-10.5	RIG0011RS10H	10.5
E0011R-11	RIG0011RS11	11
E0011R-11.5	-	11.5
E0011R-12	-	12



**Special order only

CLASS 0 - MAX USE 1000V AC

Cat No.		Size
Salisbury	ActivArm®	
E011Y-8	RIG011YS8	8
E011Y-8.5	-	8.5
E011Y-9	RIG011YS9	9
E011Y-9.5	-	9.5
E011Y-10	RIG011YS10	10
E011Y-10.5	-	10.5
E011Y-11	RIG011YS11	11
E011Y-12	-	12



CLASS 1 - MAX USE 7,500V AC

Cat No.		Size
Salisbury	ActivArm®	
E114YB-8	RIG114YBS8	8
E114YB-8.5	RIG114YBS8H	8.5
E114YB-9	RIG114YBS9	9
E114YB-9.5	RIG114YBS9H	9.5
E114YB-10	RIG114YBS10	10
E114YB-10.5	RIG114YBS10H	10.5
E114YB-11	RIG114YBS11	11
E114YB-12	-	12



CLASS 2 - MAX USE 17,000V AC

Cat No.		Size
Salisbury	ActivArm®	
E216YB-8	RIG216YBS8	8
E216YB-8.5	RIG216YBS8H	8.5
E216YB-9	RIG216YBS9	9
E216YB-9.5	RIG216YBS9H	9.5
E216YB-10	RIG216YBS10	10
E216YB-10.5	RIG216YBS10H	10.5
E216YB-11	RIG216YBS11	11
E216YB-12	-	12



CLASS 3 - MAX USE 26,500V AC

Cat No.		Cuff	Size
Salisbury	ActivArm®		
E316BCYB-10.5	RIG316YBB10H	BELL	10.5
E316BCYB-11	RIG316YBB11	BELL	11
E316YB-8	-	STD	8
E316YB-8.5	-	STD	8.5
E316YB-9	RIG316YBS9	STD	9
E316YB-9.5	RIG316YBS9H	STD	9.5
E316YB-10	RIG316YBS10	STD	10
E316YB-10.5	RIG316YBS10H	STD	10.5
E316YB-11	RIG316YBS11	STD	11



CLASS 4 - MAX USE 36,000V AC

Cat No.		Size
Salisbury	ActivArm®	
E418YB-9	RIG418YBS9	9
E418YB-9.5	RIG418YBS9H	9.5
E418YB-10	RIG418YBS10	10
E418YB-10.5	RIG418YBS10H	10.5
E418YB-11	RIG418YBS11	11



ACTIVARMR®



balmoral™
engineering

PRODUCT COMPARISON

- COMPARE ANSELL TO SALISBURY OVERGLOVES & LINERS

CLASS 00-0 LEATHER OVERGLOVES

Cat No.		Size
Salisbury	Ansell	
-	OUTLVGS7	7-7.5
ILPG10A-8	OUTLVGS8	8-8.5
ILPG10A-9	OUTLVGS9	9-9.5
ILPG10A-10	OUTLVGS10	10-10.5
ILPG10A-11	OUTLVGS11	11-11.5
ILPG10A-12	-	12-12.5



OUTLVGS



ILPG10A

CLASS 1-4 LEATHER OVERGLOVES

Cat No.		Size
Salisbury	Ansell	
ILPG3S-8	OUTHVGS8	8-8.5
ILPG3S-9	OUTHVGS9	9-9.5
ILPG3S-10	OUTHVGS10	10-10.5
ILPG3S-11	OUTHVGS11	11-11.5
ILPG3S-12	-	12-12.5



OUTHVGS



ILPG3S

CLASS 00-0 & 1-4 THE POWER GRIPZ™ LEATHER OVERGLOVES

Features Arc Flash protection of 40 cal/cm², cut resistance & patent pending grip pad for extra safety and functionality.

Cat No.		Size
Class 00-0	Class 1-4	
TPG010-8-8.5	TPG012-8-8.5	8-8.5
TPG010-9-9.5	TPG012-9-9.5	9-9.5
TPG010-10-10.5	TPG012-10-10.5	10-10.5
TPG010-11-11.5	TPG012-11-11.5	11-11.5
TPG010-12-12.5	TPG012-12-12.5	12-12.5



TPG-010



TPG-012K

COTTON GLOVE LINER

Cotton Glove Liners reduce the discomfort of wearing rubber insulating gloves and absorb perspiration in warmer months. Made from cotton they are therefore non-drip. We have knitted and interlock fabric types available.

Cat No.	Description
COT1	COTTON INTERLOCK 10" GLOVE LINER, ONE SIZE
CPT3	COTTON INTERLOCK 14" GLOVE LINER, ONE SIZE
35	COTTON GLOVE LINER, ONE SIZE



COT



35